

## DAFTAR PUSTAKA

- Abbasi, S., and Naghipoor, A., 2009, One Pot Mechanochemical Synthesis of Resorcinol Based Calix[4]arene and It's *ab initio* Study, *Asian J. Chem.*, 21(6), 4943-4946.
- Abosadiya, H. M., Hasbullah, S. A., Mackeen, M. M., Low, S. C., Ibrahim, N., Koketsu, M., and Yamin, B. M. , 2013, Synthesis, Characterization, X-ray Structure and Biological Activities of C-5-Bromo-2-hydroxyphenylcalix [4]-2-methylresorcinarene, *Molecules*, 18, 13369-13384.
- Agustri, A.A., 2016, Sintesis Senyawa Tabir Surya Kaliks[4]resorsinarena Turunan Benzoat Dan Sinamat Dari Vanilin, *Tesis*, Departemen Kimia FMIPA, UGM.
- Anwar, C., Jumina, Siswanta, D., Santosa, S.R., Dewi, R.K., and Mardjan, M.I.D, 2016, Adsorption Study of Pb(II), Cd(II), Hg(II) and Cr(III) onto Calix[4]resorcinarene Derivative, *Orient. J. Chem.*, 32(6), 2881-2887.
- Armala, M.M., 2009, Daya Antioksidan Fraksi Air Ekstrak Herba Kenikir (*Cosmos caudatuc* H.B.K) dan Profil KLT, *Skripsi*, Fakultas Farmasi, UII.
- Bishnoi, A., and Chawla, H.M., 2014, Synthesis and Applications of Chromogenic Calix[4]resorcinarene Derivates, *Res. J. Chem. Environ.*, 18(2).
- Bishnoi, A., Chawla, H.M., Pant, N., Mrig, S., and Kumar, S., 2010, Evaluation of The Radical Scavenging Activity of Resorcinarenes by DPPH• Free Radical Assay, *J. Chem. Res.*, 440-444.
- Blois, M., 1958, Antioxidant Determination by The Use of A Stable Free Radical, *Nature*, 181, 1199-1200.
- Budiana, I.G.M.N., 2004, Sintesis Senyawa 4,10,16,22-Tetra O-asetatkaliks[4]aren Dan *p*-tert-Butilkaliks[4]aren Sebagai Penjebak Ion Pb<sup>2+</sup>, *Tesis*, Departemen Kimia FMIPA, UGM.
- Carnelio, S., 2008, Definite, Probable, or Dubios: Antioxidants Trilogyin Clinical Dentistry, *Brit. Dent. J.*, 204, (1), 29-30.
- Carocho, M., and Ferreira, I.C.F.R., 2013, A Review on Antioxidant, Prooxidants and Related Controversy: Natural and Synthetic Compounds, Screening and Analysis Methodologies and Future Perspectives, *Food Chem. Toxicol.*, 51, 15-25.
- Cook, N.C., and Samman, S., 1996, Flavonoids-Chemistry, metabolism, Cardioprotective Effects, and dietary sources, *Nutr. Biochem.*, 7, 66-76.

- Craft, B.D., Kerrihard, A.L., Amarowicz, R., and Pegg, R.B., 2012, Phenol-Based Antioxidant and The In Vitro Methods Used for Their Assessment. *Comp. Rev. Food Sci. Food Safety*, 11(2), 148-173.
- Creaven, B.S., Donlon, D.F., and McGinley, J., 2009, Coordination Chemistry of Calix[4]arene Derivatives With Lower Rim Functionalization and Their Applications, *Coor. Chem. Rev.*, 253, 893-962.
- Fessenden, R.J., dan Fessenden, J.S., 1995, *Organic Chemistry*, Willard Press, Boston, (Indonesian), diterjemahkan oleh Pujatmaka A.H., third ed., Erlangga, Jakarta.
- Franco, L.S., Salamanca, Y.P., Maldonado, M. and Vargas, E.F., 2010, Solubility of Calix[4]resorcinarene in Water from (278.15 to 308.15) K, *J. Chem. Eng. Data.*, 55, 1042-1044.
- Gutsche, D.C., 1989, *Calixarenes Revisited, Monographs in Supramolecular Chemistry*, Royal Society of Chemistry, Cambridge.
- Gutsche, D.C., 2008, *Calixarenes, An Introduction*, 2<sup>nd</sup> edition, University of Arizona, Tucson.
- Halliwel, B., 1995, Antioxidant Characterization, Methodology and Mechanism. *Biochem. Pharmacol.*, 49, 1341-1348.
- Halliwell, B., and Gutteridge, J.M.C, 1985, *Free Radicals in Biology and Medicine*, Clarendon Press, Oxford.
- Handayani, S.N., Jumina, Mustofa, and Swasono, R.T., 2016, Antioxidant Assay of C-2-Hydroxyphenylcalix[4]Resorcinarene using DPPH Method, *Int. J. Chem. Tech. Res.*, 9(22), 278-283.
- Hasbullah, A., Abosadiya, H.M., Tahir, M.I.M., and Yamin, B.M., 2013 Synthesis, Structural and Antioxidant Properties of C-*p*-methoxyphenylcalix[4]resorcinarene, *Int. J. Adv. Sci. Eng. Inform. Tech.*, 3(2), 36-39.
- Huang, D., Ou, B., and Prior, R.L., 2005, The Chemistry Behind Antioxidant Capacity Assay, *J. Agric. Food Chem.*, 53, 1841-1856.
- Handayani, S.N., Jumina, Mustofa, and Swasono, R.T., 2016, Antioxidant Assay of C-2-Hydroxyphenylcalix[4]Resorcinarene using DPPH Method, *Int. J. Chem. Tech. Res.*, 9(22), 278-283.
- Indarto, 2013, Sintesis Senyawa Tabir Surya Turunan Kaliks[4]resorsinarena Seri Benzofenon Dan Sinamat Dari *p*-Anisaldehyda, *Tesis*, Departemen Kimia FMIPA, UGM.

- Ismail, A., Marjan, Z.M., and Foong, C.W., 2004, Total Antioxidant Activity and Phenolic Content in Selected Vegetables, *Food Chem.*, 95, 180-185.
- Ito, H., Nakayama, T., Sherwood, M., Miller, D. and Ueda, M., 2008, Characterization and Lithographic Application of Calix[4]resorcinarene Derivates, *Chem. Mater.*, 20, 341-356.
- Iwanek, W., dan Wzorek, A., 2009, Introduction to the chirality of resorcinarenes, *Rev. in Org. Chem.*, 6, 398-411.
- Jumina, Sardjono, R.E., Siswanto, D., Santosa, S.J., and Ohto, K., 2011, Adsorption Characteristics of Pb(II) and Cr(III) onto C-Methylcalix[4]resorsinarene, *J. Korean Chem. Soc.*, 55(3), 454-462.
- Jun, H.A.N., Yun, G.E. and Chaoguo, Y.A.N., 2006, Synthesis of Calix[4]resorcinarene Core Dendrimers with Peripheral Salicylideneimine Functional Groups, *Chem. Res. Chinese. U.*, 22, 537-542.
- Karadag, A., Ozcelik, B., and Saner, S., 2009, Review of Methods to Determine Antioxidant Capacities, *Food Anal. Methods*, 2, 41-60.
- Kim, D.K., Lee, K.W., dan Lee, C.Y., 2002, Vitamin C Equivalent Antioxidant Capacity (VCEAC) of Phenolic Phytochemicals, *J. Agric. Food Chem.*, 50, 3713-3717.
- Klyachina, M.A., Boyko, V.I., Yakovenko, A.V., Babich, L.G., Shlykov, S.G., Kosterin, S.O., and Khilya, V.P., 2008, Calix[4]arene N-chalconeamides: Synthesis and Influence on  $Mg^{2+}$ , ATP-dependent  $Ca^{2+}$  Accumulation in The Smooth Muscle Subcellular Structures. *J. Incl. Phenom. Macrocycl. Chem.*, 60(2), 131-137.
- Li, D., Kusunoki, T., Yamagishi, T.A. and Nakamoto, Y., 2002, Synthesis of C-unalkylated Calix[4]resorcinarene from 1,3-dimethoxybenzene-formaldehyde Condensation, *Poly. Bull.*, 47, 493-499.
- Lu, J.M., Lin, P.H., Yao, Q., and Chen, C., 2010, Chemical and Molecular Mechanism of Antioxidant: Experimental Approaches and Model System, *J. Cell. Mol. Med.*, 14, 840-860.
- Mailandari, M., 2012, Uji Aktivitas Antioksidan Ekstrak Daun *Garcinia kydia* Roxb dengan Metode DPPH dan Identifikasi Senyawa Kimia Fraksi yang Aktif, *Skripsi*, Departemen Kimia FMIPA, UI.
- Miller, A.L., 1996, Antioxidant Flavonoid: Structure, Function and Clinical Usage, *Alt. Med. Rev.*, 1(2), 103-111.

- Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakar J. Sci. Technology*, 26(2), 211-219.
- Muharani, Fitriya, Oktaruliza, M., and Elfita, 2014, Antibacterial and Antioxidant Activity Testing of Pyranon Derivated Compound From Endophytic Fungi *Penicillium sp.* Of Kunyit Putih (*Curcuma zedoaria* (Berg.) Roscoe), *Trad. Med. J.*, 19(3), 107-112.
- Nimse, S.B., dan Pal, D., 2015, Free Radical, Natural Antioxidants, and Their Reaction Mechanisms, *RSC Adv.*, 5, 27986-28006.
- Nordmann, R., 1993, Free Radicals, Oxidative Stress, and Antioxidant Vitamins, *CR Sciences Soc. Biol. Fil.*, 277-285.
- Oliveira, C.B.S., Meurer, Y.R.S., Oliveire, M.G., Madeiros, W.M.T.Q., Silva, F.O.N., Brito, A.C.F, Pontes, D.L., and Neto, V.F.A, 2014, Comperative Study on The Antioxidant and Anti-*Toxoplasma* Activities of Vanillin and Its Resorcinarene Derivative, *Molecules*, 19, 5898-5912.
- Ozben, T., 1998, *Free Radical, Oxidative Stress, and Antioxidant: Pathological and Physiological Significance*, Plenum Press, New York.
- Permatasari, L., 2015, Aktivitas Penangkapan Radikal DPPH (2,2-difenil-1-pikrilhidrazil) Ekstrak Metanol Kulit Buah Rambutan (*Nephelium lappaceum* L.) Dan Fraksi-fraksinya, *Skripsi*, Departemen Kimia FMIPA, UGM.
- Qader, S. W., Abdulla, M.A., Chua, L.S., Najim, N., Zain, M.Z., and Hamdan, S., 2011, Antioxidant, Total Phenolic Content and Cytotoxicity Evaluation of Selected Malaysian Plants, *Molecules*, 16, 3433-3433.
- Rebecca, O.P.S., Boyce, A.N., and Chandran, S., 2010, Pigmen Identification and Antioxidant Properties of Red Dragon Fruit (*Hylocereus polyhizus*), *Afr. J. Biotec.*, 9, 1450-1454.
- Sardjono, R.E., 2007, Sintesis dan Penggunaan Tetramer Siklis Seri Kaliksresorsinarena, Alkoksikaliksarena, dan Alkenikaliksarena untuk Adsorpsi Kation Logam Berat, *Disertasi*, Departemen Kimia FMIPA UGM.
- Sardjono, R.E., Kadarohman, A., and Mardhiyah, A., 2012, Green Synthesis of Some Calix[4]resorsinarene under Microwave Irradiation, *Procedia Chemistry*, 4, 224-231.
- Setyawan, T., 2013, Sintesis Senyawa Tabir Surya Turunan Kaliks[4]resorsinarena Benzodfenon dari Vanilin, *Tesis*, Departemen Kimia FMIPA, UGM.

- Shah, M., and Agrawal, Y., 2012, Calixarene: A New Architecture in The Analytical and Pharmaceutical Technology, *J Sci Ind Res*, 71, 21-26.
- Shinohara, T., Higuchi, H., Senba, Y., Ohto, K., Yoshizuka, K., and Inoue, K., 2001, "Silver Ion Selectivity Electrode Based on Calix[4]arene Methyl Ketonic Derivative", *Anal. Sci.*, 17, 889-892.
- Simanjuntak, D., dan Sudaryati, E., 1998, Aspek Pencegahan Radikal Bebas Melalui Antioksidan, *Majalah Kedokteran Indonesia*, 48(1), 50-54.
- Utomo, S.B., 2007, Sintesis Polimer Polipropilkaliks[4]arena dari *p-t*-Butilfenol untuk Adsorpsi Pb (II), *Tesis*, Departemen Kimia FMIPA, UGM.
- Valco, M., Leibfritz, D., Moncol, J., Mark, T.D.C., Mazur, M., and Telser, J., 2007, Review: Free Radical and Antioxidants in Normal Physiological Functions and Human Disease, *The Int. J. of Biochem. and Cell Biol.*, 39, 44-84.
- Veravong, S., Ruangpornvisuti, V., Pipoosanakaton, B., Sukwattanasinitt, M., and Tuntulani, T., 2000, Synthesis of Tetraalkylated Calix[4]arenes and Studies of Their Conformational Behaviors, *Science Asia*, 26, 163-170.
- Vovk, A.I., Shivanyuk, A.M., Bugas, R.V., Muzychka, O.V., and Melnyk, A.K., 2009, Antioxidant and Antiradical Activities of Resorcinarene Tetranitroxides, *Bioorg. Med. Chem. Lett.*, 19(5), 1314-1317.
- Weinelt, F., and Schneider, H.J., 1991, Host-Guest Chemistry Mechanism of Macrocyclic Genesis, The Condensation of Resorcinol with Aldehydes, *J. Org. Chem.*, 56, 5527-5535.
- Winarsi, H., 2007, *Antioksidan Alami dan Radikal Bebas*, Kanisius, Yogyakarta.
- Wollinger, A., Perrin, E., Chahboun, J., Jeannot, D.T., and Kunz, W., 2015, Antioxidant Activity of Hydro Distillation Water Residues from *Rosmarinus officinalis* L. leaves determined by DPPH assays, *C. R. Chimie*, 19, 754-765.
- Wu, J.Q., Kosten, T.R., and Zhang, X.Y., 2013, Free Radicals, Antioxidant Defense Systems, and Schizophrenia, *Prog. in Neuro-Physopharm. and Biological Psychiatry*, 48, 200-220.
- Wulandari, R., 2016, Sintesis Seri C-Alkoksifenilkaliks[4]resorsinarena Trifenilfosfonium Klorida serta Penggunaannya sebagai Adsorben Cr(VI), *Remazol Brilliant Blue R* (RBBR), dan *Sodium Dodecylbenzene Sulfonate* (DBS), *Disertasi*, Departemen Kimia FMIPA, UGM.
- Yamin, M.H., Abosadiya, H.M., Hasbullah, S.A., and Jumina, 2014, Structural, Antioxidant and Antivarial Studies of C-3-nitrophenyl

CALIX[4]resorcinarene, *International Journal on Advanced Science Engineering Information Technology*, 3(4).

Yang, Hong, B., Chai, X., Yin, F., and Chen, Y., 2009, Excellent AgI Selective Receptors: synthesis and complexation properties of novel biscalix[4]arene with benzalazine groups, *Supramol. Chem.*, 21(8), 691-698.

Young, I.S., and Woodside, J.V., 2001, Antioxidants in Health and Disease, *J. Clin. Pathol.*, 54, 176-186.