

DAFTAR PUSTAKA

- Abosadiya, H.M., Hasbullah, S.A., Mackeen, M.M., Low, S.C., Ibrahim, N., Koketsu, M., and Yamin, B.M., 2013, Synthesis, Characterization, X-ray Structure and Biological Activities of C-5- Bromo-2-hydroxy phenyl calix [4]-2-methyl resorcinarene, *Molecules*, 18, 13369-13384.
- Anonim, 2012, Faktor-faktor yang Berhubungan dengan Pola Kematian, *Buletin Penelitian Sistem Kesehatan*, 13 (1), 42-53.
- Agrawal, Y.K., and Patadia, R.N., 2006, Microwave-assisted synthesis of calix[4]resorcinarene of hydroxamic acids, *Synth Commun*, 36, 1083-1092.
- Bauer, J.L., 1997, The conformational properties of calix[4]arenes, calix[6]arenes, calix[8]arenes, and oxacalixarenes, *J. Am. Chem. Soc.*, 107 (21), 6052–6059.
- Beyeh, N.K., and Rissanen, K., 2009, Tetranitroresorcin[4]arene: Synthesis and Structure of A New Stereoisomer, *Tetrahedron Lett.*, 50, 7369–7373.
- Bourgeois, J-M., and Stoeckli-Evans, H., 2005, Synthesis of New Resorcinarenes Under Alkaline Conditions, *Helv. Chim. Acta.*, 88, 2722-2730.
- Brand-Williams, W., Cuvelier, M.E., and Berset, C., 1995, Use of a Free Radical Method to Evaluate Antioxidant Activity, *Lebensmittel Wissenschaft und Technologie*, 28, 25-30.
- Carey, S.J.J., 2006, The Synthesis and Medicinal Applications of Pyrogallol[4]arenes, *Dissertation*, Dublin City University, Dublin.
- Carocho, M., and Ferreira, I., 2013, A review on antioxidants, prooxidants and related controversy: Natural and synthetic compounds, screening and analysis methodologies and future perspectives, *Food Chem. Toxicol.*, 51, 15–25.
- Dahan, E., and Biali, S.E., 1991, The Synthesis and Characterisation of Nitrile Functionalised Calix[4]arenes, *J. Org. Chem.*, 56, 7269-7274.
- Dara, M., Soekarno, P., and Wanandi, S., 2013, Red fruit oil supplementation fails to prevent oxidative stress in rats, *Universa Medicine*, 32 (2), 86–91.
- Ferro, R., Tedesco, C., and Neri, P., 2005, Synthesis and solid state confirmation of a calix[8]arene 1,5 diquinine derivatives, *J. Incl. Phenom. Macrocycl. Chem.*, 52, 85.

- Funck, M., Guest, D.P., and Cave, G.W.V., 2010, Microwave-Assisted Synthesis of Resorcin[4]arene and Pyrogallol[4]arene Macrocycles, *Tetrahedron Lett.*, 51, 6399–6402.
- Gerkenmeier, T., Mattay, J., and Nather, C., 2001, A New Type of Calixarene: Octahydroxypyridine[4]arenes, *Chem. Eur. J.*, 7 (2), 465-474.
- Gutsche, D.C., Dhawan, B., No, H.H., and Muthukrishnan, R., 1981, Calixarene 4. The Synthesis, Characterization, and Properties of Calixarenes from p-tert-butylphenol, *J. Am. Chem. Soc.*, 103, 3782-2786.
- Gutsche, D.C., 1989, *Calixarenes Revisited*, Monograph In Supramolecules Chemistry, The Royal Society of Chemistry, Washington.
- Halliwell, B. and Whiteman, M., 2004, Measuring reactive species and oxidative damage *in vivo* and in cell culture: how should you do it and what do the results mean?, *Br. J. Pharmacol.*, 142 (2), 231–255.
- Han, J., Song, X., Liu, L., and Yan, C., 2007, Synthesis, Crystal Structure and Configuration of Acetylated Aryl Pyrogallol[4]Arenes, *J. Incl. Phenom. Macrocycl. Chem.*, 59, 257–263.
- Harizal, 2015, Sintesis 4-Metoksifenilkaliks[4]pirogalolaril Benzoat-sinamat Sebagai Senyawa Tabir Surya, *Disertasi*, FMIPA UGM, 25-63.
- Hasbullah, A., Abosadiya, H.M., Jumina, J., Tahir, M.I.M., and Yamin, B.M., 2013, Synthesis, Structural and Antioxidant Properties of C-pmethoxyphenylcalix[4]resorcinarene, *Int. J. Advan. Sci. Eng. Inform. Technol.*, 3(2), 36-39.
- Huang, S., Hopia, A., Schwarz, K., Frankel, E., and German, J., 2005, Antioxidant activity of -tocopherol Trolox in different lipid substrates: Bulk oils vs. oil in water emulsions, *J. Agric. Food Chem.*, 44, 444-452.
- Hurrell, R. 2003. Influence of vegetable protein sources on trace element and mineral bioavailability. *J. Nutr.*, 133 (9), 2973–2977.
- Isnindar, Wahdaningsih, S., and Pratiwi, D., 2011, The Test Of Antioxidant Activity From Bawang Mekah Leaves (Eleutherine Americana Merr.) Using DPPH (2,2- Diphenyl-1-Picrylhydrazyl) Method, *Trad. Med. J.*, 18 (1), 9-16.
- Kedare, S.B., and Singh, R.P., 2011, Genesis and Development of DPPH Method of Antioxidant Assay : Review, *J. Food Sci. Technol.*, 48, 412-422.
- Lahsasni, S.A., Korbi, F.H., and Aljaber, N.A., 2014, Synthesis, characterization and evaluation of antioxidant activities of some novel chalcones analogues, *Chem. Central J.*, 8, 32.

- Maerz, A.K., 2011, Synthesis and Characterization of Host-Guest Complexes : Metal-Organic Nanocapsules Using Aryl Substitued Pyrogallol[4]arenes, *Dissertation*, University of Missouri-Columbia, Columbia.
- Middel, O., Verboom, W., Hulst, R., Kooijman, H., Spek, A.L., and Reinhoudt, D.N., 1998, Bridging of Resorcin[4]arenes in the Chair Conformation to Cavitands Having Two Pairs of Axial and Equatorial Substituents, *J. Org. Chem.*, 63, 8259-8265.
- Molyneux, P., 2004. The use of the stable free radical diphenyl picrylhydrazyl (DPPH) for estimating antioxidant activity. *J. Sci. Technol.*, 26 (2), 211-219.
- Nugroho, A.E., 2007, Penetapan aktivitas antioksidan dehidrozingeron melalui penangkapan radikal hidroksi dengan metode deoksiribosa, *Majalah Farmasi Indonesia*, 17 (3), 116-122.
- Oliveira, C.B.S., Meurer, Y.S.R., Oliveira, M.G., Medeiros, W.M.T.Q., Silva, F.O.N., Brito, A.C.F., Pontes, D.L., and Andrade-Neto, V.F., 2014, Comparative Study on the Antioxidant and Anti-Toxoplasma Activities of Vanilin and Its Resorcinarene Derivative, *Molecules.*, 19, 5898-5912.
- Ouk, S., Thiebaud, S., Borredon, E., Legars, P., and Lecomte L., 2002, O-Methylation of Phenolic Compounds with Under Solid/Liquid Phase Transfer System, *Tetrahedron Lett.*, 43, 2661- 2663.
- Pangestu, P.H., Prakoso, N.I., and Wahyuningsih, T.D., 2012, O-methylation of natural phenolic compounds based on green chemistry using dimethyl carbonate, *IOP Conf. Series: Materials Science and Engineering*, 107 (2016) 012065.
- Parwata, I. M., dan Adi, O., 2007, Aktivitas Antiradikal Bebas serta Kadar Betakaroten pada Madu Randu (*Ceiba Pentandra*) dan Madu Kelengkeng (*Nephelium longata L.*), *Jurnal Kimia*, 4 (1), 54-62.
- Pezzuto, J., 2002, Autooxidation and Antioxidants in Swarbrick, *J. Pharm. Technol.*, I, 97-111.
- Rita, A., Tania, S.U., Heri, H., Albana, A.M., dan Rini, R., 2009, Produksi antioksidan dari daun simpur (*Dillenia indica*) menggunakan metode ekstraksi tekanan tinggi dengan sirkulasi pelarut, *Prosiding Seminar Nasional Teknik Kimia Indonesia*, 19-20 Oktober 2009, Bandung.
- Setha, B., Gaspersz, F., Fidors, A.P.S., Rahman, S., and Mailda, M.N., 2013, Potential of Seweed *Padina sp.* as Source of Antioxidant, *Int. J. Sci. Technol. Res.*, 26, 221-224.

- Shinde, A., Ganu, J., and Naik, P., 2012, Effect of Free Radicals & Antioxidants on Oxidative Stress: A Review, *J. Dent. Allied Sci.*, 1(2), 63-66.
- Sliwa, W. and Deska, M., 2008, Calixarene Complexes With Soft Metal Ions, *ARKIVOC*, 1, 87-89.
- Timmerman, P., Verboom, W., and Reinhoudt, D. N., 1996, Resorcinarenes, *Tetrahedron Lett.*, 52 (8), 2663-2704.
- Veravong, S., Rojsajakul, T., Tumcharern, G., Seangprasertkij-Magee, R., and Tuntulani, T., Synthesis and characterisation of polyaza crown ether derivatives of calix[4]arene and their role as anion receptors, *Tetrahedron Lett.*, 53 (13), 4669-4680.
- Wu, C.Q., Chen, F., Wang, X., Kim, H.J., He, G.Q., Halezytlin, V. and Huang, G., 2009, Antioxidant constituents in feverfew (*Tanacetum parthenium*) extract and their chromatographic quantification, *Food Chem.*, 96, 220-227.
- Yamin, B.M., Abosadiya, H.M, Hasbullah, S.A., and Jumina, J., 2014, Structural, Antioxidant and Antivarial Studies of C-3-nitrophenylcalix[4]resorcinarene, *Int. J. Adv. Sci. Eng. Inform. Technol.*, 4 (3), 1-4.
- Yuswantina, R., 2009, Uji Aktivitas Penangkap Radikal Dari Ekstrak Petroleum Eter, Etil Asetat Dan Etanol Rhizoma Binahong (*Anredera Cordifolia* (Tenore) Steen) Dengan Metode DPPH (2,2-Difenil-1-Pikrihidrazil), *Skripsi*, Fakultas Farmasi Universitas Muhammadiyah Surakarta, Surakarta.
- Zambrano, C.H., Manzano, S., Mendez, M.A., Dueno, E. E., Cazar, R.A., and Torres, F.J., 2013, A theoretical study of the conformational preference of alkyl- and aryl-substituted pyrogallol[4]arenes and evidence of the accumulation of negative electrostatic potential within the cavity of their *rccc* conformers, *Mol. Simul.*, 40 (4), 327-334.
- Zou, Y., Lu, Y., and Wei, D., 2004, Antioxidant Activity of a Flavonoid-Rich Extract of *Hypericum perforatum* L. in Vitro, *J. Agric. Food Chem.*, 52 (16), 5032-5039.
- Zuhra, C.F., Tarigan, J., dan Sihotang, J., 2008, Aktivitas Antioksidan Senyawa Flavonoid Dari Daun Katuk (*Sauropus androgunus* (L) Merr.), *Jurnal Biologi Sumatra*, 3 (1), 7-10.