

DAFTAR PUSTAKA

- Aki, K., 1965. *Maximum Likelihood Estimate of b value in The Formula $\log N = a - bM$ and Its Confidence Limits*, Bulletin of Earthquake, Res. Ins., Tokyo University, vol 43, pp 237-239.
- Almendros, J., Luzon, F., and Posadas, A., 2004, *Microtremor analyses at Teide Volcano (Canary Islands, Spain): Assessment of Natural Frequencies of Vibration Using Time-dependent Horizontal-to-Vertical Spectral Ratios*, Pure and Applied Geophysics, vol 161, pp1579 - 1596
- Anonim, 2015, *Katalog Gempa Bumi Merusak 1821-2014*, BMKG., Jakarta.
- Arifin, S.S., Mulyatno. B.S., Marjiyono, dan Setianegara.R., 2013. *Penentuan Zona Rawan Guncangan Bencana Gempa Bumi Berdasarkan Analisis Nilai Amplifikasi HVSr Mikrotremor dan Analisis Periode Dominan Daerah Liwa dan Sekitarnya*. Jurnal Geofisika Eksplorasi, vol 2, no 1, hal 30-40.
- Asrurifak, M., 2010. *Peta Respons Spektra Indonesia Untuk Perencanaan Bangunan Tahan Gempa Berdasarkan Sumber Gempa 3-Dimensi Dalam Analisis probabilitas*, *Disertasi* Doktor Jurusan Teknik Sipil, ITB
- Atkinson, G.M., dan Boore, D.M., 2003. *Empirical Ground-Motion Relations for Subduction-Zone Earthquakes and Their Application To Cascadia And Other Region*, Bulletin of Seismological Society of America, Vol.93, No.4, pp 1703-1729.
- Bella, R.A., 2008, *Pembuatan Program Interface Untuk Software USGS PSHA 2007 Dengan Studi Kasus Pembuatan Peta Spectra Hazard di Wilayah Nusa Tenggara Timur*, *Tesis*, Magister Teknik Sipil Institut Teknologi Bandung.
- Boore, D.M., dan Atkinson, G.M., 2008. *Ground-Motion Prediction Equations for The Average Horizontal Component of PGA, PGV, and 5%-Damped PSA at Spectral Periods Between 0.01 s and 10.0 s*, Earthquake Spectra, Vol.24, No.1, pp 99 – 138.

- Campbell, K.W., dan Bozorgnia, Y., 2008. *Ground Motion Model for The Geometric Mean Horizontal Component of PGA, PGV, PGD and 5% Damped Linear Elastic Response Spectra for Periods Ranging From 0.01 to 10.0 s*, Earthquake Spectra, Vol.24, No.1, pp 139 – 171.
- Chiou, B., dan Youngs, R., 2008. *A NGA Model for The Average Horizontal Component of Peak Ground Motion and Response Spectra*, Earthquake Spectra, Vol.24, No.1. pp.173-215.
- Daryono, 2009, *Indeks Kerentanan Seismik Berdasarkan Mikrotremor Pada Setiap Satuan Bentuk Lahan di Zona Graben Bantul DIY*, Disertasi, Program Pascasarjana Fakultas Geografi, Universitas Gadjahmada, Yogyakarta.
- Djamal,B., Gunawan,W., Simandjuntak,T.O.,dan Ratman,N. 1994, Peta Geologi lembar Nias, Sumatera, Pusat Penelitian dan Pengembangan Geologi, Bandung.
- Edwiza,D., dan Novita,S., 2008, *pemetaan percepatan tanah maksimum dan intensitas seismik kota padang panjang menggunakan metode kanai*, Teknik A, No. 29 Vol.2, Universitas Andalas.
- Fauzi., Masturyono., Sulaiman, R., Nugroho, S., Subardjo., Wandono., Adi, R., Pasaribu, R., Mardiyono, R., Paritusta, R., Guswanto., Yuliana, R.R., Muzli., Ikbal., Karyono., R, Ariska., dan Gafur, A., 2005, *Aplikasi Sistem Informasi Geografi Untuk Peta Bencana Alam Di Indonesia*, BMKG.
- Fukhusima, Y., dan Tanaka, T., 1990, *A New Attenuation Relation for Peak Horizontal Acceleration of Strong Earthquake Ground Motion in Japan*, Bull of the seismological society of America. Soc. Am., 80, 757-783.
- Frankel, A., 1995, Mapping seismic Hazard in the central and eastern United States, *Seismological Research Letters*, Vol. 66, n.4 p. 8-21.
- Gardner, J. K. dan Knopoff, L., 1974, *Is the sequence of earthquakes in southern California, with aftershocks removed, Poissonian*, Bulletin of the Seismological Society of America Vol 64, 1.363–1.367.

- Gurler, E.D., Y. Nakamura, J. Saita dan T. Sato, 2000, *Local site effect of Mexico City based on microtremor measurement*, 6th International Conference on Seismic Zonation, Palm Spring Riviera Resort, California, USA, p.65.
- Guttenberg, B., and Richter, C., 1944. *Frequency of Earthquake in California*, Bulletin of Seismological Society of America, Vol. 34. pp 185-188.
- Gutenberg, B. and Richter, C. F., 1949, *Seismicity Of The Earth And Associated Phenomena*, Princeton University Press.
- Hanks, T.C., and Kanaori, H., 1979. *A Moment Magnitude Scale*. Journal of Geophysical Research vol.84, No.B5, pp 2348 – 2350.
- Idriss, I.M., 1985, *Evaluating Seismic Risk Engineering Practic, Proceeding of the 11th International Conference on Soil Mechanics and Foundation Engineering*, San Francisco, Vol. 1. Pp 255-320
- Irsyam, M., Sengara, W., Aldiamar, F., Widianoro, S., Triyoso, W., Hilman, D., Kertapati, E., Meilano, I., Asrurifak, M., Ridwan, M., dan Huhardjono., 2010. *Ringkasan Hasil Studi Tim Revisi Peta Gempa Indonesia 2010, Kementrian Pekerjaan Umum*.
- Irsyam, M., Subki B., Himawan A. dan Suntoko H., 1999, *Analisis Seismisitas untuk Semenanjung Muria*, Prosiding Konferensi Nasional Rekayasa Gempa, Pemanfaatan Perkembangan Rekayasa Kegempaan dalam Rangka Penyempurnaan Peraturan dan Peningkatan Kepedulian Masyarakat Terhadap Bencana Gempa di Indonesia, hal VI9-VI-20.
- Ishihara, K., 1982, *Evaluation of Soil Properties for Use in Earthquake Response Analysis*. In: Proceedings of the International Symposium On Numerical Model in Geomechanic, Zurich , Balkema, 237-259.
- Ishimoto, M., and Iida, K., 1939. *Observations sur les seismies energisters par le microseisographe construit dernierement (1)*. Bull. Earthquake Res. Inst., Univ. Tokyo 17. 443-478.
- Kertapati, E., (1999), “*Probabilistic Estimates of the Seismic Ground Motion Hazard in Indonesia*”, Proc: National Conference on Earthquake

Engineering, Indonesian Earthquake Engineering Association, Bandung.

Kramer, S.L., 1996. *Geotechnical Earthquake Engineering*, Prentice-Hall, UpperSaddle River, New Jersey.

Kulkarni, R.B., Youngs, R.R., and Coppersmith, K., 1984. *Assessment of Confidence Interval for Results of Seismic Hazard Analysis*, Proceedings, 8th World Conference on Earthquake Engineering, San Francisco, Vol.1.

Kumala, S.A., 2016, Upaya mitigasi bencana gempa bumi tektonik di wilayah Jawa timur dengan menggunakan PSHA (*probabilistic seismic Hazard analysis*), *Tesis*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.

Kurniawan, R., 2016, Pemetaan daerah rawan resiko gempa bumi berdasarkan metode *probabilistic seismic Hazard analysis* (PSHA) dan analisis data mikrotremor di kotamadya Denpasar dan sekitarnya, Bali, *Tesis*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.

Makrup, L., 2013, *Seismic Hazard untuk Indonesia*, Graha Ilmu, Yogyakarta.

Marjiyono, 2010, *Estimasi Karakteristik Dinamik Tanah dari Data Mikrotremor Studi Kasus Wilayah Kota Bandung*, *Tesis*, Program Studi Geofisika Terapan, Institut Teknologi Bandung, Bandung.

Meilano I., 2009, *Slip-rate Estimation from Crustal Deformation Observation*, Workshop Peta Zonasi Gempa Indonesia Terpadu Untuk Membangun Kesiapsiagaan Masyarakat, RISTEK 21 Juli 2009, Jakarta.

Nakamura, Y. 1996. *Realtime Information Systems for Seismic Hazard Mitigation*. Quarterly report of Railway Technical Research Inst. (RTRI) 37, 112–127.

Nakamura, Y., 1989, *A Method for Dynamic Characteristic Estimation of Subsurface Using Microtremor on the Ground Surface*, Q. R. of R. T. I. 30-1, p. 25-33.

- Nakamura, Y., 2000, *Clear Identification of Fundamental Idea of Nakamura's Technique and It's Applications*, Proceeding of 12th World Conference of Earthquake Engineering.
- Nakamura, Y., Sato, T., and Nishinaga, M., 2000, *Local Site Effect of Kobe Based on Microtremor Measurement, Proceeding of the Sixth International Conference on Seismic Zonation EERI*, Palm Springs California.
- Naryanto, H.S, 2005, *zonasi kerusakan, analisis kegempaan dan mitigasi bencana pasca gempa nias, sumatra utara 28 maret 2005*, Alami, Vol 10, No 2.
- Natawijaya, D.H., 2002, *Neotectonics of Sumatran Fault ang Paleogeodesy of the Sumatran Subduction Zone*. Doctor of Philosophy Thesis. California Institute of Technology, Pasadena, California.
- Natawidjaja D.H. dan Triyoso, W., 2007, *The Sumatran Fault Zone - From Source To Hazard*, Journal of Earthquake and Tsunami, Vol. 1, No. 1, pp 21–47.
- Nogoshi, M., and Igarashi, T., 1971, *On the Amplitude Characteristics of Microtremor (Part 2)*. Journal of the Seismological Society of Japan, 24, pp 26-40.
- Reiter, L., 1990. *Earthquake Hazard Analysis: Issues and Insights*, Columbia University Press, New York
- Seed, H. B. and Schnabel, P. B., 1972. *Soil and Geological Effects on Site Response During Earthquakes*. Proc. of First International Conf. on Microzonation for Safer Construction – Research and Application, vol. I, pp 61-74.
- SESAME, 2004. *Guidelines for the Implementation of the H/V Spectral Ratio Technique on Ambient Vibrations Measurements, Processing and Interpretation, European Comission-Research General Directorate*.
- Sibero, J., 2004, *Program Komputasi Analisa Resiko Gempa pada Daerah Sumatera Utara*, Magister Teknik Sipil, USU, Medan.

- Simmons, N. A, Matzel, E, and Myers, S, *LLNL-Earth3D User Manual*, Lawrence Livermore National Laboratory LLNL-SM-652345, Revised March 28, 2014.
- Stepp, J.C., 1973. *Analysis of The Completeness of The Earthquake Hazard Sample in The Puget Sound Area*, NOAA Technical Report, ERL 267-ESL 30, Boulder, CO.
- Subardjo., 2001. *Intensitas Seismik dan Percepatan Tanah Maksimum Untuk Beberapa Kota di Indonesia*, Badan Meteorologi dan Geofisika, Jakarta.
- Suharjanto., 2013. *Rekayasa Gempa (dilengkapi dengan Analisa Beban Gempa Sesuai SNI – 03 – 1726 – 2002)*, Penerbit Kepel Press, Yogyakarta.
- Tokimatsu, K. 2004. *S-wave velocity profiling by joint inversion of Stepp, J.C., 1973. Analysis of The Completeness of The Earthquake Hazard Sample in The Puget Sound Area, NOAA Technical Report, ERL 267-ESL 30, Boulder, CO. microtremor H/V spectrum*. Bulletin of the Seismological Society of America. vol 95, no 5, pp 1766-1778.
- Tuladhar, R., Cuong, N. N. H., and Yamasaki, F., 2004, *Seismic Microzonation of Hanoi, Vietnam Using Microtremor Observation*, Paper No. 2539, 13th World Conference on Earthquake Engineering, Vancouver, B. C., Canada.
- Wells, DL., dan Coppersmith, K.J., 1994, *New Empirical Relationships Among Magnitude, Rupture Length, Rupture Width, Rupture Area, and Surface Displacement*, Bulletin of The Seismological Society of America, Vol. 84. No 4. pp.974 - 1002.
- Widiyantoro, S., Pesicek, J. D., dan Thurber, C. H., 2010, *Subducting Slab Structure below the Eastern Sunda Arc Inferred from Non-linear Seismic Tomographic Imaging*, J. Geol. Soc. London,
- Wiemer, S., 2001, *A software package to analyze seismicity: ZMAP*, Seismological Research Letter, vol 72, pp. 373-382.
- Youngs, R.R., Chiou, S.J., Silva, W.J., dan Humphrey, J.R., 1997, *Strong Ground Motion Attenuation Relationships for Subduction Zone Earthquakes*, Seismol. Res. Lett. Vol. 68. No 1, pp 58-73.

Zhao, J.X., Zhang, J., Asano, A., Ohno, Y., Oouchi, T., Takahashi, T., Ogawa, H., Irikura, K., Thio, H., and Somerville, P., 2006. *Attenuation Relations of Strong Motion in Japan using site classification based on predominant period*, Bull. Seismol. Soc. Am., vol 96, no 3. pp 898-913.

Alamat Katalog Dara Gempa

<http://www.quake.geo.berkeley.edu/anss/catalog-search.html>

<https://earthquake.usgs.gov/earthquakes/search/>

<http://www.isc.ac.uk/iscbulletin/search/catalogue/>

<http://www.ncedc.org/ncedc/catalog-search.html>

<http://www.isc.ac.uk/ehbulletin/search/catalogue/>

http://repogempa.bmkg.go.id/repository.php?id=101&session_id=2ugk7Lli