

DAFTAR PUSTAKA

- Academy of Nutrition and Dietetics. (2015) Position of the academy of nutrition and dietetics: health implications of dietary fiber. *Journal of The Academy of Nutrition and Dietetics*, 115(1), pp. 1861-1870.
- Adam, C. L., Williams, P. A., Dalby, M. J., Garden, K., *et al.* (2014) Different types of soluble fermentable dietary fibre decrease food intake, body weight gain and adiposity in young adult male rats. *Nutrition & Metabolism*, 11(36), pp. 1-17.
- Adam, C. L., Gratz, S. W., Peinado, D. I., Thomson, L. M., *et al.* (2016) Effects of dietary fibre (pectin) and/or increased protein (casein or pea) on satiety, body weight, adiposity and caecal fermentation in high fat diet-induced obese rats. *Plos One*, 11(5), pp. 1-16.
- Almatsier, S. (2010) *Penuntun Diet edisi baru*. Jakarta: Penerbit Gramedia Pustaka Utama.
- American Diabetes Association. (2015) Standards of Medical Care in Diabetes. *The Journal of Clinical and Applied Research and Education*, 38 Suppl 1.
- Asdie, A. H., Hardiman, D. (1989) Patogenesis diabetes mellitus tidak bergantung insulin (Non-Insulin Dependent Diabetes Mellitus). *Berkala Ilmu Kedokteran*, 21(3), pp. 91-98.
- Babio, N., Balanza, R., Basulto, J., Bullo, M., Salas-Slavado, J. (2010) Dietary fibre: influence on body weight, glycemic control and plasma cholesterol profile. *Nutr Hosp*, 25(3), pp. 327-340.
- Bagchi, D., Sreejayan, N. (2012) *Nutritional and Therapeutic Interventions for Diabetes and Metabolic Syndrome*. San Diego: Elsevier Inc.
- Beatti, V. A., Edwards, C. A., Hosker, J. P., Cullen, D. R., Ward, J. D., Read, N. W. (1988) Does adding fibre to a low energy, high carbohydrate, low fat diet confer any benefit to the management of newly diagnosed overweight type 2 diabetes? *Clinical Research*, 296, pp. 1147-1149.
- Chandrasekara, A., Kumar, T. J. (2016) Roots and tuber crops as functional food: a review on phytochemical constituents and their potential health benefits. *International Journal of Food Science*, 2016, pp. 1-12.
- Davis, J. N., Alexander, K. E., Ventura, E. E., Toledo-Corral, C. M., Goran, M. I. (2009) Inverse relation between dietary fiber intake and visceral adiposity in overweight Latino youth. *The American Journal of Clinical Nutrition*, 90, pp. 1160-1166.
- De Mutsert, R., Willet, W. C., Hu, F. B., van Dam, R. M. (2014) Overweight in early adulthood, adult weight change, and risk of type 2 diabetes, cardiovascular diseases, and certain cancers in men: a cohort study. *American Journal of Epidemiology*, 179(11), pp. 1353-1365.
- Dewi, M. (2007) Resistensi insulin terkait obesitas: Mekanisme endokrin dan intrinsik sel. *Jurnal Gizi dan Pangan*, 2(2), pp. 49 – 54.
- Dikeman, C. L., Fahey Jr., G. C. (2006) Viscosity as related to dietary fiber: A

- review. *Critical Reviews in Food Science and Nutrition*, 46(8), pp. 649-663.
- Djuwardi, A. (2009) *Cassava Solusi Pemberagaman Kemandirian Pangan*. Jakarta:Grasindo.
- Du, H., van der A, D. L., Boshuizen, H. C., Forouhi, N. G., *et al.* (2010) Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. *The American Journal of Clinical Nutrition*, 91, pp. 329-336.
- Dube, L., Bechara, A., Dagher, A., Drewnowski, A., *et al.* (2010) *Obesity Prevention The Role of Brain and Society on Individual Behavior*. San Diego: Elsevier, Inc.
- Faizi, M., Netty, E. P. (2005) *Tatalaksana Ketoasidosis Diabetik pada Anak*. Naskah Lengkap. Surabaya : Continuing Education XXXV.
- Faridah, D. N., Fardiaz, D., Andarwulan, N., Sunarti, T. C. (2014) Karakteristik sifat fisikokimia pati garut (*Maranta arundinaceae*). *Agritech*, 34(1), pp. 14-21.
- Flamm, G., Glinsmann, W., Kritchevsky, D., Prosky, L., Roberfroid, M. (2001) Inulin and oligofructose as dietary fiber: A review of the evidence. *Critical Reviews in Food Science and Nutrition*, 41(5), pp. 353-362.
- Fujii, H., Iwase, M., Ohkuma, T., Ogata-Kaizu, S., *et al.* (2013) Impact of dietary fiber intake on glycemic control, cardiovascular risk factors and chronic kidney disease in Japanese patients with type 2 diabetes melitus: the Fukuoka Diabetes Registry. *Nutrition Journal*, 12(159), pp. 1-8.
- Gadhela, A. B., Myers, J., Moreira, S., Dutra, M. T., Safons, M. P., Lima, R. M. (2016) Comparison of adiposity indices and cut-off values in the prediction of metabolic syndrome in postmenopausal women. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*. In press.
- Guerin-Deremaux, L., Pochat, M., Reifer, C., Wils, D., Cho, S., Miller, L. E. (2013) Dose-response impact of a soluble fiber, NUTRIOSE, on energy intake, body weight, and body fat in humans. *Global Epidemic Obesity*, 1(2), pp. 1-8.
- Guyton, A. C., Hall, J. E. (2006) *Buku Ajar Fisiologi Kedokteran* 11th ed. Jakarta: EGC.
- Harijono, Estiasih, T., Sunarharum, W. B., Suwita, I K. (2012) Efek hipoglikemik polisakarida larut air gembili (*Dioscorea esculenta*) yang diekstrak dengan berbagai metode. *Jurnal Teknologi dan Industri Pangan*, 23(1), pp. 1-8.
- Hasan, V., Astuti, S., Susilawati. (2011) Indeks glikemik oyek dan tiwul dari umbi garut (*Marantha arundinaceae* L.), suweg (*Amorphallus companullatus* Bl), dan singkong (*Manihot utilisima*). *Jurnal Teknologi dan Hasil Pertanian*, 16(1), pp. 34-50.
- Herzig, S. (2016) *Metabolic Control*. New York City: Springer International Publishing.
- Holst, J. J. (2013) Incretin hormones and the satiation signal. *International Journal of Obesity*, 37, pp. 1161-1168.
- Hussain, A., Hydrie, M. Z. I., Claussen, B., Asghar, S. (2010) Type 2 Diabetes

- and obesity: A review. *Journal of Diabetology*, 2 (1), pp. 1-6.
- Jackson, K. H., West, S. G., Heuvel, J. P. V., *et al.* (2014) Effects of whole and refined grains in a weight-loss diet on markers of metabolic syndrome in individuals with increased waist circumference: a randomized controlled-feeding trial. *The American Journal of Clinical Nutrition*, 100, pp. 577-586.
- Kasubuchi, M., Hasegawa, S., Hiramatsu, T., Ichimura, A., Kimura, I. (2015) Dietary gut microbial metabolites, short-chain fatty acids, and host metabolic regulation. *Nutrients*, 7, pp. 2839-2849.
- Kementrian Kesehatan RI. (2014) *Situasi dan Analisis Diabetes*. Jakarta: Infodatin.
- Kementrian Kesehatan RI. (2013) *Riset Kesehatan Dasar 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Kohlstadt, I. (2006) *Scientific Evidence for Musculoskeletal, Bariatric, and Sports Nutrition*. Boca Raton: CRC Press.
- Kusharto, C. (2006) Serat makanan dan peranannya bagi kesehatan. *Jurnal Gizi dan Pangan*, 1(2), pp. 45-54.
- Kusumawardhani, D. A. (2015) Efek pemberian makanan selingan berbahan dasar tepung gembili (*Dioscorea esculenta*) terhadap kadar total trigliserida dan lingkar pinggang pada orang dewasa dengan status gizi berlebih (*overweight*) dan obesitas. Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Lairon, D. (2007) Dietary fiber and control of body weight. *Nutrition, Metabolism, and Cardiovascular Diseases*, 17, pp. 1-5.
- Lambert, J. E., Parnell, J. A., Tunnicliffe, J. M., Han, J., Sturzenegger, T., Reimer, R. A. (2015) Consuming yellow pea fiber reduces voluntary energy intake and body fat in overweight/obese adults in a 12-week randomized controlled trial. *Clinical Nutrition*, pp. 1-8. In press.
- Lattimer, J. M., Haub, M. D. (2010) Effects of dietary fiber and its components on metabolic health. *Nutrients*, 2, pp. 1266-1289.
- Lingga, P. (1993) *Bertanam Ubi-Ubian*. Jakarta: Penebar Swadaya.
- Liu, S., Willett, W. C., Manson, J. E., Hu, F. B., Rosner, B., Colditz, G. (2014) Relation between changes in intakes of dietary fiber and grain products and changes in weight and development of obesity among middle-aged women. *The American Journal of Clinical Nutrition*, 78, pp. 920-927.
- Lyon, M. R., Kacinik, V. (2012) Is there a place for dietary fiber supplements in weight management? *Curr Obes Rep*, 1, pp. 59-67.
- Lyon, M., Wood, S., Pelletier, X., Donazzolo, Y., Gahler, R., Bellisle, F. (2011) Effects of a 3-months supplementation with a novel soluble highly viscous polysaccharide on anthropometry and blood lipids in nondieting overweight or obese adults. *J Hum Nutr Diet*, 24, pp. 351-359.
- Mahan, L. K., Escott-Stump, S. (2005) *Krause's Food and Nutrition Therapy*. 12th ed. Philadelphia : W. B. Saunders Company.
- Marsono, Y. (2002) Indeks glikemik umbi-umbian. *Agritech*, 22(1), pp. 13-16.
- Mayashita, Y., Koide, N., Ohtsuka, M., Ozaki, H., *et al.* (2004) Beneficial effect of

- low carbohydrate in low caloric diets on visceral fat reduction in type 2 diabetic patients with obesity. *Diabetes Research and Clinical Practice*, 65, pp. 235-241.
- McKeown, N. M., Yoshida, M., Shea, M. K., Jacques, P. F., Lichtenstein, A. H., *et al.* (2009) Whole-grain intake and cereal fiber are associated with lower abdominal adiposity in older adults. *Journal of Nutrition*, 139, pp. 1950-1955.
- Meyer, K. A., Kushi, L. H., Jacobs Jr, D. R., *et al.* (2000) Carbohydrates, dietary fiber, and incident type 2 diabetes in older women. *The American Journal of Clinical Nutrition*, 71, pp. 921-930.
- Mokdad, A. H., Ford, E. S., Bowman, B. A., Dietz, W. H., *et al.* (2003) Prevalence of obesity, diabetes, and obesity-related health risk factors, 2001. *JAMA*, 289, pp. 76-79.
- Moyano, G., Sayogo-Ayerdi, S. G., Largo, C., Caz, V., Santamaria, M., Tabernero, M. (2016) Potential use of dietary fibre from *Hibiscus sabdariffa* and *Agave tequilana* in obesity management. *Journal of Functional Food*, 21, pp. 1-9.
- Nair, K. K., Kharb, S., Thompson, D. K. (2010) Inulin dietary fiber with functional and health attributes-A review. *Food Reviews International*, 26(2), pp.189-203.
- Ngondi, J. L., Etoundi, B. C., Nyangono, C. B., Mbofung, C. M.F., Oben, J. E. (2009) IGOB131, a novel seed extract of the West African plant *Irvingia gabonensis*, significantly reduces body weight and improves metabolic parameters in overweight humans in a randomized double-blind placebo controlled investigation. *Lipids in Health and Disease*, 8, pp. 1-7.
- Novitasari, D., Sunarti, Farmawati, A. (2011) Emping garut (*Maranta arundinacea Linn*) sebagai makanan ringan dan kadar glukosa darah, angiotensin II plasma serta tekanan darah pada penderita diabetes mellitus tipe 2 (DMT2). *Media Medika Indonesiana*, 45(1), pp. 53-58.
- Nuhriawangsa, M. S. (2012) Pengaruh pemberian emping garut (*Maranta arundinacea Linn.*) terhadap trigliserida dan lipat lemak tubuh pasien diabetes mellitus tipe 2. Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Ohlson, L.-O., Larsson, B., Svardsudd, K., *et al.* (1985) The influence of body fat distribution on the incidence of diabetes mellitus 13.5 years of follow up of the participants in the study of men born in 1913. *Diabetes*, 34, pp. 1055-1058.
- Ohnishi, H., Saitoh, S., Takagi, S., Katoh, N., Chiba, Y., *et al.* (2006) Incidence of type 2 diabetes in individuals with central obesity in a rural Japanese population. *Diabetes Care*, 29, pp. 1128-1129.
- Pal, S., Khossousi, A., Binns, C., Dhaliwal, S., Ellis, V. (2011) The effect of fibre supplement compared to a healthy diet on body composition, lipids, glucose, insulin and other metabolic syndrome risk factors in overweight and obese individuals. *British Journal of Nutrition*, 105, pp. 90-100.
- Parikh, S., Pollock, N. K., Bhagatwala, J., Guo, D.H., *et al.* (2012) Adolescent

- fiber consumption is associated with visceral fat and inflammatory markers. *Journal of Clinical Endocrinology and Metabolism*, 97, pp. 1451-1457.
- Park, J. B., Velasquez, M. T. (2012) Potential effects of lignin-enriched flaxseed powder on bodyweight, visceral fat, lipid profile, and blood pressure in rats. *Fitoterapia*, 83, pp. 941-946.
- Pauls, F., Drury, D. R. (1942) The influence of insulin upon glycogen storage in the diabetic rat. *Journal of Biology and Chemistry*, 145, pp. 481-485.
- Pereira, M. A., Ludwig, D. S. (2001) Dietary fiber and body weight regulation. *Pediatric Clinics of North America*, 48 (4), pp. 969-980.
- Power, M. L., Schulkin, J. (2007) Sex differences in fat storage, fat metabolism, and the health risks from obesity: possible evolutionary origins. *British Journal of Nutrition*, 99, pp. 931-940.
- Prabowo, A. Y., Estiasih, T., & Purwantiningrum, I. (2014) Umbi gembili (*Dioscorea esculenta* L.) sebagai bahan pangan mengandung senyawa bioaktif : Kajian pustaka. *Jurnal Pangan dan Agroindustri*, 2(3), pp. 129 – 135.
- Rolfes, S. R., Pinna, K., Whitney, E. (2008) *Understanding Normal and Clinical Nutrition*. 8th ed. Belmont : Wadsworth Cengage Learning.
- Rukmana, R. (2012) *Ubi Kayu, Budidaya dan Pascapanen*. Yogyakarta: Penerbit Kanisius.
- Salas-Salvado, J., Farres, X., Luque, X., Narejos, S., et al. (2007) Effect of two doses of a mixture of soluble fibres on body weight and metabolic variables in overweight or obese patients: a randomized trial. *British Journal of Nutrition*, 99, pp. 1380-1387.
- Salvador, E. M., Steenkamp, V., McCrindle, C. M E. (2014) Production, consumption, and nutritional value of cassava (*Manihot esculenta*, Crantz) in Mozambique: An overview. *J. Agric. Biotech. Sustain. Dev.* 6(3), pp. 29-38.
- Sastroasmoro, S., Ismael, S. (2010) *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: CV Sagung Seto.
- Shimizu, C., Kihara, M., Aoe, S., Araki, S., Ito, K., et al. (2008). Effect of high β -glucan barley on serum cholesterol concentrations and visceral fat area in japanese men—a randomized, double-blinded, placebo-controlled trial. *Plant Foods of Human Nutrition*, 63, pp. 21-25.
- Sirait, A. M., Sulistiowati, E., Sihombing, M., Kusuma, A., Idayani, S. (2015) Insiden dan faktor risiko diabetes melitus di kota bogor : Studi kohor prospektif faktor risiko penyakit tidak menular. *Buletin Penelitian Sistem Kesehatan*, Vol.18 (2), pp. 151 – 160.
- Slavin, J. L. (2005) Dietary fiber and body weight. *Nutrition*, 21, pp. 411-418.
- Snijder, M. B., van Dam, R. M., Visser, M., Seidell, J. C. (2006) What aspects of body fat are particularly hazardous and how do we measure them? *International Journal of Epidemiology*, 35, pp. 83-92.
- Summerfield, L. M. (2012) *Nutrition, Exercise, and Behavior: An Integrated*

Approach to Weight Management. USA: Cengage Learning.

- Sunarti, Kusuma, R. J., Rubi, D., Sinorita, H. (2014) Effect of crispy arrowroot on waist circumference, fasting glucose, and free fatty acid in type 2 diabetes patients. *Pakistan Journal of Nutrition*, 13(7), pp. 415-421.
- Tohill, B. C. (2004). Dietary intake of fruit and vegetables and management of body weight. WHO Library Cataloguing-in-Publication Data.
- Tchernof, A., Despres, J. P. (2013) Pathophysiology of human visceral obesity: An update. *Physiological Review*, 93, pp. 359-404.
- Ventura, E., Davis, J., Byrd-Williams, C., Alexander, K., *et al.* (2009) Reduction in risk factors for type 2 diabetes mellitus in response to a low-sugar, high-fiber dietary intervention in overweight latino adolescents. *Arch Pediatr Adolesc Med*, 163(4), pp. 320-327.
- Vuksan, V., Jenkins, A. L., Brissette, C., Choleva, L. *et al.* (2017) Salba-chia (*Salvia hispanica* L.) in the treatment of overweight and obese patients with type 2 diabetes: A double-blind randomized controlled trial. *Nutrition, Metabolism & Cardiovascular Diseases* 27, pp. 138-146.
- Weiss, R. (2007) Fat distribution and storage: how much, where, and how? *European Journal of Endocrinology*, 157, S39-S45.
- Wild, S., Roglic, G., Green, A., Sicree, R., & King, H. (2004) Global prevalence of diabetes. *Diabetes Care*, 27 (5), pp. 1047 – 1053.
- Winarti, S., Saputro, E. A. (2016) Physicochemical and organoleptic properties of dried synbiotics yoghurt from lesser yam tubers (*Dioscorea esculenta* L.). *MATEC Web of Conferences*, 58, 01020.
- World Health Organization (WHO). (2006) *Definition and Diagnosis of Diabetes Mellitus and Intermediate Hyperglycemia*. Report of WHO/IDF Consultation. Geneva, Switzerland.
- Yofananda, O., Estiasih, T. (2016) Potensi senyawa bioaktif umbi-umbian lokal sebagai penurun kadar glukosa darah : Kajian pustaka. *Jurnal Pangan dan Agroindustri*, 4(1), pp. 410-416.
- Yuniar, D. P. (2010) *Karakteristik beberapa umbi uwi (Dioscorea spp.) dan kajian potensi kadar inulinnya*. Skripsi, Universitas Pembangunan Nasional "Veteran" Surabaya.