

## DAFTAR PUSTAKA

- Abdulhamid, M. (2015). *Suplemen Branched Chain Amino Acids (BCAA) Mampu Mencegah Terjadinya Kelelahan pada Mahasiswa Pendidikan Dokter Universitas Sebelas Maret* (Doctoral dissertation, Universitas Sebelas Maret).
- Abe, T., Kojima, K., Kearns, C. F., Yohena, H., & Fukuda, J. (2003). Whole body muscle hypertrophy from resistance training: distribution and total mass. *British journal of sports medicine*, 37(6), 543-545.
- Bender, D. A. (2014). *Introduction to nutrition and metabolism*. CRC Press.
- Blomstrand, E., & Saltin, B. (2001). *BCAA intake affects protein metabolism in muscle after but not during exercise in humans*. *American Journal of Physiology-Endocrinology And Metabolism*, 281(2), E365-E374.
- Blomstrand, E., Eliasson, J., Karlsson, H. K., & Köhnke, R. (2006). *Branched-chain amino acids activate key enzymes in protein synthesis after physical exercise*. *The Journal of nutrition*, 136(1), 269S-273S.
- Boone, C. H., Stout, J. R., Beyer, K. S., Fukuda, D. H., & Hoffman, J. R. (2015). Muscle strength and hypertrophy occur independently of protein supplementation during short-term resistance training in untrained men. *Applied Physiology, Nutrition, and Metabolism*, 40(8), 797-802.
- Brosnan, J. T., & Brosnan, M. E. (2006). *Branched-chain amino acids: enzyme and substrate regulation*. *The Journal of nutrition*, 136(1), 207S-211S.

Caspersen, C. J., Powell, K. E., & Christenson, G. M. (1985). *Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research*. Public health reports, 100(2), 126.

Carter, J. L., & Heath, B. H. (1990). *Somatotyping: development and applications* (Vol. 5). Cambridge University Press.

Department of Health, HKSARG. 2012. *4 General Principles of Exercise Prescription*. [http://exerciserx.cheu.gov.hk/files/DoctorsHanbook\\_ch4.pdf](http://exerciserx.cheu.gov.hk/files/DoctorsHanbook_ch4.pdf)

Doucet, E., Almeras, N., White, M. D., Despres, J. P., Bouchard, C., & Tremblay, A. (1998). Dietary fat composition and human adiposity. *European journal of clinical nutrition*, 52(1), 2-6.

Emmet, Jessica. 2008. *Fact Sheet: Bodybuilding*. Sport Dietitians Australia.

Ferdian, F. (2010). *Latihan Berbeban, Pemberian Whey Protein, dan Pertambahan Area Otot Lengan Atas pada Pria* (Doctoral dissertation, Universitas Sebelas Maret).

Fischer-Colbrrie, Megan. *Preseason Strength & Conditioning : The Importance of Muscular Hypertrophy*. Bridgeathletic.com.

Franchini, E., Takito, M. Y., Kiss, M. A. P. D. M., & Strerkowicz, S. (2005). Physical fitness and anthropometrical differences between elite and non-elite judo players. *Biology of Sport*, 22(4), 315.

Gilani, G. S., Cockell, K. A., & Sepehr, E. (2005). Effects of antinutritional factors on protein digestibility and amino acid availability in foods. *Journal of AOAC International*, 88(3), 967-987.

Gualano, A. B., Bozza, T., Lopes, D. C. P., Roschel, H., Dos Santos, C. A., Luiz, M. M., ... & Herbert, L. J. A. (2011). Branched-chain amino acids supplementation enhances exercise capacity and lipid oxidation during endurance exercise after muscle glycogen depletion. *The Journal of sports medicine and physical fitness*, 51(1), 82-88.

Hardiyanti, Marina. 2015. *Pengembangan Produk Olahsan Bolu Perbahan Tepung KACIDE (Kapri, Kecipir, dan Tempe Kedelai) Tinggi BCAA (Branched Chain Amino Acid) untuk Atlet Weight Sport*. Skripsi: Universitas Gadjah Mada.

Hernandez, R. J., & Kravitz, L. (2003). *The Mystery of Skeletal Muscle Hypertrophy*. ACSM's Health & Fitness Journal, 7(2), 18-hyhen. [http://journals.lww.com/acsm-healthfitness/Abstract/2003/07020/The\\_Mystery\\_of\\_Skeletal\\_Muscle\\_Hypertrophy.7.aspx](http://journals.lww.com/acsm-healthfitness/Abstract/2003/07020/The_Mystery_of_Skeletal_Muscle_Hypertrophy.7.aspx) 1 Februari 2016.

Heymsfield, S. B., McManus, C., Smith, J., Stevens, V., & Nixon, D. W. (1982). Anthropometric measurement of muscle mass: revised equations for calculating bone-free arm muscle area. *The American Journal of Clinical Nutrition*, 36(4), 680-690.

Howatson, G., Hoad, M., Goodall, S., Tallent, J., Bell, P. G., & French, D. N. (2012). *Exercise-induced muscle damage is reduced in resistance-trained males by branched chain amino acids: a randomized, double-blind, placebo controlled study*. *J Int Soc Sports Nutr*, 9(1), 20.

- Jówko, E., Ostaszewski, P., Jank, M., Sacharuk, J., Zieniewicz, A., Wilczak, J., & Nissen, S. (2001). Creatine and  $\beta$ -hydroxy- $\beta$ -methylbutyrate (HMB) additively increase lean body mass and muscle strength during a weight-training program. *Nutrition*, 17(7), 558-566.
- Judelson, D. A., Maresh, C. M., Yamamoto, L. M., Farrell, M. J., Armstrong, L. E., Kraemer, W. J., ... & Anderson, J. M. (2008). Effect of hydration state on resistance exercise-induced endocrine markers of anabolism, catabolism, and metabolism. *Journal of applied physiology*, 105(3), 816-824.
- Kainulainen, H., Hulmi, J. J., & Kujala, U. M. (2013). Potential role of branched-chain amino acid catabolism in regulating fat oxidation. *Exercise and sport sciences reviews*, 41(4), 194-200.
- Layman, D. K. (2003). The role of leucine in weight loss diets and glucose homeostasis. *The Journal of nutrition*, 133(1), 261S-267S.
- Maughan, Ronald J. 2000. *Nutrition in Sport*. Oxford: Blackwell Science.
- Miller, W. C., Lindeman, A. K., Wallace, J., & Niederpruem, M. (1990). Diet composition, energy intake, and exercise in relation to body fat in men and women. *The American journal of clinical nutrition*, 52(3), 426-430.
- Miranda, H., Fleck, S. J., Simão, R., Barreto, A. C., Dantas, E. H., & Novaes, J. (2007). Effect of two different rest period lengths on the number of repetitions performed during resistance training. *The Journal of Strength & Conditioning Research*, 21(4), 1032-1036.
- Murray, Robert K. Granner, Daryl K. Rodwell, Victor W. 2009. *Biokimia Harper*. Jakarta: EGC.

- Narruti, Nadia Hanun. 2013. Hubungan Asupan Lemak, Persentase Lemak Tubuh, Somatotype dengan Kelincahan Atlet Pencak Silat Kategori Tanding Pelatihan Daerah (PELATDA) Daerah Istimewa Yogyakarta. Skripsi. Yogyakarta: Universitas Gadjah Mada.
- Nasrulloh, A. (2012). Progam Latihan Body Building dapat Meningkatkan Massa Otot Mahasiswa IKORA FIK UNY. *Media Ilmu Keolahragaan Indonesia*, 2(2).
- Newsholme, E. A., & Blomstrand, E. (2006). *Branched-chain amino acids and central fatigue. The Journal of nutrition*, 136(1), 274S-276S
- Norton, L. E., & Layman, D. K. (2006). Leucine regulates translation initiation of protein synthesis in skeletal muscle after exercise. *The Journal of nutrition*, 136(2), 533S-537S.
- Palupi, N. S., Zakaria, F. R., & Prangdimurti, E. (2007). Pengaruh pengolahan terhadap nilai gizi pangan. *Modul e-Learning ENBP, Departemen Ilmu & Teknologi Pangan-Fateta-IPB*.
- . Phillips, S. M. (2000). Short-term training: when do repeated bouts of resistance exercise become training?. *Canadian journal of applied physiology*, 25(3), 185-193.
- Pratiwi, Diana. 2013. Hubungan Somatotype dan Performa Fisik pada Atlet Sepak Bola Tim Nasional (Timnas) U-19 dan Atlet Sepak Bola Mahasiswa. Skripsi. Yogyakarta: Universitas Gadjah Mada.
- Rhea, M. R., Alvar, B. A., Burkett, L. N., & Ball, S. D. (2003). A meta-analysis to determine the dose response for strength development. *Medicine and science in sports and exercise*, 35(3), 456-464.

Righetti, P., Little, E. P., & Wolf, G. (1971). *Reutilization of amino acids in protein synthesis in HeLa cells. Journal of Biological Chemistry, 246(18), 5724-5732.*

Robson, David. 2015. *The Importance of The Pump: Anthony Catanzaro is Here to Pump You Up!*. [www.bodybuilding.com](http://www.bodybuilding.com)

Russell, B., Motlagh, D., & Ashley, W. W. (2000). *Form follows function: how muscle shape is regulated by work. Journal of Applied Physiology, 88(3), 1127-1132.* <http://jap.physiology.org/content/88/3/1127.full-text.pdf+html> 1 Februari 2016.

Sari, Maria Dina P. (2014). *Pengembangan Kapri, Kecipir, dan Tempe Kedelai (KACIDE) Sebagai Suplemen Makanan Cair Tinggi Branched Chain Amino Acid (BCAA) Untuk Atlet Weight Sport*. Skripsi, Universitas Gadjah Mada.

Sarubin-Fragakis, Allison; Thomson, Cynthia. 2006. *The Health Professional's Guide to Popular Dietary Supplements*. American Dietetic Association.

Schiaffino, S., Dyar, K. A., Ciciliot, S., Blaauw, B., & Sandri, M. (2013). *Mechanisms regulating skeletal muscle growth and atrophy. FEBS Journal, 280(17), 4294-4314.*

Schoenfeld, B. J. (2010). *The mechanisms of muscle hypertrophy and their application to resistance training. The Journal of Strength & Conditioning Research, 24(10), 2857-2872.* [http://www.lookgreatnaked.com/articles/mechanisms\\_of\\_muscle\\_hypertrophy.pdf](http://www.lookgreatnaked.com/articles/mechanisms_of_muscle_hypertrophy.pdf). 1 Februari 2016.

- Seynnes, O. R., de Boer, M., & Narici, M. V. (2007). Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *Journal of applied physiology*, 102(1), 368-373.
- Sharp, C. P., & Pearson, D. R. (2010). *Amino acid supplements and recovery from high-intensity resistance training*. The Journal of Strength & Conditioning Research, 24(4), 1125-1130.
- Shimomura, Y., Yamamoto, Y., Bajotto, G., Sato, J., Murakami, T., Shimomura, N., ... & Mawatari, K. (2006). Nutraceutical effects of branched-chain amino acids on skeletal muscle. *The Journal of nutrition*, 136(2), 529S-532S.
- Slamet, D.S. dan Purawisastra, S. (1979). *Komposisi Asam Amino dari Berbagai Makanan Indonesia*. Bogor: Puslitbang Gizi Departemen Kesehatan RI.
- Slater, Gary; Philips, Stuart M. 2011. *Nutrition Guidelines for Strength Sports: Sprinting, Weighting, Throwing, Nets, and Bodybuilding*. Journal of Sports Sciences Vol 29 Supplement.
- Soedarmo, P. dan Sediaoetama, A. J. (1974). *Ilmu Gizi*. Jakarta: Dian Rakyat.
- Spillane, M., Emerson, C., & Willoughby, D. S. (2012). The effects of 8 weeks of heavy resistance training and branched-chain amino acid supplementation on body composition and muscle performance. *Nutrition and Health*, 21(4), 263-273.
- Stipanuk, Martha H; Caudill, Marie A. 2013. *Biochemical, Physiological, and Molecular Aspects of Human Nutrition*. Lake St. Louis: Elsevier Health Sciences.

Stoppani, J., Scheett, T. P., Pena, J., Rudolph, C., Charlebois, D., & Charleston, S. C. (2009). Consuming branched-chain amino acid supplement during a resistance training program increases lean mass, muscle strength and fat loss. *Journal of the International Society of Sports Nutrition*, 6(Suppl 1), P1.

Watson, Cheryl. Stanfield, Peggy S. Hui, Y H. Cross, Nana. 2014. *Human Physiology*. Burlington: Jones & Bartlett Learning.

White, Justin. 2015. *How Many Rest Days Do I Really Need?*. Greatist.com/fitness/do-my-muscles-need-two-days-recover.

Williams, Melvin H. 2005. *Nutrition For Health, Fitness, and Sport*. New York: McGraw – Hill International Edition.