

DAFTAR PUSTAKA

- Ahmad, F., I. Ahmad, M. S. Khan. 2008. Screening of free-living rhizospheric bacteria for their multiple plant growth promoting activities. *Microbiological Research* Volume 163:173–181
- Alexander, M. 2012. *Advances in Microbial Ecology*. Springer Science & Business Media, New York.
- Allito, B. B. 2015. Soil population and phenotypic characterization of soybean (*Glycin max*) and haricot bean (*Phaseolus vulgaris*) nodulating rhizobia at Hawassa and Ziway. *Scholarly Journal of Agricultural Science* 5: 30-38.
- Bantu, N. N. K., N. Bantu, Y. R. T. Rao. 2016. Isolation and purification of *Rhizobium* from French bean (*Phaseolus vulgaris* L.) root nodules. *An International Biomedical Journal* 5:3-34
- Begum A. A., S. Leibovitch, P. Migner, F. Zhang. 2001. Specific flavonoids induced nod gene expression and pre-activated nod genes of *Rhizobium leguminosarum* increased pea (*Pisum sativum* L.) and lentil (*Lens culinaris* L.) nodulation in controlled growth chamber environments. *J Exp Bot.* 52:1537-1543.
- Berrada, H., & K. F. Benbrahim. 2014. Taxonomy of the rhizobia: current perspectives. *British Microbiology Research Journal* 4:616-639.
- Bhatt, S., Dr. R. V. Vyas, H. N. Shelat, S. J. Mistry. 2013. Isolation and identification of root nodule bacteria of mung bean (*Vigna radiata* L.) for biofertilizer production. *International Journal of Research in Pure and Applied Microbiology* 3:127-133.
- Carter, M. R., & E. G. Gregorich. 2007. *Soil Sampling and Methods of Analysis*, Second Edition. CRC Press, Florida.
- Catoira, R., Gelera, D. Billy, Penmetsa, Etienne, F. Maillet, C. Rosenberg., D. Cook, Gougha, Denarie. 2000. Four gens of *Medicago truncatula* controlling components of a nod factor transduction pathway. *American Society of Plant Physiologists* 12:1647-1665.
- Cubillos-Hinojosa, J. Guillermo, P. E. Milian-Mindiola, J. L. Hernández-Mulford. 2011. Biological nitrogen fixation by *Rhizobium* sp. native gliricidia (*Gliricidia sepium* [Jacq.] Kunth ex Walp.) under greenhouse conditions. *Agronomía Colombiana* 29:465-472.
- Dashora, K. 2011. Nitrogen Yielding Plants: The Pioneers of Agriculture with a Multipurpose. *American-Eurasian Journal of Agronomy*, 4:34-37
- Denison, R. F, & E. T. Kiers. 2011. Life histories of symbiotic rhizobia and mycorrhizal fungi. *Current Biology* 21:R775–R785.

- Fatima, Z., M. Zia, M. C. Haudhary. 2006. Effect of *Rhizobium* strain and phosphorus on growth of soybean (*Glycine max*) and survival of *Rhizobium* and P-solubilizing bacteria. *Pakistan Journal of Botany* 2:459-464.
- Ferguson, B. J., A. Indrasumunar, S. Hayashi, M. H. Lin, Y. H. Lin, D. E. Reid, P. M. Gresshoff. 2010. Molecular analysis of legume nodule development and autoregulation. *Journal of Integrative Plant Biology* 52:61-76.
- Gachande, B. D., & G. S. Khansole. 2011. Morphological, cultural, and biochemical characteristic of *Rhizobium japonicum* syn. and *Bradyrhizobium japonicum* of Soybean. *Bioscience Discovery* 2:1-4.
- Gauri, A. K. Singh, R. P. Bhatt, S. Pant, M. K. Bedi, A. Naglot. 2011. Characterization of *Rhizobium* isolated from root nodules of *Trifolium alexandrinum*. *Journal of Agricultural Technology* 7:1705-1723.
- Ghosh, P. K., T. Kumar De, Tushar Kanti Maiti. 2015. Production and metabolism of indole acetic acid in root nodules and symbiont (*Rhizobium undicola*) isolated from root nodule of aquatic medicinal legume *Neptunia oleracea* Lour. *Journal of Botany* 2015:1-11.
- Guimaraes, A. S., P. M. D. Jaramillo., R. S. A. Nobrega., L. A. Florentino., K. B. Silva, F. M. S. Moreira. 2012. Genetic and symbiotic diversity of nitrogen-fixing bacteria isolated from agricultural soils in the western Amazon by using cowpea as the trap plant. *Applied and Environmental Microbiology* 18: 6726-6733.
- Gupta, R. P., A. Kalia, S. Kapoor. 2007. *Bioinoculants: A Step Towards Sustainable Agriculture*. New India Publishing Agency, New Delhi.
- Hemraj, V., S. Diksha, G. Avneet. 2013. A review on commonly used biochemical test for bacteria. *Innovare Journal of Life Science* 1:1-7.
- Herridge, D. 2008. Inoculation technology for legumes In: *Nitrogen-fixing leguminous symbioses*. Springer, Netherlands.
- Huang, X. F., J. M. Chaparro, K. F. Reardon, R. Zhang, Q. Shen, J. M. Vivanco. 2014. Rhizosphere interactions: root exudates, microbes, and microbial communities. *Botany* 92: 267-275.
- Ingle, I. J., L. K. Bakland, J. C Baumgartner. 2008. *Ingle's Endodontics* 6. PMPH-USA, Shelton.
- Jaramillo, P. M. D., A. A. Guimaraes., L. A. Florentino., K. B. Silva., R. S. A. Nobrega, F. M. S. Moreira. 2013. Symbiotic nitrogen-fixing bacterial populations trapped from soils under agroforestry systems in the western Amazon. *Scientia Agricola* 70: 397- 404

- Kapembwa, R., A. M. Mweetwa, M. Ngulubel, J. Yengwe. 2016. Morphological and biochemical characterization of soybean nodulating rhizobia indigenous to Zambia. *Sustainable Agriculture Research* 5:84-92.
- Kumar, G. K., & M. R. Ram. 2014. Effect of carbon and nitrogen sources on exopolysaccharide production by rhizobial isolates from root nodules of *Vigna trilobata*. *African Journal of Microbiology Research*, 8:2255-2260
- Larsen, J., P. J. López, M. N. Rincon, C. E. G. Esquivel. 2015. Biotic interactions in the rhizosphere in relation to plant and soil nutrient dynamics. *Journal of Soil Science and Plant Nutrition* 15:449-463
- Laurette, N. N., N. B. Maxémilienne, F. Henri, A. Souleymanou, K. Kamdem, N. Albert, N. Dieudonné, E. F. Xavier. 2015. Isolation and screening of indigenous Bambara Groundnut (*Vigna Subterranea*) nodulating bacteria for their tolerance to some environmental stresses. *American Journal of Microbiological Research* 3:65-75.
- Lei, Z., G. Jian-ping, W. Shi-qing, Z. Ze-yang, Z. Chao, Y. Yongxiong. 2011. Mechanism of acid tolerance in a rhizobium strain isolated from *Pueraria lobata* (Willd.) Ohwi. *Can J Microbiol.* 57:51
- Lewis, G., B. Schrire, B. MacKinder, M. Lock. 2005. *Legumes of the world*. Royal Botanical Gardens, Kew Publishing UK.
- Lopez-lopez, A., A. Marco, Rogel-Hernandez, I. Barois, A.I.O. Ceballos, J. Martinez, E. Ormeno-Orrillo, and E. Martinez-Romero. 2012. *Rhizobium grahamamii* sp. nov., from nodules of *Dalea leporina*, *Leucaena leucocephala* and *Clitoria ternatea*, and *Rhizobium mesoamericanum* sp. nov., from nodules of *Phaseolus vulgaris*, siratro, cowpea and *Mimosa pudica*. *International Journal of Systematic and Evolutionary Microbiology* 62 : 2264-2271.
- Maroti, G., & É. Kondorosi. 2014. Nitrogen-fixing *Rhizobium*-legume symbiosis: are polyploidy and host peptide-governed symbiont differentiation general principles of endosymbiosis?. *Frontiers in Microbiologi* 5:1-6.
- Mnasri, B., S Saidi., S. Chihaoui, and R Mohamadi. (2012). *Sinorhizobium americanum* symbiovarmediterraneanense is a predom inant symbiont that nodulates and fixes 37 nitrogen with common bean (*Phaseolus vulgaris* L.) in a Northern Tunisian field. *Systematic and Evolutionary Microbiology* 35:263-269.
- Mus, F., M. B. Crookb, K. Garciab, A. G. Costasa, B. A. Geddesc, E. D. Kourid, P. Paramasivane, M. Ryuf, G. E. D. Oldroyde, P. S. Poolec, M. K. Udvardid, C. A. Voigt, J. Anéb, J. W. Peters. 2016. Symbiotic Nitrogen Fixation and the Challenges to Its Extension to Nonlegumes. *Appl. Environ. Microbiol.* 82 no. 13 3698-3710

- Mwenda, G. M., N. K. Karanja, H. Boga, J. H. P. Kahindi, A. Muigai, D. Odee. 2011. Abundance and diversity of legume nodulating rhizobia in soils of Embu District, Kenya. *Tropical and Subtropical Agroecosystems* 13:1-10
- Okazaki, S., P. Tittabutr, A. Teulet, J. Thouin, J. Fardoux, C. Chaintreuil, D. Gully, J. F. Arrighi, N. Furuta, H. Miwa, M. Yasuda, N. Nouwen, N. Teaumroong, E. Giraud. 2016. *Rhizobium*-legume symbiosis in the absence of Nod factors: two possible scenarios with or without the T3SS. *The ISME Journal* 10:64-74.
- Ott, T., J. T. van Dongen, C. Gunther, L. Krusell, G. Desbrosses, H. Vigeolas, V. Bock, T. Czechowski, P. Gelgenberger, M. K. Udvardi. 2005. Symbiotic leghemoglobins are crucial for nitrogen fixation in legume root nodules but not for general plant growth and development. *Elsevier* 15:531-535.
- Pinto, F. G. S., M. Hungria, F. M. Mercante. 2007. Polyphasic characterization of Brazilian *Rhizobium tropici* strains effective in fixing N₂ with common bean (*Phaseolus vulgaris* L.). *Soil Biology & Biochemistry* 39:1851-1864.
- Polacco, J. C., & C. D. Todd. 2011. *Ecological Aspects of Nitrogen Metabolism in Plants*. John Wiley & Sons,
- Purwaningsih, S. 2008. Populasi bakteri *Rhizobium* di tanah pada beberapa tanaman dari Pulau Buton, Kabupaten Muna, Propinsi Sulawesi Tenggara. *Journal of Tropical Soils* 14: 65-70.
- Rai, R., P. K. Dash, T. Mohapatra, A. Singh. 2012. Phenotypic and molecular characterization of indigenous rhizobia nodulating chickpea in India. *Indian Journal of Experimental Biology* 50:340-350.
- Rao, N. S. 1994. *Mikrobiologi Tanah dan Pertumbuhan Tanaman Edisi Kedua*. UI Press, Jakarta.
- Randhawa, G. S., & R. Hassam. 2002. Role of rhizobial biosynthetic pathways of amino acids, nucleotide bases and vitamins in symbiosis. *Indian Journal of Experimental Biology* 40:755-764
- Rego, F. A. D., I. Diop, O. Sadio, M. C. Da Sylva, C. E. Agbangba, O. Touré, A. Kane, M. Neyra, I. Ndoeye, T. K. Wade. 2015. Response of cowpea to symbiotic microorganisms inoculation (arbuscular mycorrhizal fungi and rhizobium) in cultivated soils in Senegal. *Universal Journal of Plant Science* 3:32-42.
- Reis, R. C. R. R., B. F. Dantas, R. D. De Castro, C. G. C. Antunes, F. F. S. Da Silva, C. R. Pelacani. 2011. Reserve mobilization during imbibition of stored *Gliricidia sepium* (Jacq.) Steud. (*Leguminosae - Papilionoideae*) Seeds. *Revista Brasileira de Sementes* 33:549-560
- Ryan, P. 2014. *Environmental and Low Temperature Geochemistry*. John Wiley & Sons, New York.

- Santos, J. O., A. S. F. Araújo, R. L. F. Gomes, Â. C. A. Lopes, M. V. B. Figueired. 2008. Rhizobia–*Phaseolus lunatus* symbiosis: importance and diversity in tropical soils – a review. *Dynamic Soil, Dynamic Plant* 2:56-60.
- Shamseldin, A. A. Y., P. Vinuesa, H. Thierfelder, D. Werner. 2005. *Rhizobium etli* and *Rhizobium gallicum* nodulate *Phaseolus vulgaris* in egyptian soils and display cultivar-dependent symbiotic efficiency. *Symbiosis* 38:145-161.
- Sharma, M. P., K. Srivastava, S. K. Sharma. 2010. Biochemical characterization and metabolic diversity of soybean rhizobia isolated from Malwa region of Central India. *Plant Soil Environ* 56:375-383.
- Simon, Z., K. Mtei, A. Gessesse, P. A. Ndakidemi. 2014. Isolation and characterization of nitrogen fixing rhizobia from cultivated and uncultivated soils of Northern Tanzania. *American Journal of Plant Sciences* 5:4050-4067.
- Sousa, C. S., R. S. C. Menezes, E. V. de Sá B. Sampaio, F. Oehl, L. C. Maia, M. da S. Garrido, F. de S. Lima. 2012. Occurrence of arbuscular mycorrhizal fungi after organic fertilization in maize, cowpea and cotton intercropping systems Maringá 34:149-156.
- Spaink, H. P. 2000. Root nodulation and infection factors produced by rhizobial bacteria. *Annu. Rev. Microbiol.* 54:257-288.
- Thomas, R. B., M. A. Bashkin, D. D. Richter. 2000. Nitrogen inhibition of nodulating and N₂ fixation of a tropical N₂-fixing tree (*Gliricidia sepium*) grown in elevated atmospheric CO₂. *New Phytol.* 145:233-243.
- Thiao, M., M. Neyra, E. Isidore, S. Sylla and D. Lesueur. 2004. Diversity and effectiveness of rhizobial strains from *Gliricidia sepium* native to Reunion Island, Kenya and New Caledonia. *World Journal of Microbiology & Biotechnology* 20: 703–709
- Thies, J. E, B. B. Bohlool, P. W. Singleton. 1991. Subgroups of the Cowpea Miscellany: Symbiotic Specificity within *Bradyrhizobium* spp. for *Vigna unguiculata*, *Phaseolus lunatus*, *Arachis hypogaea*, and *Macroptilium atropurpureum*. *Appl Environ Microbiol* 57: 1540–1545
- Tirichine, L., E. K. James, N. Sandal, J. Stougaard. 2006. Spontaneous root-nodule formation in the model legume *Lotus japonicus*: a novel class of mutants nodulates in the absence of rhizobia. *MPMI* 19:373-382
- Veeger, C., & W. E. Newton. 2012. *Advances in Nitrogen Fixation Research*. Springer Science & Business Media, Berlin.

- Velhal, C., M. Sant, T. Godbole, S. Waghmode, C. Kulkarni. 2014. Effect of *Rhizobium* based biofertilizer combined with *Saccharomyces cerevisiae* on the growth of hyacinth bean. *International Journal of Plant & Soil Science* 3:959-968.
- Wani S. P., P. Pathak, L.S. Jangawad, H. Eswaran, P. Singh. 2003. Improved management of Vertisols in the semi-arid tropics for increased productivity and soil carbon sequestration. *Soil Use and Management* 19: 217-222.
- Xu, L. M., C. Ge, Z. Cui, J. Li, H. Fan. 1995. *Bradyrhizobium liaoningense* sp. nov. isolated from the root nodules of soybeans. *Int J Syst Bacteriol* 45:706-711.
- Yassoglou, N., C. Tsadilas, C. Kosmas. 2017. *The Soils of Greece*. Springer, Switzerland.