

DAFTAR PUSTAKA

- Ajay Kumar, Ashni Verma, Geetika Sharma, Rupinder Saini, Shivani Sharma, Sukhdev Singh, Upendra K Jain, Mandeep Sharma., 2013, Formulation and Characterization of Effervescent Floating Matrix Tablets of Famotidine Hydrochloride, *Asian Journal of Biomedical and Pharmaceutical Sciences* 3 (25), 43-47.
- Akbari, B.V., Dholakiya, R.B., Shiyani, B.G., Lodhiya, D.J., Shastry, C.S., 2009, Design, Evaluation and Study of Effect of Hydrophilic Polymers on Release Rate of Antiulcer Floating Tablets, *Journal of Young Pharmacists* 1(4), 305-311.
- Akbar, H.F., Sugiyartono, dan Dwi Setiawan, 2012, Pengaruh Penambahan Manitol Terhadap Pelepasan Ranitidin HCl dari Tablet Floating dengan HPMC K100M Sebagai Matriks, *PharmaScientia* 1(1), 30-45.
- Allen Jr., dan Luner, P.E., 2009, Magnesium Stearate dalam Rowe, R.C., Sheskey P.J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, 6th Edition, 404-407, Pharmaceutical Press, London.
- Amidon, G.E., 2009, Citric Acid Monohydrate dalam Rowe, R.C., Sheskey P.J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, 6th Edition, 181-183, Pharmaceutical Press, London.
- Ansel, H.C., Popovich, N.G., & Allen L.V., 2005, *Pharmaceutical Dosage Forms and Drug Delivery Systems*, 9th Edition, 225, 233, 237, 242, Lippincott William & Wilkins, Baltimore.
- AOAC International, 2012, Appendix F: Guidelines for Standard Method Performance Requirements, dalam Latimer, G.W., *Official Methods of Analysis of AOAC International*, 1-17, Association of Official Analytical Chemists International, Rockville.
- Arora, S., Ali, J., Aluja, Khar, R.K., Baboota, S., 2005, Floating Drug Delivery Systems : a Review, *American Association of Pharmaceutical Scientists Pharmacy Science and Technology* 6(3), 372-390.
- Bhaardwaj, T.R., Kanwar, M., Lal, R., dan Gupta, A., 2000, Natural Gums and Modified Natural Gums as Sustained-Release Carriers, *Drug Development and Industrial Pharmacy* 26(10), 1025-1038.
- Bolton, S., dan Bon, C., 2004, *Pharmaceuticals Statistics* Vol.135, 265-281, Marcel Dekker Inc., New York.
- Bomma R, 2009. Development and Evaluation of Gastroretentive Norfloxacin Floating Tablets, *Acta Pharmaceutica* 59(2), 211-221.

- Cable, C.G., 2009, Sodium Bicarbonate dalam Rowe, R.C., Sheskey P.J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, 6th Edition, 629-633, Pharmaceutical Press, London.
- Cahyo, Hadi, 2012, *Optimasi Kombinasi Hidroksipropil Metil Selulosa Sebagai Matriks dan Avicel PH 101 Sebagai Filler Binder Untuk Formula Tablet Kapropril Lepas Lambat Sistem Floating*, Fakultas Farmasi Universitas Muhammadiyah Surakarta, Surakarta.
- Chawla, G., Gupta, P., Koradadia, V., Bansal, A.K., 2003, Gastroretention: a Means to Address Regional Variability in Intestinal Drug Absorption, *Pharmaceutical Technologies*, 50-60.
- Dalimunthe, G.I., 2011, Penetapan Kadar Famotidin dalam Sediaan Tablet Secara Spektrofotometri Ultraviolet, *Kultura* 12 (1), 1-15.
- Departemen Kesehatan, 2014, *Farmakope Indonesia* Edisi V, 164-165, 413-415, 805-806, 1526-1528, 1605-1607, Departemen Kesehatan RI., Jakarta.
- Diaz, D.A., Colgan, S.T., Langer, C.S., Bandi, N., Likar, M.D., Alstine, L.V., 2015, Dissolution Similarity Requirements: How Similar or Dissimilar Are The Global Regulatory Expectations?, *American Association of Pharmaceutical Scientists Journal* 18(3), 792.
- Garg, R., Gupta, G.D., 2008, Progress in Controlled Gastroretentive Delivery Systems, *J. Pharmaceutical Research* 7(3), 1055-1066.
- Gunawan, S.G., 2007, *Farmakologi dan Terapi*, 273-274, Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Gohel, M.C., Mehta, P.R., Dave, R.K., Bariya, N.H., 2004, a More Relevant Dissolution Method for Evaluation of Floating Drug Delivery System, *Dissolution Technologies* 11(4), 22-26.
- Gopalakrishnan, S. dan A. Chenthilnathan, 2011, Floating Drug Delivery Systems: A Review, *Journal of Pharmaceutical Science and Technology* 3(2), 548-554.
- Guy, A., 2009, Cellulose Microcrystalline dalam Rowe, R.C., Sheskey P.J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, 6th Edition, 129-133, Pharmaceutical Press, London.
- Hadisoewigno, L. dan Fudholi, A., 2007, Studi Pelepasan In Vitro Ibuprofen Dari Matriks Gum xanthan yang Dikombinasikan Dengan Suatu Crosslinking Agent, *Majalah Farmasi Indonesia* 18(3), 133-140.
- Iriawan, Beta Andhika, 2013, *Optimasi Kombinasi Matriks Hydroxypropyl MethylCellulose dan Gum Xanthan untuk Formula Tablet Kaptopril Lepas Lambat dengan Sistem Floating*, Fakultas Farmasi Universitas Muhammadiyah Surakarta, Surakarta.

- Iskandarsyah, Sutrio, Hayati, D., Pengaruh Kombinasi Hidroksipropil Metilselulosa-Gum Xanthan Sebagai Matriks Pada Profil Pelepasan Tablet Teofilin Lepas Terkendali, *Majalah Ilmu Kefarmasian* 7(3), 58-70.
- Kavitha, K., Sudir, K.Y., Tamizh, M.T., 2010, The Need Floating Drug Delivery System: a Review, *Research Journal of Pharmaceutical Biological and Chemical Sciences* 1(2), 396-405.
- Khan, G., dan Hayer, B.A., 1973, Physic Chemical Basis of the Buffered Acetylsalicylic Acid Controversy, *New England Journal of Medicine*, 262, 1053-1058.
- Lachman, L. dan Lieberman, H.A., 1994, *Teori dan Praktek Farmasi Industri*, Edisi III, 186-187, Penerbit Universitas Indonesia, Jakarta.
- Lende, P.K., Junagade, M.S., dan Arundati, D.D., 2012, Formulation Optimization and In-vitro Evaluation of Floating Tablet of Stavudin, *American Journal of PharmTech Research* 2(5), 723-739.
- Mariyana, K.A., Arisanti, C.I.S., Setyawan, E.I., 2012, Pengaruh Konsentrasi Amilum Jagung Pregelatinasi Sebagai Bahan Penghancur Terhadap Sifat Fisik Tablet Vitamin E, *Jurnal Farmasi Udayana* 1(1), 39-49.
- Modi, Vinayak S., Thorat, Y.S., Dhavale, S.C., 2010, Formulation and Evaluation of Controlled Release Delivery of Tramadol Hydrochloride using 3²-Full Factorial Design, *International Journal of ChemTech Researcher* 2(1), 669-675.
- Moes, A.J., 2003, Gastric Retention System for Oral Drug Delivery System, *Business Briefing Pharmatech*, 157-159.
- Moffat, A.C., Osselton, M.D., dan Widdop, B., 2011, *Clarke's Analysis of Drugs and Poisons* Edisi IV, 1384-1385, Pharmaceutical Press, London.
- Mourya, D.K., Malviya, R., Bansal, M., Sharma, P.K., 2010, Formulation and Release Characteristics of Novel Monolithic Hydroxyl Propyl Methyl Cellulose Matrix Tablets Containing Metronidazole, *International Journal of Pharmacy and Bio Sciences* 1 (3), 1-7.
- Nayak, A.K., Maji, R., dan Das, B., 2010, Gastroretentive Drug Delivery Systems: A Review, *Asian Journal of Pharmaceutical And Clinical Research* 3(1), 2-10.
- Phardtare, D., Phadtare, G.B., Nilesh dan Asawat, M., 2014, Hypromellose-A Choice of Polymer in Extended Release Tablet Formulation, *World Journal of Pharmacy and Pharmaceutical Science* 3(9), 551-566.
- Radhakrishna, M., Parthiban, K.G., Ramarao, N., Deepika, N.S. dan Abhishek, P., 2012, Formulation and Evaluation of Floating Drug Delivery System of Amoxicillin Trihydrate, *International Research Journal of Pharmacy* 3(8), 233-237.

- Rashati, D., Rohmah, S.M., 2016, Uji Fisik Formulasi Tablet Floating Teofilin dengan Matrik HPMC, *Jurnal Ilmiah Kesehatan* 1 (1), 13-19.
- Rocca, J.G., Omidian, H., Shah, K., 2005, Gastric Retention Technologies: Commercial Status of Gastric Retention Technologies, *Drug Delivery Technology* 5(4), 40-46.
- Rogers, T.L., 2009, Hypromellose dalam Rowe, R.C., Sheskey P.J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, 6th Edition, 326-329, Pharmaceutical Press, London.
- Rosa, M., Zia, H., dan Rhodes, T., 1994, Design and Testing in Vitro of a Bioadhesive and Floating Drug Delivery System for Oral Application, *International Journal of Pharmacy*, 105, 65-70.
- Sagita, Erni, Effionora Anwar, Silvia Surini, 2011, Pembuatan Sediaan Tablet Mengapung Famotidin Menggunakan Kompleks Polielektrolit Kitosan-Pektin sebagai Bahan Matriks, *Majalah Ilmu Kefarmasian* 8(1), 38-48.
- Shah, H.C., dan Singh, K.K., 2009, Gum xanthan dalam Rowe, R.C., Sheskey P.J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients*, 6th Edition, 782-785, Pharmaceutical Press, London.
- Shaikh, K.N., Payghan, S.A., Desouza, J.I., 2011, Formulation of Gastroretentive Drug Delivery System (Floating Tablets) of Nifedipine, *International Journal of Pharmaceutical Sciences and Research* 2 (11), 2929-2933.
- Shargel, L. dan Yu., 2005, *Biofarmasetika dan Farmakokinetika Terapan*, Edisi Kedua, 449-453, Airlangga University Press, Surabaya.
- Siregar, C.J.P. dan Wikarsa, S., 2010, *Teknologi Farmasi Sediaan Tablet: Dasar-Dasar Praktis*, 13-42, EGC, Jakarta.
- Siswanto, A. dan Sulihtyowati, S. 2006, Optimasi Formulasi Sediaan Tablet Lepas Lambat Teofilin dengan Bahan Matrik HPMC, Na CMC dan Gum xanthan, *Majalah Farmasi Indonesia* 17(3), 143-148.
- Suhery, W.N., Fernando, A., Giovanni, B., 2016, Perbandingan Metode Granulasi Basah dan Kempa Langsung Terhadap Sifat Fisik dan Waktu Hancur Orally Disintegrating Tablets (ODTs) Piroksikam, *Jurnal Sains Farmasi Klinis* 2(2), 138-144.
- Sulaiman, T.N.S., 2007, *Teknologi dan Formulasi Sediaan Tablet*, 100, 151, 199, Pustaka Laboratorium Teknologi Farmasi Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Suwaldi dan Faizah, Z., 1994, Pelepasan Parasetamol Dari Sediaan Lepas Lambat Dengan Matriks Hidroksipropil Metilselulosa, *Majalah Farmasi Indonesia* 5(4), 168-174.
- Swarbrick, 1992, *Encyclopedia of Pharmaceutical Technology*, Volume V, 189, Marcel Dekker Inc., New York.

Syofyan, Yelni, E.A., Azhar, R., 2012, Penggunaan Kombinasi Pati Bengkuang-Avicel PH 101 Sebagai Bahan Pengisi Co-Process Tablet Isoniazid Cetak Langsung, *Jurnal Sains dan Teknologi* 17(2), 164-171

The United State Pharmacopeial Convention, 2005, *The United States Pharmacopeia (USP)*, 28th Edition, 2928, United States.