

## DAFTAR PUSTAKA

- Adams, C.A. 2000. The role of nutraceuticals in health and total nutrition. Proceedings Australian Poultry Science Symposium. Kemin Industries 12 Senoko Singapore.
- Agustina, L. 2006. Penggunaan ramuan herbal sebagai feed additive untuk meningkatkan performans broiler. Prosiding Lokakarya Nasional Inovasi Teknologi Dalam Mendukung Usaha Ternak Unggas Berdayasaing. Pusat Penelitian dan Pengembangan Peternakan. Bogor. pp: 41-52
- Akram, M., S. Uddin, A. Ahmed, K. Usmaghani, A. Hannan, E. Mohiuddun, dan M. Asif. 2010. *Curcuma longa* and curcumin: a review article. Romanian Journal of Biology-Plant Biology. 55: 65-70.
- Ammon, H.P.T. dan M.A. Wahl. 1991. Pharmacology of *Curcuma longa*. Planta Medica. 57: 1-7.
- Anonim. 2014. Ross 38 broiler performance objectives. Tersedia pada: [www.en.aviagen.com](http://www.en.aviagen.com). Diakses pada tanggal 3 Januari 2017.
- Baurhoo, B., P.R. Ferket, and X. Zhao. 2009. Effects of diets containing different concentrations of mannanoligosaccharide or antibiotics on growth performance, intestinal development, cecal and litter microbial populations, and carcass parameters of broilers. Poultry Science. 88: 2262-2272.
- Bregendahl, K., J.L. Sell, and D.R. Zimmerman. 2002. Effect of low – protein diets on growth performance and body composition of broiler chicks. Poultry Science. 81: 1156-1167.
- Candra, A.A., D. Desmiyeni, dan Zairiful. Perbaikan penampilan produksi ayam pedaging dengan penambahan ekstraksi temulawak pelarut etanol. Jurnal Penelitian Pertanian Terapan. 14: 64-69.
- Castanon, J.I.R. 2007. History of the use of antibiotics as growth promoters in European poultry feeds. Poultry Science. 86: 2466-2471.
- Chattopadhyay, I., K. Biswas, U. Bandyopadhyay, dan R.K. Banerjee. 2004. Turmeric and curcumin: biological actions and medical applications. Current Science. 87: 44-53.
- Demir, E., S. Sarica, M.A. Ozcan, dan M.S. Mez. 2003. The use of natural feed additives as alternatives for an antibiotic growth promoter in broiler diets. British Poultry Science. 44: 44-45.

- Dian, L.M.B., C.L.K. Sarayar, M. Najosan, dan W. Utiah. 2014. The addition effectiveness of *Curcuma xanthoriza* Roxb and *Curcuma zedoaria* Roxb. flours in commercial ration on performances of broilers. *Jurnal Zootek*. 34: 85-94.
- Diarrassouba, F., M.S. Diarra, S. Bach, P. Delaquis, J. Pritchard, E. Topp, dan B.J. Skura. 2007. Antibiotic resistance and virulence genes in comernal *Escherichia coli* and *Salmonella* isolates from commercial broiler chicken farms. *Journal of Food Protection*. 70: 1316-1327.
- Dibner, J.J. dan J.D. Richards. 2005. Antibiotic Growth promoters in agriculture: history and mode of action. *Poultry Science*. 84: 634-643.
- Dono, N.D. 2010. Kualitas daging ayam broiler yang mendapatkan tepung bawang putih dan tepung temulawak dalam ransum. *Indonesian Journal of Animal and Veterinary Sciences* 15: 81-87.
- Dono, N.D. 2012. Benzoic acid supplementation improved growth performance and beneficially modified instestinal ph and histomorphology of broiler chickens. Ph.D. Thesis. University of Glasgow. Glasgow.
- Durrani, F.R., M. Ismail, A. Sultan, S.M. Suhail, N. Chanul, dan Z. Durrani. 2006. Effect of different levels of feed added turmeric (*Curcuma longa*) on the performance of broiler chicks. *Journal of Agricultural and Biological Science*. 1: 9-11.
- Emadi, M. dan H. Kermanshahi. 2008. Effect of turmeric powder on performance and carcass characteristics of broiler chickens. *International Journal of Poultry Science*. 5: 1069-1072.
- Frankenbach, S.D.B., C.M. Peter, M.W. Douglas, J.L. Snow, C.M. Parson, dan D.H. Baker. 2001. Efficacy of phytase for increasing protein efficiency ratio values of feed ingredients. *Poultry Science*. 80: 1578-1584.
- Ghany, M.A.A.E., A.M. Ramadan, dan S.F. Ghozy. 2012. Nutraceutical effects of curcuma, ginger, celery, yeast, and honey on side effects of gentacimin induced nephrotoxicity in rats. *World Applied Sciences Journal*. 16: 646-655
- Giannenas, I., I.S. Pappas, S. Mavridis, G. Kontopidis, J. Skoufus, dan I. Kyriazakis. 2010. Performance and antioxidant status of broiler chickens supplemented with dried mushrooms (*Agaricus bisporus*) in their diet. *Poultry Science*. 89: 303-311.

- Grashorn, M.A. 2010. Use of phytobiotics in broiler nutrition - an alternative to infeed antibiotics? *Journal of Animal and Feed Sciences*. 19: 338-347.
- Gunal, M., G. Yayli, O. Kaya, N. Karahan, dan O. Sulak. 2006. The effects of antibiotics growth promoter, probiotic or organic acid supplementation on performance, intestinal microflora and tissue of broilers. *International Journal of Poultry Science*. 5: 149-155.
- Hartadi, H.S., S. Reksohadiprojo, dan A.D. Tillman. 2005. Tabel komposisi pakan untuk Indonesia. Gadjah Mada University Press. Yogyakarta.
- Hashemi, S.R. dan H. Davoodi. 2011. Herbal plants and their derivatives as growth and health promoters in animal nutrition. *Veterinary Research Communications*. 35: 169-180.
- Johnson, M.L. dan C.M. Parsons. 1997. Effects of raw material source, ash content, and assay length on protein efficiency ratio and net protein ratio values for animal protein meals. *Poultry Science*. 76: 1722-1727.
- Kamran, Z., M. Sarwar, M. Nisa, M.A. Nadeem, S. Mahmood, M.E. Babar, and S. Ahmed. 2008. Effects of low-protein having constant energy-to-protein ratio on performance and carcass characteristics of broiler chickens from one to thirty-five days of age. *Poultry Science* 87:468-474.
- Khatun B.M.R. dan M.O. Rahman. 2006. Taxonomic revision of the genus *Caesalpinia* L. (Caesalpinaceae) for Bangladesh. *Bangladesh Journal of Plant Taxonomy*. 13: 93-109.
- Kim, S.W., M.Z. Fan, dan T.J. Applegate. 2008. Nonruminants nutrition symposium on natural phytobiotics for health of animals and poultry: mechanism and application. *Journal of Animals Science*. 86: 138-139.
- Lim, M.Y., J.H. Jeon, E.Y. Jeong, C.H. Lee, dan H.S. Lee. 2005. Antimicrobial activity of 5-hydroxy-1,4-naphthoquinone isolated from *caesalpinia sappan* toward intestinal bacteria. *Food Chemistry*. 100: 1254-1258.
- Marks, H.L. 1981. Role of water regulation feed intake and feed efficiency of broilers. *Poultry Science*. 60:698:707
- May, J.D. dan B.D. Lott. 1992. Feed and water consumption patterns of broilers at high environmental temperatures. *Poultry Science*. 71: 331-336.

- Mide, M.Z. 2013. Ransum broiler yang mendapatkan ransum mengandung tepung daun katuk, rimpang kunyit, dan kombinasinya. *Jurnal Teknosains*. 7: 40-46.
- National Research Council. 1994. *Nutrient Requirements of Poultry*. 9<sup>th</sup> rev. ed. National Academy Press, Washington, DC.
- Niewold, T.A. 2007. The nonantibiotics anti-inflammatory effect of antimicrobial growth promoters, the real mode of action? A hypothesis. *Poultry Science*. 86: 605-609.
- Nirmal, P.N, M.S. Rajput, R.G.S.V. Prasad, dan M. Ahmad. 2015. Brazilin from *Caesalpinia sappan* heartwood and its pharmacological activities a review. *Asian Pacific Journal of Tropical Medicine*. 8: 421-430.
- Platel, K. dan K. Srinivasan. 2000. Influence of dietary spices and their active principles on pancreatic digestive enzymes in albino rats. *Nahrung*. 44: 42-46.
- Resnawati, H. 2012. Inovasi teknologi pemanfaatan bahan pakan lokal mendukung pengembangan industri ayam kampung. *Pengembangan Inovasi Pertanian*. 5: 79-95.
- Rukayadi, Y., K. Lee, M.S. Lee, D. Young, dan J.K. Hwang. 2009. Synergistic anticandidal activity of xanthorrhizol in combination with ketoconazole or amphotericin B. *FEMS Yeast Journal*. 9: 1302-1311.
- Rukmana, R. 1995. *Temulawak, Tanaman Rempah dan Obat*. Penerbit Kanisius. Yogyakarta.
- Rusdi, U.D., W. Widowati, dan E.T. Marlina. 2005. Efek ekstrak kayu secang, vitamin E dan vitamin C terhadap status antioksidan total (SAT) pada mencit yang terpapar aflatoksin. *Media Kedokteran Hewan*. 2 : 66-68.
- Samarasinghe, K., C. Wenk, K.F.S. Silva, dan J.M.D.M Gunasekera. 2003. Turmeric (*Curcuma longa*) root powder and mannanoligosaccharides as alternatives to antibiotics in broiler chicken diets. *Asian-Australasian Journal of Animal Sciences*. 16: 1495-1500.
- Saputra, H.P., O. Sjojfan, dan I.H. Djumaidi. 2014. Pengaruh penambahan fitobiotik meniran (*Phyllanthus niruri* L.) dalam pakan terhadap pencernaan protein kasar dan energi metabolis ayam pedaging. Fakultas Peternakan. Universitas Brawijaya. Malang.

- Sasikumar, B. 2005. Genetic resources of Curcuma: diversity, characterization and utilization. *Plant Genetic Resource: Characterization and Utilization*. 3: 230-251
- Schneitz, C., T. Kiiskinen, V. Toivonen, dan M. Nasi. 1998. Effect of broilact-R on the physicochemical conditions and nutrient digestibility in the gastrointestinal tract of broiler. *Poultry Science*. 77: 426-432.
- Selle, P.H., V. Ravindran, P.H. Pittolo, dan W.L. Bryden. 2003. Effects of phytase supplementation of diets with two tiers of nutrient specifications on growth performance and protein efficiency ratios of broiler chickens. *Asian-Australasian Journal of Animal Sciences*. 16: 1158-1164.
- Sharma, R.A., A.J. Gescher, dan W.P. Steward. 2005. Curcumin: the story so far. *European Journal of Cancer*. 41: 1955-1968.
- Sidadolog, J.H.P. dan T. Yuwanta. 2009. Pengaruh konsentrasi protein-energi pakan terhadap penambahan berat badan, efisiensi energi, dan efisiensi protein pada masa pertumbuhan ayam merawang. *Animal Production*. 11: 15-22.
- Sinambela, J.M. 1985. Fototerapi, fitostandar, dan temulawak. *Prosiding Simposium Nasional Temulawak*. Bandung. 17 September 1985.
- Sinurat, A.P., T. Purwadaria, I.A.K. Bintang, P.P. Ketaren, N. Bermawie, M. Raharjo, dan M. Rizal. 2009. Pemanfaatan kunyit dan temulawak sebagai imbuhan pakan untuk ayam broiler. *Jurnal Ilmu Ternak dan Veteriner*. 14: 90-96.
- Sokmen, M., J. Serkedjieva, D. Daferera, M. Gulluce, M. Polissiou, B. Tepe, H.A. Akpulat, F. Sahin, dan A. Sokmen. 2004. In vitro antioxidant, antimicrobial, and antiviral activities of the essential oil and various extracts from herbal parts and callus cultures of *Origanum acutidens*. *Journal of Agriculture Food Chemistry*. 52: 3309-3312.
- Srinivasan, R., G.G. Selvam, S. Karthik, K. Mathivanan, R. Baskara, M. Karthikeyan, dan M. Gopi. 2012. In vitro antimicrobial activity of *Caesalpinia sappan* L. *Asian Pacific Journal of Tropical Biomedicine*. 1: 136-139.
- Sukmo, A.P.N., Achmanu, dan Muharlieni. 2014. Pengaruh penggunaan tepung kemangi dalam pakan terhadap penampilan produksi ayam pedaging. *Fakultas Peternakan. Universitas Brawijaya*. Malang.

- Tjiprosoepomo, G. 2005. Taksonomi Tumbuhan (*Spermatophyta*). Gadjah Mada University Press. Yogyakarta.
- Vidanarachchi, J.K., L.L. Mikkelsen, I. Sims, P.A. Iji, dan M. Choct. 2005. Phytobiotics: alternatives to antibiotic growth promoters in monogastric animals feeds. *Recent Advances in Animal Nutrition in Australia*. 15: 131-144.
- Wang, L., X.L. Piao, S.W. Kim, X.S. Piao, Y.B. Shen, dan H.S. Lees. 2008. Effects of *Forsythia suspensa* extract on growth performance, nutrient digestibility, and antioxidant activities in broiler chickens under high ambient temperature. *Poultry Science*. 87: 1287-1294.
- Wenk, C. 2003. Herbs and botanicals as feed additives in monogastric animals. *Asian - Australasian Journal of Animal Sciences*. 16: 282-289.
- Widowati, W. 2011. Uji fitokimia dan potensi antioksidan ekstrak etanol kayu secang (*Caesalpinia sappan* L.). *Jurnal Kesehatan Masyarakat*. 11: 23-31.
- Yasni, S., K. Imaizumi, dan M. Sugano. 1991. Effects of an indonesian medical plant, *Curcuma zanthorrhiza* Roxb., on the levels of serum glucose and tryglyceride, fatty acid desaturation, and bile acid excretion in streptozotocin-induced diabetic rats. *Agricultural and Biological Chemistry*. 55: 3005-3010.
- Zhao, M.B., J. Li, S.P. Shi, C.Q. Ci, P.F. Tu, L. Tang, K.W. Zeng, dan Y. Jiang. 2014. Two new phenolic compounds from the heartwood of *Caesalpinia sappan* L. *Molecules*. 19: 1-8.