

DAFTAR PUSTAKA

- Abdullah, M.A., Chiang, L., and Nadeem, M., 2009, Comparative Evaluation of Adsorption Kinetics and Isotherms of a Natural Product Removal by Amberlite Polymeric Adsorbents, *Chem. Eng. J.*, 146, 370–376.
- Adamson, A.W., 1990, *Physical Chemistry of Surfaces*, 5th ed., John Wiley & Sons, New York.
- Alberty, R.A. and Daniel, F., 1987, *Physical Chemistry*, 5th ed., John Wiley & Sons, New York.
- Al-Degs, Y.S., El-Barghouthi, M I., El-Sheik, A.H., dan Walter, G.M., 2008, Effect Of Solution Ph, Ionic Strength and Temperature on Adsorption Behavior of Reactive Dyes on Activated Carbon, *Dyes Pigments*, 77, 16-23.
- Allen, S.J., McKay, G., and Porter, J.F., 2004, Adsorption Isotherm Models for Basic Dye Adsorption by Peat in Single and Binary Component Systems, *J. Colloid Interface. Sci.*, 280, 322-333.
- Almeida, C.A.P., Debacher, N.A., Downs, A.J., Cottet, L., and Mello, C.A.D., 2009, Removal of Methylene Blue from Colored Effluents by Adsorption on Montmorillonite clay, *J. Colloid Interf. Sci.*, 332, 46-53.
- Altenor., S., Carene, B., Emmanuel, E., Lambert, J., Ehrhardt, J.J., and Gaspard, S., 2009, Adsorption Studies of Methylene Blue and Phenol onto Vetiver Roots Activated Carbon Prepared by Chemical Activation, *J. Hazard. Mater.*, 165, 1029-1039.
- Aluyor, E.O., Oboh, I.O., and Obahiagbon, K.O., 2009, Equilibrium Sorption Isotherm for Lead (Pb) Ions on Hydrogen Peroxide Modified Rice Hulls, *Int. J. Phys. Sci.*, 4, 423-427.
- Alves, V., Costa, N., Hilliou, L., Larotonda, F., Goncalves, M., and Sereno, A., 200, Design of Biodegradable Composite Films for Food Packaging, *Desalination*, 199(1), 331-333.
- Anonim, 1995, *Keputusan Menteri Negara Lingkungan Hidup Nomor: Kep-51/MENLH/10/1995 Tentang Baku Mutu Limbah Cair.*
- Bao, Y., Ma, J., and Li, N., 2011, Synthesis and Swelling Behaviors of Sodium Carboxymethyl Cellulose-G-Poly(Aa-Co-Am-Co-Amps)/Superabsorbent Hydrogel, *Carbohydr. Polym.*, 84(1), 76-82.
- Bifani, V., Ramírez, C., Ihl, M., Rubilar, M., García, A., and Zaritzky, N., 2007, Effects of Murta (*Ugni Molinae Turcz*) Extract On Gas And Water Vapor Permeability Carboxymethylcellulose-Based Edible Films, *Food Sci. Technol.*, 40, 1437-1481.

- Bonilla, J., Talon, E., Atares, L., Vargas, M., and Chiralt, A., 2013, Effect of the Incorporation of Antioxidants on Physicochemical and Antioxidant Properties of Wheat Starch-chitosan Films, *J. Food Prot.*, 118, 271-278.
- Brookes, P.R., and Livingston, A.G., 1995, Aqueous-Aqueous Extraction of Organic Pollutants through Tubular Silicone Rubber Membrane, *Int. J. Membr. Sci.*, 104, 119-137
- Budavari, S., Windholz, M., and Stroumstos, L.Y., 1989, *The Merck Index : An Encyclopedia Chemical and Drugs*, Merck & Co., New Jersey.
- Campos, E., Coimbra, P., and Gil, M. H., 2013, An Improved Method for Preparing Glutaraldehyde Cross-Linked Chitosan-Poly(Vinyl Alcohol) Microparticles, *Polym.Bull.*, 70, 5549-561.
- Cao, N., Yang, X., and Fu, Y., 2009, Effect of Various Plasticizers on Mechanical and Water Vapor Barrier Properties of Gelatin Films, *Food Hydrocol.*, 23, 729-735.
- Cenens, J. and Schoonheydt, A.R., 1988, Visible Spectroscopy of Methylene Blue on Hectorite, Laponite B, and Barasym in Aqueous Suspension, *J. Clays and Clay Mineral.*, 36, 214-224.
- Chatterjee, S., Lee, D.S., Lee, M.W., Woo, S.H., 2009, Enhanced Adsorption of Congo Red from Aqueous Solutions by Chitosan Hydrogel Beads Impregnated with Cetyl Trimethyl Ammonium Bromide, *Bioresour. Technol.*, 100, 2803-2809.
- Chen, P.H., Kuo, T.Y., Kuo, J.Y., Tseng, Y.P., Wang, D.M., Lai, J.Y., and Hsieh, H.J., 2010, Novel chitosan-pectin composite membranes with enhanced strength, hydrophilicity and controllable disintegration, *J. Carbohydr. Polym.*, 82(4), 1236-1242.
- De Lima, R.O.A., Bazo, A.P., Salvadori, D.M.F., Rech, C.M., Oliveira, D.P. and Umbuzeiro, G.A., 2007, Mutagenic and Carcinogenic Potential of a Textile Azo Dye Processing Plant Effluent That Impacts a Drinking Water Source, *Mutat. Res.*, 626, 53-60.
- Deng, C., Liu, J., Zhou, W., Zhang, Y. K., Du, K. F., and Zhao, Z. M., 2012, Fabrication of Spherical Cellulose/Carbon Tubes Hybrid Adsorbent Anchored with Welan Gumpolysaccharide and Its Potential in Adsorbing Methylene Blue. *Chem. Eng. J.*, 200, 452-458.
- Dogan, M., and Alkan, M., 2003, Adsorption Kinetics of Methyl Violet onto Perlite. *Chemosphere*, 50(4), 517-528.
- Don, T. M., King, C. F., Chiu, W. Y., and Peng, C. A., 2006, Preparation and Characterization of Chitosan-g-Poly(Vinyl Alcohol) Blends Used for the Evaluation of Blood Contacting compatibility, *Carbohydr. Polym.*, 63, 331-339.
- Dotto, G.L., dan Pinto, L.A.A., 2011, Adsorption of Food Dyes onto Chitosan: Optimization Process and Kinetic, *Carbohydr. Polym.*, 84, 231-238.

- El-Sayed, G.O., 2011, Removal of Methylene Blue and Crystal Violet from Aqueous Solutions by Palm Kernel Fiber, *Desalination*, 272, 225–232.
- Faber, P., Ronald, A., and Millar, B.W., 2005, Methylthioninium Chloride: Pharmacology and Clinical Applications with Special Emphasis on Nitric Oxide Mediated Vasodilatory Shock during Cardiopulmonary by Pass, *Anaesthesia*, 60, 575-587.
- Fajarwati, Febi Indah., 2015, Efek Taut Silang Glutaraldehida pada Kompleks Polielektrolit Kitosan-Karboksimetil Selulosa terhadap Adsorpsi Biru Metilen, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Foo, K.Y. and Hameed, B.H., 2010, Review: Insights into the modeling of adsorption isotherm systems, *Chem. Eng. J.*, 156, 2-10.
- Ghanbarzadeh, B., Almasi, H., and Entezami, A. A., 2010, Physical Properties of Ediblemodified Starch/Carboxymethyl Cellulose Films. *Innovative Food Sci. Emerg. Technol.*, 11, 697-702.
- Ghanbarzadeh, B. dan Almasi, H., 2011, Physical Properties of Edible Emulsified Films Based on Carboxymethyl Cellulose and Oleic Acid. *Int. J.Biol. Macromol.*, 48, 44-49.
- Garg, V.K., Amita, M., Kumar, R., and Gupta, R., 2004. Basic dye (methylene blue) removal from simulated wastewater by adsorption using Indian Rosewood sawdust: a timber industry waste. *Dyes. Pigments*, 63, 243–250.
- Grzadka, E. and Chibowski, S., 2012, Adsorption and Electrokinetic Properties of the System: Carboxymethylcellulose/Manganese Oxide/Surfactant, *Cellulose*, 19, 23-36.
- Gupta, V. K. and Suhas., 2009, Application of Low-Cost Adsorbents for Dye Removal A review, *J. Environ. Manag.*, 90, 2313-2342.
- Gupta, V.K., Ali, I., Saleh, T.A., Nayak, A., and Agarwal, S., 2012, Chemical Treatment Technologies for Waste-Water Recycling-an Overview, *RSC Adv.* 2, 6380-6388.
- Hamdaoui, O., 2006, Bacth Study of Liquid-Phase Adsorpsi of Methylene Blue Using Ceder Sawdust and Crushed Brick, *J. Hazard. Mater.*, 135, 264-273.
- Hamdaoui, O. dan Chiha, M., 2007, Removal of Methylene Blue from Aqueous Solutions by Wheat Bran, *Acta Chim. Slov.*, 54, 407-418.
- Han, R., Zhang, J., Zou, W., Shi, J., and Liu, H., 2005, Equilibrium biosorption isotherm for lead ion on chaff, *J. Hazard. Mater.*, 125(1), 266-271.
- Haque, E., Jun, J.W., and Jhung, S.H., 2011, Adsorptive Removal of Methyl Orange and Methylene Blue from Aqueous Solution with a Metal-Organic Framework Material, Iron Trepthalate (MOF-235). *J. Hazard. Mater.*, 185, 507–511.

- Ho, Y. S. and McKay, G., 1999, Pseudo-second order model for sorption processes, *Process Biochem.*, 34, 451-465.
- Ho, Y.S., Huang, C. T. and Huang, H. W., 2002, Equilibrium Sorption Isotherm for Metal Ion on Tree Fern, *Process Biochem.*, 37, 1421-1430.
- Ho, Y. S., Chiu, W. T., and Wang, C. C., 2005, Regression analysis for the sorption isotherms of basic dyes on sugarcane dust, *Bioresource Technol.*, 96(11), 1285-1291.
- Houas, A., Lacheb, H., Ksibi, M., Elaloui, E., Guillard, C., and Herman, J.M., 2001, Photocatalytic Degradation Pathway of Methylene Blue in Water, *Appl. Catal. B: Environ.*, 31, 145-157.
- Immelman, E., Sanderson, R.D., Jacobs, E.P., and Vanreenen, A.J., 1993, Poly(VinylAlcohol) Gel Sublayers for Reverse-Osmosis Membranes.1. Insolubilization by Acid Catalyzed Dehydration, *J. Appl. Polym. Sci.*, 50, 1013-1034.
- Karagöz, S., Tay, T., Ucar, S., and Erdem, M., 2008, Activated Carbons from Waste Biomass by Sulfuric Acid Activation And Their Use on Methylene Blue Adsorption. *Bioresour. Technol.*, 99, 6214–6222.
- Kumar, K.V., V. Ramamurthi, S., and Sivanesan., 2005, Modeling the Mechanism Involved during the Sorption of Methylene Blue onto Fly Ash, *J. Colloid Interf. Sci.*, 284, 14–21.
- Kumar, K. V., 2006, Comparative Analysis of Linear and Non-Linear Method of Estimating the Sorption Isotherm Parameters for Malachite Green onto Activated Carbon, *J. Hazard. Mater.*, 136(2), 197-202.
- Kyzas, G. Z. and Lazaridis, N. K., 2009, Reactive and Basic Dyes Removal by Sorption onto Chitosan Derivatives, *J. Colloid Interface Sci.*, 331(1), 32-39.
- Li, Z., Chang, P.H., Jiang, W.T., Jean, J.S., and Hong, H., 2011, Mechanism of Methylene Blue Removal from Water by Swelling clays, *Chem. Eng. J.*, 168, 1193-1200.
- Liang, C.Z., Sun, S.P., Li, F.Y., Ong, Y.K., and Chung, T.S., 2014, Treatment of Highly Concentrated Wastewater Containing Multiple Synthetic Dyes by a Combined Process of Coagulation/Flocculation and Nanofiltration, *J. Membr. Sci.*, 469, 306-315.
- Liu P., Zhai M., Li J., Peng J., and Wu J., 2002, Radiation Preparation and Swelling Behavior of Sodium Carboxymethyl Cellulose Hydrogels, *Radiat. Phys. Chem.*, 63, 525-528.
- Liu, Y., Wang, W., and Wang, A., 2010, Adsorption of Lead Ions from Aqueous Solution by Using Carboxymethyl Cellulose-g-Poly (Acrylic Acid)/Attapulgate HydrogelComposites, *Desalination*, 259, 258-264.

- Luppi, B , Bigucci, F., Abruzzo, A., Corace, G., Teresa Cerchiara, T., and Zecchi, V., 2010, Freeze-Dried Chitosan/Pectin Nasal Inserts for Antipsychotic Drug Delivery, *Eur. J. Pharm. Biopharm.*, 75, 381–87.
- Lynam, M. M., Kilduff, J. E and Weber, W. J. Jr., 1995, Adsorption of P-Nitrophenol from Diluted Aqueous Solution, *J. Chem. Educ.*, 72, 80-84.
- Ma, X., Chang, PR., and Yu, J., 2008, Properties of Biodegradable Thermoplastic pea Starch/Carboxymethyl Cellulose and Pea Starch/Microcrystalline Cellulose Composites, *Carbohydr. Polym.*, 72, 369.
- Madrakiana, T., Afkhami, A., Ahmadi, M., and Bagheri, H., 2011, Removal of Some Cationic Dyes from Aqueous Solutions Using Magnetic-Modified Multi-Walled Carbon Nanotubes, *J. Hazard. Mater.*, 196, 109-114.
- Maftoonazad, N., Ramaswamy, H.S., and Marcotte, M., 2008, Shelf-life Extension of Peaches Through Sodium Alginate and Methyl Cellulose Edible Coating, *Int. J. Food Sci. Technol.*, 43, (2008) 951-957.
- Mali, S., Grossmann, M. V. E., García, M. A., Martino, M. N., and Zaritzky, N. E., 2006, Effects of Controlled Storage on Thermal, Mechanical and Barrier Properties of Plasticized Films from Different Starch Sources, *J. Food Eng.*, 75,453-460.
- Mansur, H., Sadahira, C., Souza, A., and Mansur, A., 2008, FTIR Spectroscopy Characterization of Poly (Vinyl Alcohol) Hydrogel With Different Hydrolysis Degree and Chemically with Glutaraldehyde. *Mat. Sci. Eng. C.*, 28, 539-48.
- Mall, I. D., Srivastava, V. C., and Agarwal, N. K., 2006, Removal of Orange-G And Methyl Violet Dyes by Adsorption onto Bagasse Fly Ash-Kinetic Study and Equilibrium Isotherm Analyses, *Dyes and Pigments*, 69(3), 210-223.
- Marin, Edwin. and Rojas, John., 2015, Preparation and Characterization of Crosslinked Poly (Vinyl) Alcohol with Waterproof Properties, *Int. J. Pharm. Sci.*, Vol 7, Issue 3, 242-248.
- Muherei, M.A. and Junin, R., 2009, Equilibrium Adsorption Isotherms of Anionic, Nonionic Surfactants and Their Mixtures to Shale and Sandstone, *Modern Appl. Sci.*, 3, 158-167.
- Nawaz, M. and Ahsan, M., 2014, Comparison of Physico-Chemical, Advanced Oxidation and Biological Techniques for the Textile Wastewater Treatment, *Alexandria. Eng. J.*, 53, 711-722.
- Ng, J.C.Y., Cheung, W.H., and McKay, G., 2003, Equilibrium Studies for The Sorption of Lead from Effluents Using Chitosan, *Chemosphere*, 52, 1021-1030.
- Nugroho, P. S. A., 2014, Pelepasan Kurkumin dari Nanopartikel Kitosan Karboksimetil selulosa-Glutaraldehyda, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.

- Ong, S. A., Toorisaka, E., Hirata, M., and Hano, T., 2005, Biodegradation of Redox Dye Methylene Blue by Up-Flow Anaerobic Sludge Blanket Reactor, *J. Hazard. Mater.*, 124, 88-94.
- Oscik, J., 1982, *Adsorption*, John Wiley & Sons, New York.
- Oun, A.A. dan Rhim, J.W., 2015, Preparation and Characterization of Sodium Carboxymethyl Cellulose/Cotton Linter Cellulose Nanofibril Composite Films, *Carbohydr. Polym.*, 127, 101-109.
- Palupi, E., 2006, Degradasi Metilen Biru dengan Metode Fotokatalisis dan Fotoelektrokatalisis Menggunakan Film TiO₂, *Tesis*, FMIPA IPB, Bogor.
- Pandit, P. and Basu, S., 2004, Removal of Ionic Dyes from Water by Solvent Extraction Using Reverse Micelles, *J. Env. Sci. Tech.*, 38(8), 2435-2442.
- Pavan, F. A., Lima, E. C., Dias, S. L. P., and Mazzocato, A. C., 2008, Methylene Blue Biosorption from Aqueous Solution by Yellow Passion Fruit Waste, *J. Haz. Mater.*, 150, 703-712.
- Petersson, M., dan Stading, M., 2005, Water Vapor Permeability and Mechanical properties of Mixed Starch-Monoglyceride Films and Effect of Film Forming Conditions. *Food Hydrocol.*, 19(1), 123–132.
- Purnamasari, Y., 2016, Pembuatan Membran Kitosan-Natrium Humat Sebagai Adsorben Biru Metilen, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Rafatullaha, M., Sulaimana, O., Hashima, R., and Ahmad, A., 2010., Adsorption of Methylene Blue on Low-Cost Adsorbents: a review. *J. Hazard. Mater.*, 177, 70–80.
- Rakhmatullah, Rahma., 2015, Pembuatan Karboksimetil Selulosa dari Selulosa Mikrobial (*Nata De Cassava*), *Skripsi*, Departemen Teknologi Industri Pertanian IPB, Bogor.
- Ramaraj, B., 2007, Crosslinked Poly(Vinyl Alcohol) and Starch Composite Films. II. Physicomechanical, Thermal Properties and Swelling Studies, *J. Appl. Polym. Sci.*, 103, 909-916.
- Rastogi, K., Sahu, J.N., Meikap, B.C., and Biswas, M.N., 2008, Removal of Methylene Blue from Wastewater Using Fly Ash as an Adsorbent by Hydrocyclone, *J. Hazard. Mater*, 158, 531–540.
- Ratri, Okti Restuning., 2016, Adsorpsi Ion Pb (II) pada Membran Makropori Kitosan-Karboksimetil Selulosa Tertaut Silang Glutaraldehyda, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Rego, T.V., Cadaval Jr, T.R.S., Dotto, G.L., and Pinto, L.A.A., 2013, Statistical Optimization, Interaction Analysis and Desorption Studies for the Azo Dyes Adsorption onto Chitosan Films, *J. Colloid Interface Sci.*, 411, 27-33.

- Renita, M., Rosdanelli, H., dan Irvan, 2004, Perombakan Zat Warna Azo Reaktif Secara Aerob dan Anaerob, e-USU Repository, Jurusan Teknik Kimia USU, Medan.
- Rouquerol, F., Rouquerol, J. and Sing, K., 1999, *Adsorption by Powders and Porous Solid*, Academic Press, San Diego, CA, USA.
- Salama, A., Shukry, N., and El-Sakhawy, M., 2015, Carboxymethyl Cellulose-G-Poly(2-(Dimethylamino) Ethylmethacrylate) Hydrogel as Adsorbent for Dye Removal. *Int. J. Biol. Macromol.*, 73, 72-75.
- Saratale, R.G., Saratale, G.D., Chang, J.S., and Govindwar, S.P., 2014, Bacterial Decolorization and Degradation of Azo Dyes: A Review, *J. Itice.*, 42, 138- 157.
- Senthilkumaar, S., Varadarajan, P. R., Porkodi, K., and Subbhuraam, C. V., 2005, Adsorption of Methylene Blue onto Jute Fiber Carbon: kinetics and equilibrium studies, *J. Colloid Interface Sci.*, 284(1), 78-82.
- Sharma, Y.C., Uma Sinha, A.S.K., and Upadhyay, S.N., 2010., Characterization and Adsorption Studies of Cocos Nucifera L. Activated Carbon for the Removal of Methylene Blue from Aqueous Solutions. *J. Chem. Eng. Data* 55, 2662-2667.
- Sharma, P., Kaur H., Sharma M., and Sahore., 2011, A review on Applicability Of Naturally Available Adsorbent For The Removal of Hazardous Dyes from Aqueous Waste, *Environ. Monit. Assess.*, 183, 151-195.
- Shenvi, S. S., Isloor, A. M., Ismail, A. F., Shilton, S. J. and Ahmed, A. A., 2015, Humic Acid Based Biopolymeric Membrane for Effective Removal of Methylene Blue and Rhodamin B, *Ind. Eng. Chem. Res.*, 54, 4965-4975.
- Silval, H. S., Martínez, N. D., Deiana , A. C., and González, J. E., 2005, *Catalytic Oxidation of Methylene Blue in Aqueous Solutions*, 2nd Mercosur Congress on Chemical Engineering.
- Sin, L. T., Rahman, W. A., Rahmat, A. R., and Khan, M. I., 2010, Detection of Synergistic Interactions of Polyvinyl Alcohol–Cassava starch blends through DSC, *Carbohydr. Polym.*, 79(1), 224-226.
- Somorjai, G.A., 1972, *Principle of Surfaces Chemistry*, Prentice-Hall, New Jersey.
- Sugita, P., Wukirsari, T., Sjahrizza, A., dan Wahyono, D., 2009, *Kitosan: Sumber Biomaterial Masa Depan*, Penerbit IPB Press, Bogor.
- Unuabonah, E. I., Gunter, C., Weber, J., Lubahn, S., and Taubert, 2013, A Hybrid clay: A new highly efficient adsorbent for water treatment, *ACS Sustainable Chem. Eng.*, 1, 966-973.
- Verma, A.K., Dash, R.R., and Bhunia, P., 2014, A Review on Chemical Coagulation/Flocculation Tehnologies for Removal of Colour from Textile Wastewaters, *J. Environ. Manage.*, 92, 154-168.

- Waranusantigui, P., Pokethiyook, P., Kruatrachue, M., and Upatham, E. S., 2003, Kinetics Of Basic Dye (Methylene Blue) Biosorption By Giant Duckweed (*Spidorela Polyrhiza*), *Environ. Pollut.*, 125, 385-392.
- Wardani, R. J., Muzzaky, dan Taftazani, A., 2007, Model Adsorpsi Langmuir Pada Perpindahan Logam Ti, V, Mn Sistem Air-Sedimen di Sepanjang Sungai Code, Yogyakarta, *Prosiding PPI-PDIPTN Pustek Akselerator dan Proses Bahan – BATAN*, 10 Juli 2007, Yogyakarta.
- Wang, Liang Yi. and Wang Meng-Jiy., 2016, Removal of Heavy Metal Ions by Poly(vinyl alcohol) and Carboxymethyl Cellulose Composite Hydrogels Prepared by a Freeze–Thaw Method, *ACS Sustainable Chem. Eng.*, 4, 2830–2837.
- Xie, Y. J., Yan, B., Xu, H. L., Chen, J., Liu, Q. X., Deng, Y. H., and Zeng, H. B., 2014, Highly regenerable mussel-inspired Fe₃O₄@polydopamin-Ag core-shell microspheres as catalyst and adsorbent for methylene blue removal. *ACS Appl. Mater. Interfaces*, 6, 8845-8852.
- Yadav, M., Rhee, K.Y., Jung, I.H., and Park, S.J., 2013, Eco-Friendly Synthesis, Characterization and Properties of a Sodium Carboxymethyl Cellulose/Graphene Oxide Nanocomposite Film, *Cellulose*, 20, 687-698.
- Yan, Y., Zhang, M., Gong, K., Su, L., Guo, Z., and Mao, L., 2005, Adsorption Of Methylene Blue Dye Onto Carbon Nanotubes: A Route To An Electrochemically Functional Nanostructure And Its Layer-By-Layer Assembled Nanocomposite, *Chem. Mater*, 17, 3457-3463.
- Yan, H., Zhang, W., Kan, X., Dong, L., Jiang, Z., and Li, H., 2011, Sorption of Methylene Blue by Carboxymethyl Cellulose and Reuse Process in a Secondary Sorption. *Colloids Surf. A-Physicochem. Eng. Aspects.*, 380(1-3), 143-151.
- Yan, H., Li, H. J., Tao, X., Li, K., Yang, H., Li, A. M., Xiao, S. J., and Cheng, R. S., 2014, Rapid removal and separation of iron(II) and manganese(II) from micropolluted water using magnetic grapheme oxide, *ACS Appl. Mater. Interfaces.*, 6, 9871-9880.
- Yang, L. dan Paulson, A.T., 2000, Effect of Lipids on Mechanical and Moisture Barrier Properties of Edible Gellan Film, *Food Res. Int.*, 33, 571-578.
- Yang, C.L. and McGarrahan, J., 2005, Electrochemical Coagulation for Textile Decolorization, *J. Hazard. Mater.*, B127, 40-17.
- Zhang, Y. L., Liu, Y., Wang, X. R., Sun, Z. M., Ma, J. K., and Wu, T., 2014, Porous Graphene Oxide/Carboxymethyl Cellulose Monoliths: with High Metal Ion adsorption, *Carbohydr. Polym.*, 101, 392-400.