

DAFTAR PUSTAKA

- Anam, M. S. 2016. Estimasi Sintesis Protein Mikrobia Rumen Berdasarkan Ekskresi Derivat Purin dalam Urin Kambing Bligon yang Diberi Pakan Fermentasi Berbasis Ampas Tahu dengan Penambahan *Buffer* NaHCO₃. Skripsi. Fakultas Peternakan Universitas Gadjah Mada, Yogyakarta.
- AOAC. 2005. Official Methods of Analysis. 18th ed. Association of Official Analytical Chemist, Washington DC.
- ARC. 1984. The Nutrient Requirements of Ruminant Livestock. Supplement No.1. Report of the Protein Group of the ARC Working Party. Commonwealth Agricultural Bureau. Farnham Royal, UK.
- Astuti, M. 1981. Rancangan Percobaan dan Analisis Statistik. Bagian 1. Pemuliaan Ternak. Fakultas Peternakan. Universitas Gadjah Mada, Yogyakarta.
- Bachruddin, Z., Ismaya dan L. M. Yusiati. 2015. Laporan Akhir Kegiatan Penelitian Kompetensi Silase Total Campuran Konsentrat Berbasis *By Product* Industri Pangan: Pengaruh Penambahan *Buffer* Terhadap Penggunaan Silase Total Campuran Konsentrat Berbasis Ampas Tahu Pada Agrobisnis Ternak Kambing Bligon. Universitas Gadjah Mada, Yogyakarta.
- Badan Pusat Statistik. 2016. Kecamatan Playen dalam Angka. Badan Pusat Statistik Kabupaten Gunungkidul. Tersedia pada https://gunungkidulkab.bps.go.id/websitegunkid/pdf_publicasi/KDA%20PLAYEN%202016%20WM.pdf. Diakses pada 04 Januari 2016 pukul 13:27 WIB
- Beever, D. E. dan F. L. Mould. 2000. Forage evaluation for efficient ruminant livestock production. In: Forage Evaluation in Ruminant Nutrition. D. I. Givens, E. Owen, R. F. E. Axford dan H. M. Omed (eds.). CABI Publishing, USA. p 23.
- Block, E. 2006. Rumen microbial protein production: are we missing an opportunity to improve dietary and economic efficiencies in protein nutrition of the high producing dairy cow. High Plains Dairy Conference. P 33-46.
- Budisatria, I. G. S., D. T. Widayati, B. Suhartanto, Kustantinah, H. Mulyadi dan K. A. Santosa. 2009. Plasma Nutfah Kambing di

Indonesia.Fakultas Peternakan Universitas Gadjah Mada,
Yogyakarta. pp 4-9.

- Chen, X. B. dan M. J. Gomes. 1992. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives - an overview of the technical details. International Feed Resources Unit, Rowett Research Institute, UK.
- Chen, X. B., dan E. R. Ørskov. 2004. Research on urinary excretion of purine derivatives in ruminants: past, present and future. In: Estimation of Microbial Protein Supply in Ruminants Using Urinary Purine Derivatives. H. P. S. Makkar dan X. B. Chen (eds.). Kluwer Academic Publishers, USA. p 180.
- Chen, X. B., F. D. DeB. Hovell, E. R. Ørskov dan D. S. Brown. 1990. Excretion of purine derivatives by ruminants: effect of exogenous nucleic acid supply on purine derivative excretion by sheep. *Bri. J. of Nut.* 63: 131-142.
- Chen, X. B., G. Grubic, E. R. Orskov and P. Osuji. 1992. Effect of feeding frequency on diurnal variation in plasma and urinary purine derivatives in steers. *J. Anim. Prod.* 55: 185- 191.
- Chen, X. B. dan E.R. Ørskov. 2003. Research on Urinary Excretion of Purine Derivatives In Ruminants: Past, Present and Future. International Feed Resources Unit, United Kingdom. p 1.
- Chen, X. B., A.T. Meija, D.J. Kyle, and E.R. Ørskov. 1995. Evaluation of the use of the purine derivative:creatinine ratio in spot urine and plasma samplings as an index of microbial protein supply in ruminants: Studies in sheep. *J. Agric. Sci. Camb.*125: 137-143.
- Chen, X. B., Y. K. Chen, M. F. Franklin, E. R. Ørskov dan W. J. Shand. 1992. The effect of feed intake and body weight on purin derivatives excretion and microbial protein supply in sheep. *J. Anim. Sci.* 70: 1534-1542.
- Chizzotti, M. L., S. C. V. Filho, R. F. D. Valadares, F. H. M. Chizzotti, and L. O. Tedeschi. 2008. Determination of creatinine excretion and evaluation of spot urine sampling in *Holstein* cattle. *Livest. Sci.* 113: 218–225.
- Cole, N. A. 2012. Nutritional practices to reduce the environmental impact of grazing beef cattle.Tersedia pada <http://dairy.ifas.ufl.edu/rns/2012/10ColeRNS2012.pdf>. Diakses pada 03 April 2017 pukul 10:55 WIB.

- Dewhurst, R. J., D. R. Davies, R. J. Merry. 2000. Microbial protein supply from the rumen. *Anim. Feed Sci. Tech.* 85: 1-21.
- Faichney, G. J. 2005. Digesta flow. In: *Quantitative Aspects of Ruminant Digestion and Metabolism*. 2nd ed. J. Dijkstra, J. M. Forbes dan J. France (eds.). CABI Publishing, USA. p 49.
- Garrett, R. H. dan C. M. Grisham. 2009. *Biochemistry*. 5th ed. Brooks Cole Cengage Learning, USA. p 25-108.
- George, S. K., M. T. Dipu, A. K. Verma, P. Singh dan U.R. Mehra. 2011. Species differences in the concentration of purine derivatives and creatinine in spot urine samples. *JIVA* 9: 24-26.
- George, S. K., M. T. Dipu, U. R. Mehra, A. K. Verma dan P. Singh. 2006. Influence of Level of Feed Intake on Concentration of Purine Derivatives in Urinary Spot Samples and Microbial Nitrogen Supply in Crossbred Bulls. *Asian-Aust. J. Anim. Sci.* 19: 1291-1297.
- Gonda, H. L., M. Emanuelson, dan M. Murphy. 1996. The effect of roughage to concentrate ratio in the diet on nitrogen and purine metabolism in dairy cows. *Anim. Feed Sci. Tech.* 64: 27-42.
- Husna, A. M. A. 2016. *Konsumsi dan Kecernaan Nutrien Kambing Bligon pada Musim Kemarau di Kelompok Wanita Tani Gama-Ngudi Lestari Banyusoco, Gunungkidul*. Skripsi. Fakultas Peternakan Universitas Gadjah Mada, Yogyakarta.
- Hvelpund, T., dan M. R. Weisbjerg. 2000. In situ techniques for the estimation of protein degradability and postrumen availability. In: *Forage Evaluation in Ruminant Nutrition*. D.I. Givens, E. Owen, R. F. E. Axford dan H. M. Omed. CABI Publishing. UK. p 233.
- Indriyani, R. 2015. *Pengaruh Pembatasan dan Pemenuhan Kembali Pakan Terhadap Konsumsi Nutrien dan Perubahan Berat Badan Kambing Bligon*. Skripsi. Fakultas Peternakan Universitas Gadjah Mada, Yogyakarta.
- Karma, D. N. 2005. Rumen microbial ecosystem. *Curr. Sci.* 89: 124-136.
- Kellems, R. O., and D. C. Church. 2010 *Livestock Feeds and Feedings* 6th ed. Prentice Hall, Inc. USA. pp 1-2.
- Kennedy, P. M. 2005. Particle dynamics. In: *Quantitative Aspects of Ruminant Digestion and Metabolism*. 2nd ed. J. Dijkstra, J. M. Forbes dan J. France (eds.). CABI Publishing, USA. p 123.

- Kustantinah, A. N. Wibowo dan H. Hartadi. 2009. Perbaikan pakan kambing Bligon menggunakan daun ketela sebagai suplemen. *Buletin Peternakan* 3: 154-161.
- López, S. In vitro and in situ techniques for estimating digestibility. In: *Quantitative Aspects of Ruminant Digestion and Metabolism*. 2nd ed. J. Dijkstra, J. M. Forbes dan J. France (eds.). CABI Publishing, USA. pp 88-99.
- Makkar, H. P. S. 2004. Development, standardization and validation of nuclear based technologies for estimating microbial protein supply in ruminant livestock for improving productivity. In: *Estimation of Microbial Protein Supply in Ruminants Using Urinary Purine Derivatives*. H. P. S. Makkar dan X. B. Chen (eds.). Kluwer Academic Publishers, USA. p 5.
- McDonald, P., R. A. Edwards, J. F. D. Greenhalgh, C. A. Morgan, L. A. Sinclair dan R. G. Wilkinson. 2010. *Animal Nutrition*. 7th ed. Pearson, London. p 180.
- Mertens, D. R. 2005. Rate and extent of digestion. In: *Quantitative Aspects of Ruminant Digestion and Metabolism*. 2nd ed. J. Dijkstra, J. M. Forbes dan J. France (eds.). CABI Publishing, USA. p 13.
- Metzler, D. E. 2003. *Biochemistry: The Chemical Reaction of Living Cells*. 2nd ed. Academic Press, USA. p 43.
- Minson, D. J. 1990. *Forage in Ruminant Nutrition*. Academic Press. USA. pp 162-168.
- Montemayor, H. A., T. G. Gasca dan J. Kawas. Ruminal fermentation modification of protein and carbohydrate by means of roasted and estimation of microbial protein synthesis. *R. Bras. Zootec.* 38: 277-291.
- Mueller, P. dan J. Diamond. 2001. Metabolic rate and environmental productivity: Well-provisioned animals evolved to run and idle fast. *PNAS* 98: 12550-12554.
- Murray, R. K., D. K. Granner, P. A. Mayer, dan V. W. Rodwell. 2003. *Harper's Illustrated Biochemistry* 26th ed. McGraw-Hill Companies, Inc. USA. p 49.
- National Research Council. 1981. *Nutrient Requirements of Goats: Angora, Dairy, and Meat Goats in Temperate and Tropical Countries*. p 10.

- National Research Council. 2001. Nutrient Requirements of Dairy Cattle. 7th rev ed. National Academy Press, USA. p 3.
- Nolan, J. V., dan L. P. Kahn. 2004. The use of urinary excretion of purine metabolites as an index of microbial protein supply in ruminants. In: Estimation of Microbial Protein Supply in Ruminants Using Urinary Purine Derivatives. H. P. S. Makkar dan X. B. Chen (eds.). Kluwer Academic Publishers, USA. p 16
- Norton, B. W. 1993. Anti-nutritive and toxic factors in forage tree legumes. In: Tree Legumes in Tropical Agriculture. R. C. Gutteridge dan H. M. Shelton (eds). Tersedia pada : <http://www.fao.org/ag/agp/agpc/doc/publicat/gutt-shel/x5556e02.htm#TopOfPage> Diakses pada : 15:00 on 04 April 2017.
- Nsahlai, I. V., P. O. Osuji, dan N.N. Umunna. 2000. Effect of form and of quality of feed on the concentrations of purine derivatives in urinary spot samples, daily microbial N supply and predictability of intake. Anim. Feed Sci. and Tech.85: 223-238.
- Ørskov, E.R. 1982. Recent advantages in knowledge of protein evaluation for ruminants. In: Protein Contribution of Feedstuffs for Ruminants: application to feed formulation. E.L. Miller, I.H. Pike and A.J.H. Van Es (eds.). Butterworth Scientific, London. pp 1-3.
- Pamungkas, F. A., A. Batubara, M. Doloksaribu dan E. Sihite. 2009. Petunjuk Teknis Potensi Beberapa Plasma Nutfah Kambing Lokal Indonesia. Pusat Penelitian dan Pengembangan Peternakan. Sumatera Utara. p 23.
- Pathak, A. K. 2008. Various factors affecting microbial protein synthesis in the rumen. Vet. World 1: 186-189.
- Purwati, C.S., L. M. Yusiati, dan S. P. S. Budhi. 2013. Kontribusi ekskresi basal purin terhadap total ekskresi derivat purin dalam urin kambing Bligon dan Kejobong. Buletin Peternakan. 37: 6-11.
- Putra, D. 2015. Estimasi Sintesis Protein Mikrobia Rumen menggunakan Ekskresi Derivat Purin dalam Urin dengan Teknik *Spot Sampling* pada Kambing Bligon dan Kambing Kejobong. Thesis. Program Pascasarjana Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.
- Putra, D., L. M. Yusiati dan R. Utomo. 2016. Estimasi sintesis protein mikrobia rumen menggunakan ekskresi derivat purin dalam urin

dengan teknik *spot sampling* pada kambing Bligon dan kambing Kejobong. Buletin Peternakan 40: 178-186.

Ramadoss, B. R. dan A. S. K. Shunmugam. 2012. Anti-dietetic factors in legumes - local methods to reduce them. Intl. J. of Food and Nut. Sci. 3: 84-89.

Romney, D. L. dan M. Gill. 2000. Intake of forages. In: Forage Evaluation in Ruminant Nutrition. D. I. Givens, E. Owen, R. F. E. Axford dan H. M. Omed (eds.). CABI Publishing, USA. P 44-56

Sarwono, B. 2006. Beternak Kambing Unggul. Penebar Swadaya, Jakarta. p 37.

Shirley, R. L. 1986. Nitrogen and energy nutrition of ruminants. In: Animal Feeding and Nutrition. Tony J. Cunha (ed). Academic Press, London. pp 1-2.

Stern, M.D., S. Calsamiglia, A. Bach dan M. R. Moreno. 2007. Significance of Internal Digestion of Dietary Protein. Tersedia pada www.dairyweb.ca/Resources/SWNMC2006/Stern.pdf. Diakses pada 03 Januari 2016 pukul 11:14 WIB

Stern. M. D., A. Bach dan S. Calsamiglia. 2006. New Concepts in Protein Nutrition of Ruminants. 21st Annual Southwest Nutrition & Management Conference. Tersedia pada www.dairyweb.ca/Resources/SWNMC2006/Stern.pdf. Diakses pada 02 Januari 2017 pukul 15:32 WIB.

Theodorou, M. K. dan J. France. 2005. Rumen microorganisms and their interactions. In: Quantitative Aspects of Ruminant Digestion and Metabolism. 2nd ed. J. Dijkstra, J. M. Forbes dan J. France (eds.). CABI Publishing, USA. p 207.

Valadares, R.F.D., G. A. Broderick, S. C. V. Filho, M. K. Clayton. 1999. Effect of replacing alfalfa silage with high moisture corn on ruminal protein synthesis estimated from excretion of total purine derivatives. J. of Dairy Sci. 82: 2686–2696.

Van Soest, P. J. 1994. Nutritional Ecology of the Ruminant: Ruminant metabolism, nutritional strategy and the chemistry of forages and plant fibers. O & B Books Inc, USA. p 25.

Walt, J.G.V.D., and J.H.F. Meyer. 1988. Protein digestion in ruminants. S.Afr.Tydskr.Veek. 18: 34.

- Yusiati, L. M. 2005. Pengembangan metode estimasi sintesis protein mikrobial rumen menggunakan ekskresi derivat purin dalam urin berbagai ternak ruminansia di Indonesia. Disertasi. Program Pascasarjana Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.
- Yusiati, L. M., dan C. Hanim. 2013. Estimation of rumen microbial nitrogen supply based on purine derivatives excreted in the urine of Kejobong and Bligon goat fed by king grass and peanut straw. Proceeding 3rd International Seminar and 9th Biennial Meeting of AINI.
- Yusiati, L. M., Kustantinah, T. Hartatik, dan R. Utomo. 2015. Laporan Akhir Pola Pengembangan Agro Industri Kambing Bligon Berbasis Plasma Inti: Study Kelayakan Pembentukan Kawasan Ekonomi Berbasis Kambing Bligon di Gunungkidul. Universitas Gadjah Mada, Yogyakarta.