

DAFTAR PUSTAKA

- Anonim, 2016, *World Energy Outlook Executive Summary*, International Energy Agency, London.
- Ambrus, Z., Mogyórosi, K., Szalai, Á., Alapi, T., Demeter, K., Dombi, A., 2008, Low Temperature Synthesis, Characterization, and Substrate-Dependent Photocatalytic Activity of Nanocrystalline TiO₂ with Tailor-made Rutile to Anatase Ratio, *App. Catal.*, 340, 153-161.
- Baxter, J.B., 2012, Communication of Dye Sensitized Solar Cells: Present Status and Future Research Needs to Improve Efficiency, Stability and Manufacturing, *J. Vac. Sci. Technol.*, 30(2), 020801.
- Bourikas, K., Kordulis, C. and Lycourghiotis, A., 2014, Titanium Dioxide (Anatase and Rutile): Surface Chemistry, Liquid-Solid Interface Chemistry, and Scientific Synthesis of Supported Catalysts, *Chem. Rev.*, 114, 9754-9823.
- Brindley, G.W., 1945, The Effect of Grain or Particle Size on X-ray Reflections from Mixed Powders or Alloys, *Phil. Mag.*, 36, 347-369.
- Bu, S., Cui, C., Wang, Q. and Bai, L., 2008, Growth of ZnO Nanowires in Aqueous Solution by a Dissolution-Growth Mechanism, *J. Nanomater.* 61-0541.
- Bu, W.B., Zhang, L.X., Hua, Z.L., Chen, H.R. and Shi, J.L., 2007, Synthesis and Characterization of Uniform Spindle-Shaped Microarchitectures Self-Assembled from Aligned Single-Crystalline Nanowires of Lanthanum Phosphates, *Cryst. Growth Des.*, 2007, 7 (11), 2305-2309.
- Burnside, S., Moser, J.-E., Books, K. and Grätzel, M., 1999, Nanocrystalline Mesoporous Strontium Titanate as Photoelectrode Material for Photosensitized Solar Devices: Increasing Photovoltage through Flatband Potential Engineering, *J. Phys. Chem. B*, 103, 43, 9328-9332.
- Cao, G. and Liu, D., 2007, Template-Based Synthesis of Nanorod, Nanowire, and Nanotube Arrays, *Adv. Coll. Int. Sci.*, 136, 45-64.
- Caglar, Y., Zor, M., Caglar, M. and Ilican, S., 2006, Influence of the Indium Incorporation on the Structural and Electrical Properties of Zinc Oxide Films, *J. Optoelectron. Adv. Matter.*, 8(5), 1867-1873.
- Chen, C.W., Chen, K.H., Shen, C.H., Ganguly, A., Chen, L.C., Wu, J.J., Wen, H.I. dan Pong, W.H., 2006, Anomalous Blueshift in Emission Spectra of ZnO

- Nanorods with Sizes beyond Quantum Confinement Regime, *App. Phys. Lett.*, 88, 19051-19053.
- Chen, X. and Mao, S.S., 2007, Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications, and Applications *Chem. Rev.*, 107 (7), 2891-2959.
- Cheng, A.J., 2008, One Dimensional Zinc Oxide Nanostructures for Optoelectronic Applications: Solar Cells and Photoanodes, *Dissertation*, Graduate Faculty of Auburn University, Auburn.
- Cui, Z., Yuan, W. and Li, C.M., 2013, Template-Mediated Growth of Microsphere, Microbelt and Nanorod α -MoO₃ Structures and Their High Pseudo-Capacitances, *J. Mater. Chem. A*, 1, 12926-12931.
- Cundy, C.S. and Cox, P.A., 2003, The Hydrothermal Synthesis of Zeolites: History and Development from Earliest Days to The Present Time, *Chem. Rev.*, 103 (3), 663-702.
- Danish, R., Ahmed, F., Arshi, N., Anwar, M.S. and Koo, B.H., 2014, Facile Synthesis of Single-Crystalline Rutile TiO₂ Nano-Rods by Solutio Method, *Trans. Nonferrous Met. Soc. China*, 24, 152-156.
- Diebold, U., 2003, The Surface Science of Titanium Dioxide, *Surf. Sci. Rep.*, 48, 53-229.
- Dloczik, L., Ileperuma, O., Laueramann, I., Peter, L. M., Ponomarev, E.A., Redmod, G., Shaw, N. J. and Uhlendorf, I. 1997, Dynamic Response of Dye-Sensitized Nanocrystalline Solar Cells: Characterization by Intensity-Modulated Photocurrent pectrocopy, *J. Phys. Chem. B.*, 101, 10281-10289.
- Du, J., Gu, X., Guo, H.Z., Liu, J., Wu, Q. and Zou, J.G., 2015, Self-Induced Preparation of TiO₂ Nanowires by Chemical Vapour Deposition, *J. Cryst. Growth*, 427, 54-59.
- Ge, M., Cao, C., Huang, J., Li, S., Chen, Z., Zhang, K.Q., Al-Deyab, S.S. and Lai, Y., 2016, A Review of One-Dimensional TiO₂ Nanostructured Materials for Environmental and Energy Applications, *J. Mater. Chem. A*, DOI: 10.1039/C5TA09323F.
- Graff, A., Senz, S., Völtzke, D., Abicht, H.P. and Hesse, D., 2005, Microstructure Evolution During BaTiO₃ Formation by Solid-State Reactions on Rutile Single Crystal Surfaces *J. Eur. Ceram. Soc.*, 25, 2201-2206.
- Green, M.A., Emery, K., Yoshikawa, Y., Warta, W. and Dunlop, E.D., 2016, Solar Cell Efficiency Tables (Version 48), *Prog. Photovolt: Res. Appl.*, 24, 905-913.

- Habib, A., Raubner, R. and Stelzer, N., 2008, Effect of Temperature, Time and Particle Size of Ti Precursor on Hydrothermal Synthesis of Barium Titanate, *Mater. Sci. Eng. B*, 152, 60-65.
- Hagfeldt, A., Boschloo, G., Sun, L., Kloo, L. and Pettersson, H., 2010, Dye Sensitized Solar Cells, *Chem. Rev.*, 110, 6595-6663.
- Han, M., Rong, Y., Li, Q., Xing, X. and Kang, L., 2015, Thermal Expansion of Nano-Sized BaTiO₃, *Cryst. Eng. Comm.*, 17, 1944-1951.
- Hashmi, G., Miettunen, K., Peltola, T., Halme, J., Asghar, I., Aitola, K., Toivola, M. and Lund, P., 2011, Review of Materials and Manufacturing Options for Large Area Flexible Dye Solar Cells, *Renew. Sust. Energ. Rev.*, 15, 3717-3732.
- Hertl, W., 1988, Kinetics of Barium Titanate Synthesis, *J. Am. Ceram. Soc.*, 71 (10), 879-883.
- Huang, K., Yuan, L. and Feng, S., 2015, Crystal Facet Tailoring Arts in Perovskite Oxides, *Inorg. Chem. Front.*, DOI: 10.1039/c5qi00168d.
- Hunter, R.J. and White, L.R., 1987, Chapter 8: Polymeric Stabilization and Flocculation, *Found. Colloid Sci.*, 1, 450-493.
- Inada, M., Enomoto, N., Hayashi, K., Hojo, J. and Komarneni, S., 2015, Facile Synthesis of Nanorods of Tetragonal Barium Titanate Using Ethylene Glycol, *Ceram. Int.*, 41, 5581-5587.
- Iraj, M., Nayeri F.D., Asl-Soleimani, E. and Narimani, K., 2016, Controlled Growth of Vertically Aligned TiO₂ Nanorod Arrays Using The Improved Hydrothermal Method and Their Application to Dye-Sensitized Solar Cells, *J. Alloys Compd.*, 659, 44-50.
- Jiu, J., Isoda, S., Wang, F. and Adachi, M., 2006, Dye-Sensitized Solar Cells on Single Crystalline TiO₂ Nanorod Film, *J. Phys. Chem.*, 110, 2087-2-92.
- Joo, J., Kwon, S.G., Yu, T., Cho, M., Lee, J., Yoon, J. and Hyeon, T., 2005, Large-Scale Synthesis of TiO₂ Nanorods Via Nonhydrolytic Sol-Gel Ester Elimination Reaction and Their to Application Photocatalytic Inactivation of E.Coli, *J. Phys. Chem. B*, 109, 15297-15302.
- Kang, S.-O., Park, B.H. and Kim, Y., 2008, Growth Mechanism of Shape-Controlled Barium Titanate Nanostructures through Soft Chemical Reaction, *Cryst. Growth Des.*, 8 (9), 3180-3186.
- Komiya, R., Fukui, A., Murofushi, N., Koide, N., Yamanaka, R. and Katayama, H., 2011, Improvement of The Conversion Efficiency of A Monolithic Type Dye-Sensitized Solar Cell Module, *Technical Digest 21st*

International Photovoltaic Science and Engineering Conference, 2C-50-08.

- Kumar, A., Madaria, A.R. and Zhou, C., 2010, Growth of Aligned Single-Crystalline Rutile TiO₂ Nanowires on Arbitrary Substrates and Their Application in Dye-Sensitized Solar Cells, *J. Phys. Chem. C*, 114, 7787-7792.
- Li, B., Wang, L., Kang, B., Wang, P., dan Qiu, Y., 2006, Review of Recent Progress in Solid-State Dye-Sensitized Solar Cell, *Sol. Energy Mater. Sol. Cells.*, 5(90), 549-573.
- Li, Y., Gao, X.P., Li, G.R., Pan, G.L., Yan, T.Y. and Zhu, H.Y., 2009, Titanate Nanofiber Reactivity: Fabrication of MTiO₃ (M = Ca, Sr, and Ba) Perovskite Oxides, *J. Phys. Chem. C*, 113 (11), 4386-4394.
- Lencka, M.M. and Riman, R.E., 1993, Thermodynamic modeling of hydrothermal synthesis of ceramic powders, *Chem. Mater.*, 5, 61-70.
- Listorti, A., O'Regan, B., and Durrant, J.R., 2011, Electron Transfer Dynamics in Dye-Sensitized Solar Cells, *Chem. Mater.*, 23, 3381-3399.
- Liu, B. and Aydil, E.S., 2009, Growth of Oriented Single-Crystalline Rutile TiO₂ Nanorods on Transparent Conducting Substrates for Dye-Sensitized Solar Cells, *J. Am. Chem. Soc.*, 131, 3985-3990.
- Liu, G., Yang, H.G., Pan, J., Yang, Y.Q., Lu, G.Q.M. and Cheng, H-M., 2014, Titanium Dioxide Crystals with Tailored Facets, *Chem. Rev.*, 114, 9959-9612.
- Lee, W.W., Chung, W.H., Huang, W.S., Lin, W.C., Lin, W.Y., Jiang, Y.R. and Chen, C.C., 2013, Photocatalytic Activity and Mechanism of Nano-Cubic Barium Titanate Prepared by A Hydrothermal Method, *J. Chem. Eng. Taiwan*, 44, 660-669.
- Moghaddam, H.A., Mohammadi, M.R. and Reyhani, S.M.S., 2016, Improved Photon to Current Conversion in Nanostructured TiO₂ Dye-Sensitized Solar Cells by Incorporating Cubic BaTiO₃ Particles Delimiting Incident, *J. Solar Energy*, 132, page 1-14.
- Muñoz-Tabares, J.A., Bejtka, K., Lamberti, A., Garino, N., Bianco, S., Quaglio, M., Pirri, C.F. and Chiodoni, A., 2016, Nanostructural Evolution of One-Dimensional BaTiO₃ Structures by Hydrothermal Conversion of Vertically Aligned TiO₂ Nanotubes, *Nanoscale*, DOI: 10.1039/C5NR07283B.
- Nakayama, M., Hotta, S., Nakamura, T. and Kasuga, T., 2013, Morphology and Surface Structure of Cubic BaTiO₃ Using First-Principles Density Functional Theory, *J. Ceram. Soc. Japan*, 121 (8), 611-613.

- Nazeeruddin, M.K., Baranoff, E. and Graätzel, M., 2011, Dye-Sensitized Solar Cells: A Brief Overview, *Sol. Energy*, 85, 1172-1178.
- Nechache, R., Harnagea, C., Li, S., Cardenas, L., Huang, W., Chakrabarty, J. and Rosei, F., 2015, Bandgap Tuning of Multiferroic Oxide Solar Cells, *Nat. Photonics*, 9, 61-67.
- Nuraje, N. and Su, K., 2013, Perovskite Ferroelectric Materials, *Nanoscale Rev.*, DOI: 10.1039/c3nr02543h.
- O'Regan, B. and Grätzel, M., 1991, A Low-cost, High-efficiency Solar Cell Based on Dye-Sensitized Colloidal TiO₂ Films, *Nature*, 353.
- Okamoto, Y. and Suzuki, Y., 2015, Double-Layer Dye-Sensitized Solar Cells Using SrTiO₃ and BaTiO₃ Second Layer with Enhanced Photovoltaic Performance, *J. Ceram. Soc. Japan*, 123 (40), 967-971.
- Oliver, P.M., Watson, G.W., Kelsey, T.K. and Parker, S.C., 1997, Atomistic Simulation of the Surface of the Titanium Dioxide Polymorphs Rutile and Anatase, *J. Mater. Chem.* 7(3), 563-568.
- Özen, M., 2015, Synthesis of Barium Titanate for the Fabrication of Textured Barium Titanate by Colloidal Processes in a Strong Magnetic Field, *Dissertation*, Department of Chemistry, Faculty of Science, Universiteit Antwerpen, Belgium.
- Özen, M., Mertens, M., Snijkers, F. and Cool, P., 2016, Hydrothermal Synthesis and Formation Mechanism of Tetragonal Barium Titanate in A Highly Concentrated Alkaline Solution, *J. Ceram. Inter.*, doi:10.1016/j.ceramint.2016.03.234.
- Pan, J., 2014, Facet Engineering of TiO₂ Nanocrystals for Solar Energy Conversion, *Thesis*, School of Chemical Engineering The University of Queensland.
- Parra, M.R. and Haque, F.Z., 2015, Poly (Ethylene Glycol) (PEG)-Assisted Shape-Controlled Synthesis of One-Dimensional ZnO Nanorods, *Optik*, 126, 1562–1566.
- Park, G.A., 1965, The Isoelectric Point of Solid Oxides, Solid Hydroxides, and Aqueous Hydroxo Complex System, *Chem. Rev.*, 65(2), 177-198.
- Park, K.-H. and Dhayal, M., 2014, Simultaneous Growth of Rutile TiO₂ as 1D/3D Nanorod/Nanoflower on FTO in One-Step Process Enhances Electrochemical Response of Photoanode in DSSC, *J. Electrochem. Comm.*, 49, 47-50.

- Pawar, U.T., Pawar, S.A., Kim, J.-H. and Patil, P.S., 2016, Dye Sensitized Solar Cells Based on Hydrothermally Grown TiO₂ Nanostars Over Nanorods, *Ceram. Int.*, 42, 8038-8043.
- Penn, R.L. and Banfield, J.F., 1999, Morphology Development and Crystals Growth in Nanocrystalline Aggregates Under Hydrothermal Conditions: Insight from Titania, *Geochim. Cosmochim. Acta*, 63(10), 1549-1557.
- Philipot, G., Elissalde, C., Maglione, M. and Aymonier, C., 2014, Supercritical Fluid Technology: A Reliable Process for High Quality BaTiO₃ Based Nanomaterials, *Adv. Mater. Technol.*, 25, 1415-1429.
- Qin, M., Yao, K. and Liang, Y. C., 2009, Photovoltaic Mechanisms in Ferroelectric Thin Films with The Effects of The Electrodes and Interfaces, *Appl. Phys. Lett.*, 95, 022912.
- Quea, Y.P., Wenga, J., Hua, L.H., Wub, J.H., Dai, S.Y., 2016, High Open Voltage and Superior Light-Harvesting Dye-Sensitized Solar Cells Fabricated by Flower-Like Hierarchical TiO₂ Composed with Highly Crystalline Nanosheets, *J. Power Sources*, 307, 138-145.
- Richerson, D.W., 1992, *Modern Ceramic Engineering: Properties, Processing, and Use in Design*, Second Edition, Marcel Dekker Inc., New York.
- Schirmer, O.F., Imlau, M. and Merschjann, C., 2011, Bulk Photovoltaic Effect of LiNbO₃:Fe and Its Small-Polaron-Based Microscopic Interpretation, *J. Phys. Rev. B*, 83, 165106.
- Shi, W., Song, S. and Zhang, H., 2013, Hydrothermal Synthetic Strategic of Inorganic Semiconducting Nanostructures, *Chem. Soc. Rev.*, doi: 10.1039/c3cs60012b.
- Sitanggang, L., 2016, Sintesis TiO₂ Rutil *Nanorod* Berorientasi Vertikal Pada Kaca Konduktif, *Skripsi*, Departemen Kimia, FMIPA Universitas Gadjah Mada, Yogyakarta.
- Sivakumar, R., Ramkumar, J., Shaji, S. and Paulraj, M., 2016, Efficient TiO₂ Blocking Layer for TiO₂ Nanorod Arrays-Based Dye-Sensitized Solar Cells, *Thin Solid Film*, 615, 171-176.
- Slade, A. and Garboushian, V., 2005, 27.6% Efficient Silicon Concentrator Cell for Mass Production, *Technical Digest 15th International Photovoltaic Science and Engineering Conference*, Shanghai, 701.
- Solis-Pomar, F.S., Martinez, E., Melendrez, M.F. dan Tijerina, E.P., 2011, Growth of Vertically Aligned ZnO Nanorod using Textured ZnO Films, *Nanoscale Res. Lett.*, 6, 524 – 534.

- Suzuki, K. and Kijima, K., 2005, Optical Bandgap of Barium Titanate Nanoparticles Prepared by R-F Plasma Vapour Deposition. *J. Appl. Phys.* 44, page 2081–2082.
- Tao, A.R., Niesz, K. and Morse, D.E., 2010, Bio-Inspired Nanofabrication of Barium Titanate, *J. Mater. Chem.*, 20, 7916.
- Tamilselvan, V., Yuvaraj, D., Kumar, R.R. and Rao, K.N., 2012, Growth of Rutile TiO₂ Seed Layer Deposited by Electron Beam Evaporation, *App. Surf. Sci.*, 258, 4283 – 4287.
- Tang, H., Zhou, Z. and Sodano, H.A., 2014, Relationship between BaTiO₃ Nanowire Aspect Ratio and the Dielectric Permittivity of Nanocomposites, *Appl. Mater. Interfaces*, 6, 5450-5455.
- Vamvakaki, M., Billingham, N.C., Armes, S.P., Watts, J.F. and Greaves, S.J., 2001, Controlled Structure Copolymers for The Dispersion of Highperformance Ceramics in Aqueous Media, *J. Mater. Chem.*, 11, 2437-2444.
- Vijayalakshmi, R. and Rajendran, R., 2013, Impact of Surfactants on Physical Properties of BaTiO₃ Nanoparticles, *Inter. J. Nanosci.*, 12 (1), 1350003.
- Ward, J.S, Ramanathan, K., Hasoon, F.S., Coutts, T.J., Keane, J., Contreras, M.A., Moriarty, T., and Noufi, R., 2002, A 21.5% Efficient Cu(In, Ga) Se₂ Thin-Film Concentrator Solar Cell, *Prog. Photovolt: Res. Appl.*, 10, 41-46.
- Wang, L., Liu, L., Xue, D., Kang, H. and Liu, C., 2007, Wet Routes of High Purity BaTiO₃ Nanopowders, *J. Alloy Compd.*, 440, 78-83.
- Wu, M., Lin, G., Chen, D., Wang, G., He, D., Feng, S. and Xu, R., 2002, Sol-Hydrothermal Synthesis and Hydrothermally Structural Evolution of Nanocrystal Titanium Dioxide, *Chem. Mater.*, 14, 1974-1980.
- Xinzhou, W., Chen, Z. and Cui, Z., 2013, Low Temperature Synthesis of Cubic BaTiO₃ Nanoparticles, *IEEE NEMS*, 13, 399-402.
- Xu, Y. and Schoonen, M.A.A., 2000, The Absolute Energy Positions of Conduction and Valence Bands of Selected Semiconducting Minerals, *Am. Mineral.*, 85, 3-4, hal. 543–556.
- Yang, J., Zhang, J., Liang, C., Wang, M., Zhao, P., Liu, M., Liu, J. and Che, R., 2013, Ultrathin BaTiO₃ Nanowires with High Aspect Ratio: A Simple One-Step Hydrothermal Synthesis and Their Strong Microwave Absorption, *Appl. Mater. Interfaces*, 5, 7146-7151.

- Yang, W., Yu, Y., Starr, M.B., Yin, X., Li, Z., Kvit, A., Wang, S., Zhao, P. and Wang, X., 2015, Ferroelectric Polarization-Enhanced Photoelectrochemical Water Splitting in TiO₂-BaTiO₃ Core-Shell Nanowire Photoanodes, *Nano Lett.*, 15, 7574-7580.
- Yella, A., Lee, H.-W., Tsao, H.N., Yi, C., Chandiran, A.K., Nazeeruddin, M.K., Diau, E.W.-G., Yeh, C.-Y., Zakeeruddin, S. and Grätzel, M., 2011, Porphyrin-Sensitized Solar Cells with Cobalt (II/III)-Based Redox Electrolyte Exceed 12 Percent Efficiency, *Science*, 334, 629-634.
- Zenkevich, A., Matveyev, Y., Maksimova, K., Gaynutdinov, R., Tolstikhina, A. and Fridkin, V., 2014, Giant bulk photovoltaic effect in thin ferroelectric BaTiO₃ Films, *J. Phys. Rev. B*, 90, 161409.
- Zhan, H., Yang, X., Wang, C., Chen, J., Wen, Y., Liang, C., Greer, H.F., Wu, M. and Zhou, W., 2012, Multiple Nucleation and Crystal Growth of Barium Titanate, *Cryst. Growth Des.*, 12, 1247-1253.
- Zhang, L., Shi, Y., Peng, S., Liang, J., Tao, Z. and Chen, J., 2008, Dye-Sensitized Solar Cells Made From BaTiO₃-coated TiO₂ Nanoporous Electrodes, *J. Photochem.*, 197, 260-265.
- Zhong, M., Shi, J., Zhang, W., Han, H. and Li, C., 2011, Charge Recombination Reduction in Dye-Sensitized Solar Cells by Depositing Ultrapure TiO₂ Nanoparticles on "Inert" BaTiO₃ Films, *Mater. Sci. Eng. B*, 176, 1115-1122.
- Zhou, X.F., Hu, Z.L., Chen, Y. and Shang, H.Y., 2008, Microscale Sphere Assembly of ZnO Nanotubes, *Mater. Res. Bull.*, 43, 2790-2798.
- Zhou, Z., Tang, H. and Sodano, H.A., 2013, Vertically Aligned Arrays of BaTiO₃ Nanowires, *Appl. Mater. Interfaces*, 5, 11894-11899.