

DAFTAR PUSTAKA

- Adrada, B.E., Miranda, R.N., Rauch, G.M., Arribas, E., Kanagal-Shamanna, R., Clemens, M.W., Fanale, M., Haideri, N., Mustafa, E., Larrinaga, J. and Reisman, N.R., 2014. Breast implant-associated anaplastic large cell lymphoma: sensitivity, specificity, and findings of imaging studies in 44 patients. *Breast cancer research and treatment*, 147(1), pp.1-14.
- Anderson, W.F., Rosenberg, P.S., Prat, A., Perou, C.M. and Sherman, M.E., 2014. How many etiological subtypes of breast cancer: two, three, four, or more?. *Journal of the National Cancer Institute*, 106(8), p.dju165.
- Anonim, 2008. Farmakope Herbal Indonesia. *Edisi I. Jakarta: Departemen Kesehatan RI*.
- Ansel, H.C., 1989, Pengantar Bentuk sediaan Farmasi. Edisi 4, UI Press, Jakarta. Halaman 96,147.
- Bandyopadhyay, A., Long W., Joseph A., Yuping T., Shu L., I-Tien Y., Keya D., 2010. Doxorubicin in Combination with a Small TGF β Inhibitor: A Potential Novel Therapy for Metastatic Breast Cancer in Mouse Models. *PlosOne* vol 5
- Bao, L., Haque, A., Jackson, K., Hazari, S., Moroz, K., and Jetly, R., 2011, Increased Expression of P-Glycoprotein Is Associated with Doxorubicin Chemoresistance in the Metastatic 4T1 Breast Cancer Model, *The American Journal of Pathology*, 178: 838–852.
- Bennett, J.H., Morgan, M.J., Whawell, S.A., Atkin, P., Roblin, P., *et al.*, 2000, Metalloproteinase expression in normal and malignant oral keratinocytes : stimulation of MMP-2 and -9 by scatter factor. *Eur J Oral Sci*, 108:281-91.
- Blows, F.M., Driver, K.E., Schmidt, M.K., Broeks, A., Van Leeuwen, F.E., Wesseling, J., Cheang, M.C., Gelmon, K., Nielsen, T.O., Blomqvist, C. and Heikkilä, P., 2010. Subtyping of breast cancer by immunohistochemistry to investigate a relationship between subtype and short and long term survival: a collaborative analysis of data for 10,159 cases from 12 studies. *PLoS Med*, 7(5), p.e1000279.
- Brooks, S.A., Lomax-Browne, H.J., Carter, T.M., Kinch, C.E., 2010, Molecular interaction in cancer cell metastasis, *Acta Histochemica*, 112:3-25.

- Cahyadi, A., Rika, H., Komar, L.W., Elfahmi, 2014, *Boesenbergia pandurata* Roxb., An Indonesian Medicinal Plant: Phytochemistry, Biological Activity, Plant Biotechnology, *Procedia Chemistry* . 13:13-37.
- Cheah, S.C., Lai, S.L., Lee, S.T., Hadi, A.H.A., Mustafa, M.R., 2013, Panduratin A, a Possible Inhibitor in Metastasized A549 Cells through Inhibition of NF-Kappa B Translocation and Chemoinvansion, *Molecules*, 18:8764-8778.
- Chen, J.H., Ling, R., Yao, Q., Li, Y., Chen, T., Wang, Z. and Li, K.Z., 2005. Effect of small-sized liposomal Adriamycin administered by various routes on a metastatic breast cancer model. *Endocrine-related cancer*, 12(1), pp.93-100.
- Chen, K.S., Ming, D.S., Chi, S.C., Yuan, W.S., 2014, Pinocembrin suppresses TGF- β 1-induced epithelialmesenchymal transition and metastasis of human Y-79 retinoblastoma cells through inactivating α β 3 integrin/FAK/p38 α signaling pathway, *Cell & Bioscience*, 4:14.
- Cho, H.J., Kang, J.H., Kwak, J.Y., Lee, T.S., Lee, I.S., Park, N.G., Nakajima H., Magae, J., Chang, Y.C., 2007, Ascofuranone suppresses PMA-mediated matrix metalloproteinase-9 gene activation through the Ras/Raf/MEK/ERK- and Ap1-dependent mechanisms, *Carcinogenesis*, 28:1104-1110.
- Condeelis, J. and Segall, J.E., 2003. Intravital imaging of cell movement in tumours. *Nature Reviews Cancer*, 3(12), pp.921-930.
- Cooper, G.M., 2000. The development and causes of cancer. *The cell: A molecular approach*.
- Doyle, A. and Griffiths, J. B. 2000. *Cell and Tissue Culture for Medical Research*. New York: Jhon Willey and Sons Ltd.
- Duncan, M.E., Richardson, J.P., Murray, G.I., Melvin, W.T., and Fothergill, J.E., 1998, Human matrix metalloproteinase-9: activation by limited trypsin treatment and generation of monoclonal antibodies specific for the activated form. *Eur. J. Biochem*, 258:37-43.
- Ellis M.J., Hayes D.F., Lippman M.L., 2004, Treatment of metastatic breast cancer: Diseases of the breast 3rd: 749–797.
- Giehl K and Andre M., 2006, Moving on: Molecular mechanisms in TGFb-induced epithelial cell migration, *Signal Transduction* 2006, 6, 355 – 364.

- Gondi, C.S. and Rao, J.S., 2009. Therapeutic potential of siRNA-mediated targeting of urokinase plasminogen activator, its receptor, and matrix metalloproteinases. *siRNA and miRNA Gene Silencing: From Bench to Bedside*, pp.1-15.
- Gwon, S.H. and Hwang, J.K., 2009. *Kaempferia pandurata* Roxb. inhibits *Porphyromonas gingivalis* supernatant-induced matrix metalloproteinase-9 expression via signal transduction in human oral epidermoid cells. *Journal of ethnopharmacology*, 123(2), pp.315-324.
- Handoko, F.F., Astrid, A.M., Erlina, R., Dyaningtyas, P.P., Edy, M., 2011, Aktivitas Sitotoksik Ekstrak Etanolik Rimpang Temu Kunci (*Boesenbergia pandurata*) Terhadap Sel Kanker Serviks HeLa dan Sel Kanker Kolon WiDr, *Majalah Kesehatan PharmaMedika*, 3 (1): 224-225.
- Harborne, J.B., 1984. Methods of plant analysis. In *Phytochemical methods* (pp. 1-36). Springer Netherlands.
- Helbig, G., Christopherson, K.W., Bhat-Nakshatri, P., Kumar, S., Kishimoto, H., Miller, K.D., Broxmeyer, H.E. and Nakshatri, H., 2003. NF- κ B promotes breast cancer cell migration and metastasis by inducing the expression of the chemokine receptor CXCR4. *Journal of Biological Chemistry*, 278(24), pp.21631-21638.
- Hemingway, R.W. and Laks, P.E. eds., 2012. *Plant polyphenols: synthesis, properties, significance* (Vol. 59). Springer Science & Business Media.
- Heyne, K., 1987, *Tumbuhan berguna Indonesia I*, Jakarta: Yayasan Sarana Wana Jaya.
- Holliday, D.L. and Speirs, V., 2011. Choosing the right cell line for breast cancer research. *Breast Cancer Research*, 13(4), p.215.
- Hostanska, K., Nisslein, T., Freudenstein, J., Reichling, J. and Saller, R., 2007. Inhibitory effect of an isopropanolic extract of black cohosh on the invasiveness of MDA-mB 231 human breast cancer cells. *in vivo*, 21(2), pp.349-355.
- Huang, C., Jacobson, K. and Schaller, M.D., 2004. MAP kinases and cell migration. *Journal of cell science*, 117(20), pp.4619-4628.
- Jemal, A., Bray, F., Center, M.M., Ferlay, J., Ward, E. and Forman, D., 2011. *Journal for Global cancer statistics. CA: a cancer clinicians*, 61(2), pp.69-90.

- Jurd, L., 1956. A spectrophotometric method for the detection of o-dihydroxyl groups in flavonoid compounds. *Archives of biochemistry and biophysics*, 63(2), pp.376-381.
- Kalluri, R. and Weinberg, R.A., 2009. The basics of epithelial-mesenchymal transition. *The Journal of clinical investigation*, 119(6), pp.1420-1428.
- Karlsson, R., Pedersen, E.D., Wang, Z. and Brakebusch, C., 2009. Rho GTPase function in tumorigenesis. *Biochimica et Biophysica Acta (BBA)-Reviews on Cancer*, 1796(2), pp.91-98.
- Kaur, P., Nagaraja, G.M., Zheng, H., Gizachew, D., et al., 2012. A mouse model for triple-negative breast cancer tumor-initiating cells (TNBC-TICs) exhibits similar aggressive phenotype to the human disease. *BMC cancer*, 12(1), p.120.
- Kim, E.S., Kim, M.S. and Moon, A., 2004. TGF- β -induced upregulation of MMP-2 and MMP-9 depends on p38 MAPK, but not ERK signaling in MCF10A human breast epithelial cells. *International journal of oncology*, 25(5), pp.1375-1382.
- Kirana, C., Jones, G.P., Record, I.R. and McIntosh, G.H., 2007. Anticancer properties of panduratin A isolated from *Boesenbergia pandurata* (Zingiberaceae). *Journal of Natural Medicines*, 61(2), pp.131-137.
- Koul, A., Gangar S.C., and Sandhir V., 2005. Pitfalls in journey from traditional to modern medicine. *Natural Product Radiance*, 4:6-13.
- Kramer, N., Walzl, A., Unger, C., Rosner, M. et al., 2013. In vitro cell migration and invasion assays. *Mutation research*, 752 (1): 10-24.
- Kumar, M.A., Nair, M., Hema, P.S., Mohan, J. and Santhoshkumar, T.R., 2007. Pinocembrin triggers Bax-dependent mitochondrial apoptosis in colon cancer cells. *Molecular Carcinogenesis*, 46(3), pp.231-241.
- Kupai, K., 2011. Gelatin zymography for detection of matrix-metalloproteinase-2 and -9 (MMP-2, MMP-9) from myocardium samples. In *A practical manual*. (p. 29).
- Lai, S.L., Cheah, S.C., Wong, P.F., Noor, S.M., Mustafa, M.R., 2012, In Vitro and In Vivo Anti-Angiogenic Activities of Panduratin A, *PLoS ONE*, 7(5): e38103.
- Lakka, S.S., Gondi, C.S., Yanamandra, N., Olivero, W.C., Dinh, D.H., Gujrati, M., and Rao, J.S., 2004, Inhibition of cathepsin B and MMP-9 gene expression in

- glioblastoma cell line via RNA interference reduces tumor cell invasion, tumor growth and angiogenesis, *Oncogene* 23:4681-4689.
- Lamouille, S., Xu, J. and Derynck, R., 2014. Molecular mechanisms of epithelial–mesenchymal transition. *Nature reviews Molecular cell biology*, 15(3), pp.178-196.
- Lee, M.H., Murphy, G., 2004, Matrix metalloproteinases at a glance. *Journal of Cell Science*, 117:4015-6.
- Liang, C., Park, A.Y. and Guan, J., 2007, In vitro scratch assay: a convenient and inexpensive method for analysis of cell migration in vitro, *Nature Protocols*, 2(2): 329 – 333.
- Lin, E.Y. and Pollard, J.W., 2007, Tumor-Associated Macrophages Press the Angiogenic Switch in Breast Cancer, *Cancer Research*, 67(11):5064-5066.
- Ma, K.K., Chau, W.W., Wong, C.H., *et al.*, 2012, Triple Negative Status Is A Poor Prognostic Indicator In Chinese Women With Breast Cancer: A Ten Year Review, *Asian Pacific Journal of Cancer Prevention*, 13:2109–2114.
- Mehta, R.R., Katta, H., Kalra, A. *et al.*, 2013. Efficacy and mechanism of action of Deguelin in suppressing metastasis of 4T1 cells. *Clinical & experimental metastasis*, 30(7), pp.855-866.
- Meiyanto, E., Susidarti, R.A., Handayani, S. and Rahmi, F., 2008. Ekstrak Etanolik Biji Buah Pinang (Areca catechu L.) mampu menghambat proliferasi dan memacu apoptosis sel MCF-7. *Majalah Farmasi Indonesia*, 19(1), pp.12-19.
- Mosmann, T., 1983, Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*, 65: 55–63.
- NCI, 2016, Cancer Statistics&Facts, <https://seer.cancer.gov/statfacts/html/breast.html> // diakses pada tanggal 23 Mei 2017, pukul 08.33 WIB.
- Nisticò, P., Bissell, M.J. and Radisky, D.C., 2012. Epithelial-mesenchymal transition: general principles and pathological relevance with special emphasis on the role of matrix metalloproteinases. *Cold Spring Harbor perspectives in biology*, 4(2), p.a011908.

- Nitiss, J.L., 2009. Targeting DNA topoisomerase II in cancer chemotherapy. *Nature Reviews Cancer*, 9(5), pp.338-350.
- O'brien, M.E.R., Wigler, N., Inbar, M.C.B.C.S.G. *et al.*, 2004. Reduced cardiotoxicity and comparable efficacy in a phase III trial of pegylated liposomal doxorubicin HCl (CAELYX™/Doxil®) versus conventional doxorubicin for first-line treatment of metastatic breast cancer. *Annals of oncology*, 15(3), pp.440-449.
- Parise, C.A. and Caggiano, V., 2014. Breast cancer survival defined by the ER/PR/HER2 subtypes and a surrogate classification according to tumor grade and immunohistochemical biomarkers. *Journal of cancer epidemiology*, 2014.
- Pellikainen, J.M., Ropponen, K.M., Kataja, V.V., Kellokoski, J.K., Eskelinen, M.J. and Kosma, V.M., 2004. Expression of matrix metalloproteinase (MMP)-2 and MMP-9 in breast cancer with a special reference to activator protein-2, HER2, and prognosis. *Clinical Cancer Research*, 10(22), pp.7621-7628.
- Pollard, T.D., Borisy, G.G., 2003. Cellular motility driven by assembly and disassembly of actin filaments. *Cell* 112, 453–465.
- Pritchard, J.D., 2007. Methanol Toxicological Overview. *CHAPD HQ, HPA Version, 2*.
- Putri, D.D.P., Sarmoko, S., Febriansah, R., Puspitasari, E., Ismiyati, N. and Fitriasari, A., 2011. MCF-7 Resistant Doxorubicin are Characterized by Lamellapodia, Strong Adhesion on Substrate and P-gp Overexpression. *Indonesian Journal of Cancer Chemoprevention*, 2(3).
- Ruddon, R. W., 2007, *Cancer Biology*, 4th Ed, Oxford University Press Inc.: New York.
- Scully, O.J., Bay, B.H., Yip, G. and Yu, Y., 2012. Breast cancer metastasis. *Cancer Genomics-Proteomics*, 9(5), pp.311-320.
- Shim, J.S., Kwon, Y.Y., Han, Y.S. and Hwang, J.K., 2008. Inhibitory effect of panduratin A on UV-induced activation of mitogen-activated protein kinases (MAPKs) in dermal fibroblast cells. *Planta medica*, 74(12), pp.1446-1450.
- Shrivastava, S., Jeengar, M.K., Thummuri, D., Koval, A., Katanaev, V.L., Marepally, S. and VGM, N., 2016. Cardamonin, a chalcone, inhibits human triple negative breast cancer cell invasiveness by downregulation of Wnt/ β -catenin signaling cascades and reversal of epithelial–mesenchymal transition. *BioFactors*.

- Shurin, G.V., Tourkova, I.L. and Shurin, M.R., 2008. Low-dose chemotherapeutic agents regulate small Rho GTPase activity in dendritic cells. *Journal of immunotherapy (Hagerstown, Md.: 1997)*, 31(5), p.491.
- Siekmann, T.R.L., Burgazli, K.M., Bobrich, M.A., Nöll, G. and Erdogan, A., 2013. The antiproliferative effect of pinostrobin on human umbilical vein endothelial cells (HUVEC). *European review for medical and pharmacological sciences*, 17(5), pp.668-672.
- Sledge, G.W., Neuberg, D., Bernardo, P., Ingle, J.N., Martino, S., Rowinsky, E.K. and Wood, W.C., 2003. Phase III trial of doxorubicin, paclitaxel, and the combination of doxorubicin and paclitaxel as front-line chemotherapy for metastatic breast cancer: an intergroup trial (E1193). *Journal of Clinical Oncology*, 21(4), pp.588-592.
- Smith, M.C., Luker, K.E., Garbow, J.R., Prior, J.L., Jackson, E., Piwnica-Worms, D. and Luker, G.D., 2004. CXCR4 regulates growth of both primary and metastatic breast cancer. *Cancer research*, 64(23), pp.8604-8612.
- Sukardiman, Aty, W., Retno, W., Sisindari, Noor C.Z., 2014, Pinostrobin isolated from *Kaempferia pandurata* Roxb induced apoptosis in T47D human breast cancer cell line. *E-Journal Planta Husada*, 2:20-26.
- Sutrisno, B.R., 1986. *Pereaksi KLT, Edisi I, Jakarta, Fakultas Farmasi Universitas Pancasila*.
- Tao, K., Fang, M., Alroy, J., and Sahagian, G.G., 2008, Imagable 4T1 Model for the Study of Late Stage Breast Cancer. *BMC Cancer*, 8: 228.
- Tester, A.M., Ruangpanit, N., Anderson, R.L. and Thompson, E.W., 2000. MMP-9 secretion and MMP-2 activation distinguish invasive and metastatic sublines of a mouse mammary carcinoma system showing epithelial-mesenchymal transition traits. *Clinical and Experimental Metastasis*, 18(7), pp.553-560.
- Tewey, K.M., Rowe, T.C., Yang, L., Halligan, B.D. and Liu, L.F., 1984. Adriamycin-induced DNA damage mediated by mammalian DNA topoisomerase II. *Science*, 226(4673), pp.466-468.
- Tian, S.S., Jiang, F.S., Zhang, K., Zhu, X.X., Jin, B., Lu, J.J. and Ding, Z.S., 2014. Flavonoids from the leaves of *Carya cathayensis* Sarg. inhibit vascular endothelial growth factor-induced angiogenesis. *Fitoterapia*, 92, pp.34-40.

- Toth, M. and Fridman, R., 2001. Assessment of gelatinases (MMP-2 and MMP-9) by gelatin zymography. *Metastasis Research Protocols: Volume I: Analysis of Cells and Tissues*, pp.163-174.
- Tsimogiannis, D., Samiotaki, M., Panayotou, G. and Oreopoulou, V., 2007. Characterization of flavonoid subgroups and hydroxy substitution by HPLC-MS/MS. *Molecules*, 12(3), pp.593-606.
- Vargo-Gogola, T. and Rosen, J.M., 2007. Modelling breast cancer: one size does not fit all. *Nature reviews. Cancer*, 7(9), p.659.
- Verma, R. P., and Hansch, C., 2007. Matrix Metalloproteinases (MMP): Chemical-biological Functions and (Q)SARs. *Bioorganic and Medicinal Chemistry*, 15: 2223-2268.
- Vinod, B.S., Antony, J., Nair, H.H., et al., 2013, Mechanistic evaluation of the signaling events regulating curcumin-mediated chemosensitization of breast cancer cells to 5-fluorouracil. *Cell Death and Disease*, 4: 505.
- Volk-Draper, L.D., Rajput, S., Hall, K.L., Wilber, A. and Rana, S., 2012. Novel model for basaloid triple-negative breast cancer: behavior in vivo and response to therapy. *Neoplasia*, 14(10), pp.926IN13-942.
- Vu, TH., J.Michael S., Gabriele, B., et al., 1989, MMP-9/Gelatinase B Is a Key Regulator of Growth Plate Angiogenesis and Apoptosis of Hypertrophic Chondrocytes, *Cell*, 89 : 411-422.
- Wang, S., Konorev, E.A., Kotamraju, S., Joseph, J., Kalivendi, S. and Kalyanaraman, B., 2004. Doxorubicin induces apoptosis in normal and tumor cells via distinctly different mechanisms intermediacy of H₂O₂-and p53-dependent pathways. *Journal of Biological Chemistry*, 279(24), pp.25535-25543.
- Weigelt, B., Peterse, J.L. and Van't Veer, L.J., 2005. Breast cancer metastasis: markers and models. *Nature reviews cancer*, 5(8), pp.591-602.
- WHO, 2013, *Cancer*, <http://www.who.int/cancer/detection/breastcancer/en/>, diakses pada tanggal 23 Mei 2017 pukul 20.20 WIB.
- WHO, 2014, *Cancer*, <http://www.who.int/mediacentre/factsheets/fs297/en/>, diakses pada tanggal 30 September 2016 pukul 18.45 WIB.

- WHO, 2015, *Cancer*, <http://www.who.int/mediacentre/factsheets/fs297/en/>, diakses pada tanggal 12 April 2017 pukul 22.35 WIB.
- Woo, M.S., Jung, S.H., Kim, S.Y., Hyun, J.W., Ko, K.H., Kim, W.K., and Kim, H.S. 2005. Curcumin suppresses phorbol ester-induced matrix metalloproteinase-9 expression by inhibiting the PKC to MAPK signaling pathways in human astrogloma cells, *Biochem. Biophys. Res.*, 335:1017-1025.
- Yadav, VR., Sahdep, P., Bokyoung, S., and Bharat, B.A., 2011, The Role of Chalcones in Suppression of NF- κ B-Mediated Inflammation and Cancer, *Int. Immunopharmacol*, 11(3) : 295-309.
- Yamaguchi, H. and Condeelis, J., 2007. Regulation of the actin cytoskeleton in cancer cell migration and invasion. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1773(5), pp.642-652.
- Yau, T., Swanton, C., Chua, S., Sue, A., Walsh, G., Rostom, A., Johnston, S.R., O'Brien, M.E. and Smith, I.E., 2006. Incidence, pattern and timing of brain metastases among patients with advanced breast cancer treated with trastuzumab. *Acta Oncologica*, 45(2), pp.196-201.
- Yerlikaya, A., Okur, E. and Ulukaya, E., 2012. The p53-independent induction of apoptosis in breast cancer cells in response to proteasome inhibitor bortezomib. *Tumor Biology*, 33(5), pp.1385-1392.
- Yun, J.M., Kweon, M.H., Kwon, H., Hwang, J.K. and Mukhtar, H., 2006. Induction of apoptosis and cell cycle arrest by a chalcone panduratin A isolated from *Kaempferia pandurata* in androgen-independent human prostate cancer cells PC3 and DU145. *Carcinogenesis*, 27(7), pp.1454-1464.
- Yusuf, N.A., Annuar, M.S.M. and Khalid, N., 2013. Existence of bioactive flavonoids in rhizomes and plant cell cultures of *Boesenbergia rotunda* (L.) Mansf. Kulturpfl. *Australian Journal of Crop Science*, 7(6), p.730.
- Zhang, E.H., Wang, R.F., Guo, S.Z. and Liu, B., 2013. An update on antitumor activity of naturally occurring chalcones. *Evidence-Based Complementary and Alternative Medicine*, 2013.Md.:1997, 31(5),p.491.
- Zucker, S., Lysik, R.M., Zarrabi, M.H. and Moll, U., 1993. Mr 92,000 type IV collagenase is increased in plasma of patients with colon cancer and breast cancer. *Cancer research*, 53(1), pp.140-146.

Zwolak, P., Jasinski, P., Terai, K., Gallus, N.J., Ericson, M.E., Clohisy, D.R. *and* Dudek, A.Z., 2008. Addition of receptor tyrosine kinase inhibitor to radiation increases tumour control in an orthotopic murine model of breast cancer metastasis in bone. *European Journal of Cancer*, 44(16), pp.2506-2517.