

DAFTAR PUSTAKA

- Alivov, Y., Xuan, P., dan Fan, Z.Y., 2011, TiO₂ Nanotube Height Effect on The Efficiency of Dye-Sensitized Solar Cells, *J. Nanopart. Res.*, 13, 7159-7165.
- Anpo, M., Shima, T., Kodama, S., dan Kubokawa, Y., 1987, Photocatalytic Hydrogenation of CH₃CCH with H₂O on Small-Particle TiO₂, Size Quantization Effects and Reaction Intermediates, *J. Phys. Chem.*, 91, 4305-4310.
- Bavykin, D.V., Friedrich, J.M., dan Walsh, F.C., 2005, Protonated Titanates and TiO₂ Nanostructured Materials, Synthesis, Properties, and Applications, *J. Adv. Mater.*, 18, 2807-2824.
- Bavykin, D.V., Kulak, A.N., dan Walsh, F.C., 2010, Metastable Nature of Titanate Nanotubes in an Alkaline Environment, *Cryst. Growth Des.*, 10, 4421-4427.
- Caglar, M., Caglar Y., dan Ilican, S., 2006, The Determination of the Thickness and Optical Constants of the ZnO Crystalline Thin Film by using Envelope Method, *J. Optoelectron. Adv. Mater.*, 8, 1410-1413.
- Carp, O., Huisman, C.L., dan Reller, A., 2004, Photoinduced Reactivity of Titanium Dioxide, *Prog. Solid State Chem.*, 32, 33-177.
- Castanon, G.A.M., Mendoza, J.R.M., Ruiz, F., dan Hernandez, J.G., 2007, Synthesis and Optical Characterization Of Zns, Zns:Mn and (Zns:Mn)_Cds Core-Shell Nanoparticles, *Inorg. Chem. Commun.*, 10, 531-534.
- Chen, X., dan Mao, S.S., 2007, Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications, and Applications, *Chem. Rev.*, 107, 2891-2959.
- Chukwuocha, E.O., Onyeaju, M.C., Taylor, S., dan Harry, T., 2012, Theoretical Studies on the Effect of Confinement on Quantum Dots Using the Brus Equation, *World J. Condens. Matter Phys.*, 2, 96-100.
- Cozzoli, P.D., Kornowsky, A., dan Weller, H., 2003, Low-Temperature Synthesis of Soluble and Processable Organic-Capped Anatase TiO₂ Nanorods, *J. Am. Chem. Soc.*, 125, 14539-14548.
- Cristancho, D.M., Delgado, D.R., Martínez, F., Fakhree, M.A.A., dan Jouyban, A., 2011, Volumetric Properties of Glycerol+Water Mixtures at Several Temperatures and Correlation with the Jouyban-Acree Model, *Rev. Colomb. Cienc. Quím. Farm.*, 40 (1), 92-115

- Das, K., Panda, K.S., dan Chaudhuri, S., 2008, Solvent-Controlled Synthesis of TiO₂ 1D Nanostructures: Growth mechanism and Characterization, *J. Cryst. Growth*, 310, 3792–3799
- Du, J., Zhao, G., Shi, Y., Haoyang, Li, Y., Zhu, G., Mao, Y., Sa, R., dan Wang, W., 2013, A Facile Method for Synthesis of N-Doped TiO₂ Nanooctahedra, Nanoparticles, and Nanospheres and Enhanced Photocatalytic Activity, *Appl. Surf. Sci.*, 273, 278–286.
- Duong, T.D., Phan, N.P., dan Shin, E.W., 2011, Morphological Effect of TiO₂ Catalysts on Photocatalytic Degradation of Methylene Blue, *J. Ind. Eng. Chem.*, 17, 397–400.
- Fujishima, A., dan Honda, K., 1972, Electronical Photolysis of Water at a Semiconductor Electrode, *Nature*, 238, 37.
- Jiang, F., Zheng, S., An, L., dan Chen, H., 2012, Effect of Calcination Temperature on The Adsorption and Photocatalytic Activity of Hydrothermally Synthesized TiO₂ Nanotubes, *Appl. Surf. Sci.*, 258, 7188–7194.
- Kasuga, T., Hiramatsu, M., Hosan, A., Sekino, T., dan Niihara, K., 1998, Formation of Titanium Oxide Nanotube, *Langmuir*, 14, 3160-3163.
- Kongkanand, A., dan Kamat, P.V., 2007, Electron Storage in Single Wall Carbon Nanotubes. Fermi Level Equilibration in Semiconductor–SWCNT Suspensions, *Acs.Nano*, 1, 1, 13-21.
- Kim, D.S., dan Kwak, S.Y., 2007, The Hydrothermal Synthesis of Mesoporous TiO₂ with High Crystallinity, Thermal Stability, Large Surface Area, and Enhanced Photocatalytic Activity, *Appl. Catal., A*, 323, 110–118.
- Lee, C.K., Liu, S.S., dan Chen, H.C., 2009, Application of Hydrothermal Method Derived Titanate Nanotubes as Adsorbents, *Recent Pat. Nanotechnol.*, 3, 203-212.
- Liu, Y., Li, Y., Wang, Y., Xie, L., Zheng, J., dan Li, X., 2008, Sonochemical Synthesis and Photocatalytic Activity of Meso- and Macro-Porous TiO₂ for Oxidation of Toluene, *J. Hazard. Mater.*, 150, 153–157.
- Lin, H., Huang, C.P., Li, W., Ni, C., Shah, S.I., dan Tseng, Y.H., 2006, Size Dependency of Nanocrystalline TiO₂ on its Optical Property and Photocatalytic Reactivity Exemplified by 2-Chlorophenol, *Appl. Catal. B.*, 68, 1-11.

- Manificier, J.C., Gashiot, J., dan Fillard, J.P., 1975, A Simple Method for The Determination of Theoptical Constants N , H and The Thickness of a Weakly Absorbing Thin Film, *J. Phys. E: Sci. Instrum.*, 9, 1002-1004.
- Mugundan, S., Rajamanna, B., Viruthagiri, G., Shanmugam, N., Gobi, R., dan Praveen, P., 2015, Synthesis and Characterization of Undoped and Cobalt-Doped TiO₂ Nanoparticles Via Sol–Gel Technique, *Appl. Nano.Sci*, 5, 449-456.
- Muiz, L.J., 2013, Sintesis Nanotube TiO₂ Secara Hidrotermal untuk Plastik Nanokomposit Kitosan-TiO₂, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Nam, C.T., Falconer, J.L., Duc, L.M., dan Yang, W.D., 2014, Morphology, Structure and Adsorption of Titanate Nanotubes Prepared Using a Solvothermal Method, *J.Materes. Bull*, 51, 49-55.
- Ohtani, B., Ogawa, Y., dan Nishimoto, S., 1997, Photocatalytic Activity of Amorphous Anatase Mixture of Titanium (IV) Oxide Particles Suspended in Aqueous Solutions, *J. Phys. Chem. B*, 101, 3746-3752.
- Oliviera, E.C., Deflon, E., Machado, K.D., Silva, T.G., dan Mangrich, A.S., 2012, Structural, Vibrational, And Optical Studies On an Amorphous Se₉₀P₁₀ Alloy Produced by Mechanical Alloying, *J.Phys. Condens. Matter*, 24, 115802.
- Santara, B., dan Giri, P.K., 2013, Impact of Reaction Temperature, Stirring and Cosolvent on the Solvothermal Synthesis of Anatase TiO₂ and TiO₂/titanate Hybrid Nanostructures: Elucidating the Growth Mechanism, *Mater.Chem. Phys*, 137, 928-936
- Soltani, N., Saion, E., Hussein, M.Z., Erfani, M., Abedini, A., Bahmanrokh, G., Navasery, M., dan Vaziri, P., 2012, Visible Light-Induced Degradation of Methylene Blue in the Presence of Photocatalytic ZnS and CdS Nanoparticles, *Int. J. Mol. Sci*, 13, 12242-12258
- Spurr, R., dan Myers, H., 1957, Quantitative Analysis of Anatase-Rutile Mixtures with an X-Ray Diffractometer, *Anal. Chem.*, 29, 760-762.
- Sreekantan, S., dan Wei, L.C., 2010, Study on the Formation and Photocatalytic Activity of Titanate Nanotubes Synthesized via Hydrothermal Method, *J. Alloys. Compds*, 490, 436–442

- Wang, G., Xu, L., Zhang, J., Yin, T., dan Han, D., 2012, Enhanced Photocatalytic Activity of TiO₂ Powders (P25) via Calcination Treatment, *Int. J. Photoenergy*, 2012, 1-9.
- Wang, Q., Wen, Z., dan Li, J., 2006, Solvent-Controlled Synthesis and Electrochemical Lithium Storage of One-Dimensional TiO₂ Nanostructures, *Inorg. Chem.*, 45, 17, 6944-6949.
- Yan, J., dan Zhou, F., 2011, TiO₂ Nanotubes: Structure Optimization for Solar Cells, *J. Mater. Chem.*, 21, 9406.
- Yu, Y., dan Xu, D., 2007, Single-Crystalline TiO₂ Nanorods: Highly Active and Easily Recycled Photocatalysts, *Appl. Catal., B*, 73, 166–171.