

DAFTAR PUSTAKA

- Abassi, M.R., Safavi, A., Haghverdi, M., Saedi, B. (2016). Sleep Disorders in ESRD Patients Undergoing Hemodialysis. *Acta Medica Iranica*. 54(3): 176-184
- Al-Jahdali, H.H., Khogeer, H.A., Al- Qadhi, W.A., Baharoon, S., Tamim, H., Al-Hejaili, F.F., Al-Ghamdi, S.M., Aal—Sayyari, A.A. (2010). Insomnia in chronic renal patients on dialysis in Saudia Arabia. *Journal of Circadian Rythms*. 8:1-7. doi: 10.1186/1740-3391-8-7
- Alvaro, P.K., Roberts, R.M., Harris, J.K., Bruni, O. (2016). The Direction of the Relationship Between Symptoms of Insomnia and Psychiatric Disorder in Adolescents. *Journal of Affective Disorder*. 207: 167-174. doi: <http://dx.doi.org/10.1016/j.jad.2016.08.032>
- American Academy of Sleep Medicine. (2005). *International Classification of Sleep Disorders: Diagnostic and Coding Manual, (ICSD-2). 2ND ED.* Westchester: American Sleep Disorder Association.
- American Psychiatric Association (APA). (2013). *Diagnostic and Statistical Manual of Mental Disorder Fifth Edition " -5"*. Arlington: American Psychiatric Publishing.
- Anand, S., Johansen, K.L., Grimes, B., Kaysen, G.A., Dalrymple. L.S., Kutner, N.G., Chertow, G.M. (2013). Physical Activity and Self-Reported Self of Insomnia, Restless Leg Syndrome and Depression: the Comprehensive Dialysis Study. *Hemodialysis International*. 17(1): 50-58. doi: 10.1111/j.1542-4758.2012.00726.x.
- Andrade, L., Silva, V., Lopes, M.V., Chaves, D., Távora, R. (2014). Ineffective airway clearance: prevalence and spectrum of its clinical indicators. *Acta Paulista de Enfermagem*. 27(4): 319-25. doi://dx.doi.org/10.1590/1982-0194201400054
- Aribi, L., Masmoudi, R., Ben, H.A., Charfeddine, F., Jarraya, F., Hachicha, J., Amami, O. (2015). Sexual Disorder in Hemodialysis Patients. *La Tunisie Medicale*. 93(2): 79-84.
- Attarian, H.P. and Perlis, M.L. (2004). Defining Insomnia. In Attarian, H.P. and Schuman, C. (Eds.), *Clinical Handbook of Insomnia* (pp. 3-12). London: Springer Science+Business Media.
- Avena, M.J., Pedreira, M., Herdman, H., Gutiérrez, M. (2015). Respiratory Nursing Diagnoses: Presenting Evidence for Identification of the Defining Characteristics in Neonatal and Pediatric Populations. *International journal of nursing knowledge*.
- Azwar, S. (2015). *Reliabilitas dan Validitas Edisi 4*. Yogyakarta: Pustaka Pelajar.
- Baglioni, C., Spiegelhalter, K., Lombardo, C., Riemann, D. (2010). Sleep and Emotions: A focus on insomnia. *Sleep Medicine Reviews*. 14: 227-238
- Bahramnezhad, F., Asgari, P., Zolfaqhari, M., Afshar, P.F. (2015). Family-Centered Education and Its Clinical Outcomes in Patients Undergoing Hemodialysis Short Running. *Iranian Red Crescent Medical Journal*. 17(6), e20705. doi: 10.5812/ircmj.17(5)2015.20705

- Baker, L.D., Baldwin, D.S., Garner, M. (2015). Daytime Intrusive Thoughts and Subjective Insomnia Symptoms. *Psychiatric Research*. 229:1038-1042. doi: <http://dx.doi.org/10.1016/j.psychres.2015.02.022>
- Betjes, M.G.H., Langerak, A.W., Spek, A.V.D., Wit, E.A.D., Litjens, N.H.R. (2011). Premature Aging of Circulating T Cells in Patients with End-Stage Renal Disease. *International Society of Nephrology*. 80: 208-217. doi:10.1038/ki.2011.110
- Billings, D.M. (2009). *Lippincott's Content Review for NCLEX-RN*. Philadelphia: Lippincott Williams & Wilkins.
- Black, J.M. and Hawks J.H. (2010). *Medical-Surgical Nursing Clinical Management for Positive Outcomes 8th*. Singapore: Elsevier.
- Bonner, A., Wellard, S., Caltabiano, M. (2010). The impact of fatigue on daily activity in people with chronic kidney disease. *J Clin Nurs*. 19: 3006-3015
- Brenner, B.M., Meyer, T.W., Hostetter, T.H. (1982). Dietary Protein Intake and the Progressive Nature of Kidney Disease:-The Role of Hemodynamically Mediated Glomerular Injury in the Pathogenesis of Progressive Glomerular Sclerosis in Aging, Renal Ablation, and Intrinsic Renal Disease. *The New England Journal of Medicine*.307: 6652-659. doi: 10.1056/NEJM198209093071104
- Campbell, A. and Neil, A. (2016). Melatonin-rich milk fortified with alpha s1 casein tryptic hydrolysate improves primary insomnia: a randomized placebo controlled trial. *Sleep Biol. Rhythms*. 14:351-360. doi: 10.1007/s41105-016-0063-9
- Carpenito, L.J. (2013). *Nursing Diagnosis Application to Clinical Practice 14th Edition*. Philadelphia: Lippincott Williams & Wilkins.
- Chang, S.Y. and Yang, T.C. (2011). Sleep Quality and Associated Factors in Hemodialysis Patients. *Acta Nephrologica*. 25(3): 97-104
- Chauhan, R. and Mendonca, S. (2015). Adequacy of twice weekly hemodialysis in end stage renal disease patients at a tertiary care dialysis centre. *Indian Journal of Nephrology*. 25(6): 329-333
- Chen, J., Xu, H., Shen, Q., Guo, W., Sun, L. (2010). Effect of Post Natal High-Protein Diet on Kidney Function of Rats Exposed to Intrauterine Protein Restriction. *International Pediatric Research Foundation*. 68(2): 100-104.
- Chiu, Y.L., Chuang, Y.F., Fang, K.C., Liu, S.K., Chen, H.Y., Yang, J.Y., Pai, M.F., Wu, K.D., Tsai, T.S. (2009). Higher Systemic Inflammation is Associated with Poorer Sleep Quality in Stable Haemodialysis Patients. *Nephrology Dialysis Transplantation*. 24: 247 - 251. doi: 10.1093/ndt/gfn439
- Chokroverty, S. and Avidan, A.Y. (2016). Sleep and Its Disorders. In Daroff, R.B., Jankovic, J., Mazziotta, J.C., Pomeroy, S.L. (Eds.), *Bradley's Neurology in Clinical Practice, 7th Edition* (pp. 1615-1685). Canada: Elsevier.
- Daley, M., Mmorin, C., Gregoire, J., Savard, J., Baillargeon, L. (2009). Insomnia and its relationship to health-care utilization, work absenteeism, productivity and accidents. *Sleep Med*. 10: 427e38
- Damayanti, D.R. (2011). *Perbandingan Kejadian Insomnia pada Penderita Human Immunodeficiency Virus Berdasarkan Kategori Angka CD4 Limfosit*

- (Unpublished Master's Thesis). Universitas Gadjah Mada, Sleman, Yogyakarta.
- Daniels, R. and Nicoll, L.H. (2012). *Contemporary Medical-Surgical Nursing 2nd Edition*. USA: Delmar Cengage Learning.
- Davidson, S.N. and Jhangri, G.S. (2005). The Impact of Chronic Pain on Depression, Sleep, and the Desire to Withdraw from Dialysis in Hemodialysis Patients. *Journal of Pain and Symptom Management*. 20(5): 465-473. doi: 10.1016/j.jpainsymman.2005.05.013
- Dewi, S dan Nursasi, A. Y. (2013). *Gangguan Pola Tidur dan Prestasi Belajar pada Anak Usia Sekolah 9-12 Tahun* (Naskah Publikasi). Program S1 Ilmu Keperawatan Univeritas Indonesia. Depok, Jawa Barat.
- Donghramji, K. (2006). The Epidemiology and Diagnosis of Insomnia, *The American Journal of Manage Care*. 12(8).
- Einollahi, B., Motalebi, M., Rostami, Z., Nemati, E., Salesi, M. (2015). Sleep Quality Among Iranian Hemodialysis Patients: A Multicenter Study. *Nephrol Urol Mon*. 7(1): e23849. doi: 10.5812/numonthly.23849
- Ezzat, H. and Mohab, A. (2015). Prevalence of sleep disorders among ESRD patients. *Renal Failure*. 37(6): 1013-1019. doi:10.3109/0886022X.2015.1044401
- Fitriana, V. (2013). *Hubungan Antara Tingkat Kesepian dengan Tingkat Insomnia pada Lanjut Usia di Desa Srimulyo Kecamatan Piyungan Bantul Yogyakarta* (Unpublished Bachelor's Thesis). Universitas Gadjah Mada, Sleman, Yogyakarta.
- Frontera, W.R., Silver, J.K., Rizzo, T.D. (2008). *Essentials of Physical Medicine and Rehabilitation Musculoskeletal Disorder, Pain, and Rehabilitation 2nd Edition*. Philadelphia: Elsevier.
- Goldfarb, D.A., Poggio, E.D., Demirjian, S. (2016). Etiology, Pathogenesis, and Management of Renal Failure. In Wein, A.J., Kavoussi, L.R., Partin, A.W. and Peters, C.A. (Eds.), *Campbell-Walsh Urology, Eleventh Edition* (pp, 1041-1068). Canada: Elsevier.
- Goldwich, A., Steinkasserer, A., Gessner, A., Amann, K. (2012). Impairment of Podocyte Function by Diphtheria Toxin- A New Reversible Proteinuria Model in Mice. *Laboratory Investigation*. 92: 1674-1685.
- Hanly, P.J., Pierratos, A., Mucsi, I., Novak, M. (2016). Sleep Disorder in End-Stage Renal Disease. *Wolters Kluwer*.
- Hecking, M., Bieber, B.A., Ethier, J., Willer, A.K., Plassmann, G.S., Saemann, M.D., Ramirez, S.P.B., Gillespie, B.W., Pisoni, R.L., Robinson, B.M., Port, F.K. (2014). Sex Specific Differences in Hemodialysis Prevalence and Practices and The Male-to-Female Mortality Rate: The Dialysis Outcomes and Practice Patterns Study (DOPPS). *PLOS Medicine*. 11(10): 1-17.
- Herdman, H.T. and Kamitsuru, S. (2014). *Nursing Diagnoses Definitions and Classification 2015-2017*. Oxford: Wiley Blackwell.
- Hinkle, J.L. and Cheever, K.H. (2014). *Brunner & Suddarth's Textbook of Medical Surgical Nursing 13th Edition*. Philadelphia: Lippincott Williams & Wilkins.
- Irianto, K. (2012). *Anatomi dan Fisiologi*. Bandung: Alfabeta.

- INSTI. (2015). *Profil*. Retrieved from <http://sardjitohospital.co.id/profil/Irianto>, K. (2012). *Anatomi dan Fisiologi*. Bandung: Alfabeta.
- Jhamb, M., Weisbord, S.D., Steel, J.L. & Unruh, M. (2008). Fatigue in patients receiving maintenance dialysis: a review of definitions, measures, and contributing factors. *Am J Kidney Dis*. 52: 353-365
- Katz, D.A. and McHorney, C.A. (2002). The Relationship between Insomnia and Health-Related Quality of Life in Patients With Chronic Illness. *The Journal of Family Practice*. 51(3): 229-235
- Kidney Disease Improving Global Outcome (KDIGO). (2013). KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Kidney International Supplements*. 3(1), 1-150.
- Kidney Disease Outcome Quality Initiative (KDOQI). (2002). *Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification*. New York: National Kidney Foundation.
- Knezevic, M.Z., Djordjevic, V.V., Bivolarevic, I.C., Jovic, J.J., Djordjevic, V.M. (2012). Insomnia severity in chronic kidney disease patients with various therapies. *Central European Journal of Medicine*. 7(1): 112-117. doi: 10.2478/s11536-011-0115-0
- Koch, B.C., Nagtegaal, J.E., Hagen, E.C., Van Drop, W.T., Boringa, J.B., Kerkhof, G.A., Ter Wee, P.M. (2008). Subjective Sleep Efficiency of Hemodialysis Patients. *Clinical Nephrology*. 70(5): 411-416.
- Koch, B.C.P., Putten, K.V.D., Someren, E.J.W.V., Wielders, J.P.M., Wee, P.M., Nagtegaal, J.E., Gaillard, C.A.J.M. (2010). Impairment of Endogenous Melatonin Rhythm is Related to the Degree of Chronic Kidney Disease (CREAM Study). *Nephrology Dialysis Transplantation*. 25: 513-519. doi: 10.1093/ndt/gfp493
- Kopple, J.D., Massry, S.G., Zadeh, K.K. (2013). *Nutritional Management of Renal Disease 3rd Edition*. London: Elsevier.
- Kraksono, D. (2009). *Insomnia Sebagai Faktor Risiko Gangguan Kognitif pada Kelompok Usia Lanjut RS. Ludira Husada Tama Yogyakarta* (Unpublished Master's Thesis). Universitas Gadjah Mada. Sleman, Yogyakarta.
- Krystal, A.D., Edinger, J.D., Wohlgemuth, W.K., Marsh, G.R. (2002). NREM Sleep EEG Frequency Spectral Correlates of Sleep Complaints in Primary Insomnia Subtypes. *Sleep*, 25(6).
- Kucharczyk, E.R., Morgan, K., Hall, A.P. (2012). The Occupational impact of sleep quality and insomnia symptoms. *Sleep Medicine Reviews*. 16: 547-559
- Laeger, T., Henagan, T.M., Albarado, D.C., Redman, L.M., Bray, G.A., Noland, R.C., Munzberg, H., Hutson, S.M., Gettys, T.W., Schawtz, A.W., Morrison, C.D. (2014). FGF21 is an Endocrine Signal of Protein Restriction. *The Journal of Clinical Investigation*. 124(9): 3913-3922. doi:10.1172/JCI74915
- Lee-Chiong, T. (2008). *Sleep Medicine: Essentials and Review*. New York: Oxford University Press.
- Lameire, N and Mehta, R.L. (2000). *Complication of Dialysis*. New York: Marcel Dekker, Inc.
- Lewis, R. (2012). *Understanding Chronic Kidney Disease a Guide for the Non-Specialist*. UK: M&K Publishing.

- Lin, C.Y. and Huang, S.M. (2016). Childhood Albuminuria and Chronic Kidney Disease is Associated with Mortality and End Stage Renal Disease. *Pediatric and Neonatology*. 57(4): 280-287.
- Low, Y., Preud'homme, X., Gofort, H.W., Omonuwa, T., Krystal, A.D. (2011). The Association of Fatigue with Depression and Insomnia in HIV-Seropositive Patients: A Pilot Study. *SLEEP*. 34(12):1723-1726
- Lunney, M. (2008). Critical Need to Address Accuracy of Nurses' Diagnoses. *OJIN: The Online Journal of Issues in Nursing*. 13(1). doi: 10.3912/OJIN.Vol13No01PPT06
- Mai, E. and Buysse, D.J. (2008). Insomnia: Prevalence, Impact, Pathogenesis, Differential Diagnosis, and Evaluation. *Sleep Medicine Clinics*. 3(2): 167-174.
- Malhotra, R., Cavanaugh, K.L., Blot, W.J., Ikizler, T.A., Lipworth, L., Kabagambe, E.K. (2016). Higher Protein Intake is Associated with Increased risk for Incident End-Stage Renal Disease Among Blacks with Diabetes in The Southern Community Cohort Study. *Nutrition, Metabolism & Cardiovascular Diseases*. doi: <http://dx.doi.org/10.1016/j.numecd.2016.07.009>
- Marchira, C.R. (2007). Insomnia pada Lansia dan Penatalaksanaanya. *Berkala Kesehatan Klinik*. 13(2): 123.129.
- Matovinovic, M.S. (2009). Pathophysiology and Classification of Kidney Disease. *The Journal of The International Federation of Clinical Chemistry and Laboratory Medicine*. 20(1).
- Mitch, W.E. (2016). Chronic Kidney Disease. In Goldman, L. and Schafer, A.I. (Eds.), *Goldman-Cecil Twenty-Fifth Edition* (pp. 833-841). US: Elsevier.
- Murtagh, F.E.M., Hall, J.A., Higginson, I.J. (2009). The Prevalence of Symptoms in End-Stage Renal Disease: A Systematic Review. *Advances in Chronic Kidney Disease*. 14(1): 82-99
- Nahas, M.E. and Levin, A. (2009). *Chronic Kidney Disease A Practical Guide to Understanding and Management*. UK: Oxford University Press.
- Naik, R.P., Derebail, V.K., Grams, M.E., Franceschini, N., Auer, P.L., Peloso, G.M., Young, B.A., Lettre, G., Peralta, C.A., Katz, R., Hyacinth, H.I., Quarells, R.C., Grove, M.L., Bick, A.G., Fontanillas, P., Rich, S.S., Smith, J.D., Boerwinkle, E., Rosamond, W.D., Ito, K., Lanzkron, S., Coresh, J., Correa, A., Sarto, G.E., Key, N.S., Jacobs, D.R., Kathiresan, S., Domingo, K.B., Kshirsagar, A.V., Wilson, J.G., Reiner, A.P. (2014). Association of Sickle Cell Trait with Chronic Kidney Disease and Albuminuria in African Americans. *The Journal of the American Medical Association*. 312(20): 2115-2125. doi: 10.1001/jama.2014.15063
- National Center of Sleep Disorder Research. (2011). *National Institutes of Health Sleep Disorders Research Plan*. Bethesda : National Institutes of Health.
- Newman, B.R. and Newman P.R. (2015). *Development Through Life, A Psychosocial Approach*, 12nd edition. USA: Cengage Learning.
- Niedergassel, B. (2011). *Knowledge Sharing in Research Collaboration Understanding the Drivers and Barriers 1st Edition*. Germany: GablerVerlag.
- Noda, A., Nakai, S., Soga, T., Sugiura, T., Iwayama, N., Mmaeda, K., Atarashi, M., Yasuma, F., Ozaki, N., Yokota, M., Koike, Y. (2006). Factors

- Contributing to Sleep Disturbance and Hypnotic Drug Use in Hemodialysis Patients. *Internal Medicine*. doi: 10.2169/internalmedicine.45.1826
- Nofitri, N.F.M. (2009). *Gambaran Kualitas Hidup Penduduk Dewasa pada Lima Wilayah di Jakarta* (Bachelor's Thesis, Universitas Indonesia, Depok, West Java). Retrieved from <http://lib.ui.ac.id/file?file=digital/125595-155.9%20NOF%20g%20-%20Gambaran%20kualitas%20-%20HA.pdf>
- Nofzinger, E.A., Buysse, D.J., Germain, A., Price, J.C., Miewald, J.M., Kupfer, D.J. (2004). Functional Neuroimaging Evidence for Hyperarousal in Insomnia. *American Journal of Psychiatry*. 161: 2126-2129.
- Notoatmodjo, Soekidjo. (2012). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Novak, M., Saphiro, C.M., Mendelssohn, D., Mucsi, I. (2006). Diagnosis and Management of Insomnia in Dialysis Patients. *Seminars in Dialysis*. 19(1):25-31
- Nurjannah, I and Mailani, F. (2016). The Most Frequent Diagnosis on Patients Undergoing Hemodialysis. *International Journal of Research in Medical Sciences*. 4(10): 4453-4457. doi: <http://dx.doi.org/10/18203/2320-6012.ijrms20163310>
- Ohayon, M., Riemann, D., Reynolds, C. (2012). Hierarchy of insomnia criteria based on daytime consequences. *Sleep Med*. 13:52-57
- Ohayon, M.M. and Guilleminault, C. (2006). Epidemiology of Sleep Disorders. In Lee-Chiong, T. (Eds.), *Sleep: A Comprehensive Handbook* (pp. 73-82). New Jersey: John Wiley & Sons.
- Parvan, K., Lakdizaji, S., Roshangar, F., Mostofi, M. (2013). Quality of Sleep and its Relationship to Quality of Life in Hemodialysis Patients. *Journal of Caring Sciences*. 2(4): 295-304. doi: 10.5681/jcs.2013.035
- Pascoal, L.M., Lopes, M.V., Silva, V.M., Beltrão, B.A., Chaves, D.B., Santiago, J.M., Herdman, T.H. (2014). Ineffective Breathing Pattern: Defining Characteristics in Children With Acute Respiratory Infection. *International Journal of Nursing Knowledge*. 25(1).
- Passarella, S. and Duong, M.T. (2008). Diagnosis and Treatment of Insomnia. *American Journal of Health-System Pharmacy*. 65(10): 927-934. doi: 10.2146/ajhp060640
- Perhimpunan Nefrologi Indonesia. (2014). *7th Report Of Indonesian Renal Registry*. Pernefri, Jakarta. Dari: <http://indonesianrenalregistry.org>. 26 Maret 2016 (7.10).
- Perlis, M.L., Smith, M.T., Andrews, P.J., Orff, H., Giles, D.E. (2001). Beta/Gamma EEG Activity in Patients with Primary and Secondary Insomnia and Good Sleeper Controls. *Sleep*. 24(1): 110-117.
- Pigeon, W.R. (2010). Diagnosis, prevalence, pathways, consequences, & treatment of insomnia. *Indian J Med Res*. Pp. 321-332.
- Polit, D.F and Beck, C.T. (2006). The Content Validity Index: Are You Sure You Know What's Being Reported? Critique and Recommendations. *Research in Nursing & Health*, 29: 489-497.
- Polkinghorne, K.R. and Kerr, P.G. (2015). Acute Complication During Hemodialysis. In Johnson, R.J., Feehally, J. and Floege, J. (Eds.),

- Comprehensive Clinical Nephrology Fifth Edition* (pp. 140-159). Canada: Elsevier.
- Pompeo, A.D., Rossi, L.A., Paiva, L. (2014). Content Validation of The Nursing Diagnosis Nausea. *Revista Da Escola De Enfermagem Da USP, Journal of School of Nursing Universitas of Sao Paulo*. 48(1):48-56.
- Roman, S.S., Solis, F.O., Buenrostro, L.E.M., Vizcaino, N., Alberu, J., McClintock. S.M. (2011). Neurocognitive Profile of an Adult Sample With Chronic Kidney Disease. *Journal of the International Neuropsychological Society*. 17:80-90. doi: 10.1007/s41105-016-0063-9
- Roth, T. (2007). Insomnia: Definition, Prevalence, Etiology, and Consequences. *Journal of Clinical Sleep Medicine*. 3(5).
- Roth, T., Roehrs, T., Pies, R. (2007). Insomnia: Pathophysiology and Implications for Treatment. *Sleep Medicine Reviews*. 11: 71-79. doi: 10.1016.j.smrv.2006.06.002
- Samudra, B.G. (2012). *Hubungan Antara Insomnia dengan Fungsi Kognitif pada Pasien Lanjut Usia*. (Unpublished Bachelor's Thesis). Universitas Gadjah Mada, Sleman, Yogyakarta.
- Sari, A..P. (2016). *Hubungan lama hemodialisa dengan insomnia pada pasien gagal ginjal kronik yang menjalani hemodialisa di RST Dr. Asmir Salatiga*. (Bachelor's Thesis, Ssekolah Tinggi Ilmu Kesehatan Ngudi Waluyo, Ungaran). Retrieved from <http://perpusnwu.web.id/karyailmiah/documents/4858.pdf>
- Sarsour, K., Van Brunt D., Johnston J., Foley K., Morin, C., Walsh, J. (2010). Associations with nonrestorative sleep with insomnia, depression, and daytime fuction. *Sleep Med*. 11:965-972.
- Sastroasmoro, S. dan Ismail, S. (2010). *Dasar – Dasar Metodologi Penelitian Klinis*. Jakarta: Bagian Ilmu Kesehatan Anak Fakultas Kedokteran Universitas Indonesia.
- Schlack, R., Hapke, U., Maske, U., Busch, M., Cohrs, S. (2013). Frequency and distribution of sleep problems and insomnia in the adult population in Germany, Result of the German Health Interview and Examination Survey for Adults (DEGS1). *Bundesgesundheitsbl*. 56: 740-748. doi: 10.1007/s00103-013-1689-2
- Setiawan, N. (2007). Penentuan Ukuran Sampel Memakai Rumus Slovin dan Tabel Krejcie-Morgan: Telaah Konsep Dan Aplikasinya. Fakultas Peternakan Universitas Padjadjaran.
- Smith, M.T. and Wegener, S.T. (2003). Measures of Sleep The Insomnia Severity Index, Medical Outcomes Study (MOS) Sleep Scale, Pittsburgh Sleep Diary (PSD), and Pittsburgh Sleep Quality Index (PSQI). *Arthritis & Rheumatism (Arthritis Care & Research)*. 49(5S): S184-196.
- Sugimoto, T., Nagake, Y., Sugimoto, S., Akagi, S., Ichikawa, H., Nakamura, Y., Ogawa, N., Makino, H. (2002). Plasma Orexin Concentrations in Patients on Hemodialysis. *Nephron*. 90(4): 379-383. doi: 10.1159/000054724
- Suharso dan Retnoningsih, A. (2009). *Kamus Besar Bahasa Indonesia Edisi Lux*. Semarang: CV. Widya Karya.

- Swanenghyun, G. (2015). *Validitas dan Reliabilitas Alat Ukur Insomnia Severity Index Versi Indonesia (ISI-INA) pada Remaja Jalanan Di Yogyakarta* (Bachelor's Thesis, Universitas Gadjah Mada, Sleman Yogyakarta). Retrieved from <http://libmed.ugm.ac.id/showDetail.php?col=kyi&id=16448>
- Tamanna, S., Geraci, S.A. (2013). Major Sleep Disorder Among Women. *Southern Medical Journal*. 106(8): 470-478. doi: 10.1097/SMJ.0b013e3182a15af5
- Taylor, D.J., Mallory, L.J., Lichstein, K.L., Durrence, H.H., Riedel, B.W., Bush, A.J. (2007). Comorbidity of Chronic Insomnia with Medical Problems. *SLEEP*. 30(2): 213-218
- Tel, H., Tel, H., Esmek, M. (2007). Quality of Sleep in Hemodialysis Patients. *Dialysis and Transplantation*. 36(9): 1-4
- Thorpy, M.J. (2012). Classification of Sleep Disorders. *Neurotherapeutics*. 9: 687-701. doi: 10.1007/s13311-012-0145-6
- Turlapati, S., Konduri, P., Maheshwaram, L.S., Loka, S.K.C., Yellu, S., Bijja, S.F. (2015). Evaluation of Health Related Quality of Life in Hemodialysis Patients in A Tertiary Care Hospital. *International Journal of Pharmaceutical Sciences and Research*, 6(11): 4733-4742
- United States Renal Data System. (2014). *ESRD in the United States: An Overview of USRDS Annual Data Report Volume 2*. USRDS. Washington.
- Varisella, S. (2016). *Pengaruh terapi relaksasi massage terhadap skor insomnia pada pasien gagal ginjal kronik yang menjalani hemodialisis di RS PKU MUHAMMADIYAH I Yogyakarta*. (Bachelor's Thesis, Universitas 'Aisyiyah, Sleman, Yogyakarta). Retrieved from <http://opac.unisayogya.ac.id/2260/1/Naskah%20Publikasi.pdf>
- Vernon, M.K., Dugar, A., Revicki, D., Treglia, M., Buysse, D. (2010). Measurement of non-restorative sleep in insomnia: A review of the literature. *Sleep Medicine Reviews*. 14: 205-212. doi: 10.1016/j.smr.2009.10.002
- Wang, L.J. and Chen, C.K. (2012). *The Psychological Impact of Hemodialysis on Patients with Chronic Renal Failure*. Renal Failure - The Facts, Dr. Momir Polenakovic (Ed.), ISBN: 978-953-51-0630-2, InTech, Available from: <http://www.intechopen.com/books/renal-failure-the-facts/the-psychological-impact-of-hemodialysis-on-patients-with-chronic-renal-failure>
- Widoyoko, E.P. (2016). *Teknik Penyusunan Instrumen Penelitian*. Yogyakarta: Pustaka Pelajar.
- Wilkinson, J.M. (2012). *Buku Saku Diagnosis Keperawatan: Diagnosis NANDA, intervensi NIC, Kriteria Hasil NOC Edisi 19*. Jakarta: EGC.
- World Health Organization (WHO). (1992). *The ICD-10 Classification of Mental and Behavioural Disorders: Clinical Descriptions and Diagnostic Guidelines*. Geneva: World Health Organization.
- Yu, I.C., Tsai, Y.F., Fang, J.T., Yeh, M.M., Fang, J.Y., Liu, C.Y. (2016). Effects of Mouthwash Interventions on Xerostomia and Unstimulated Whole Saliva Flow Rate Among Hemodialysis Patients: A Randomized Controlled Study. *International Journal of Nursing Studies*. 63: 9-17. doi: <http://dx.doi.org/10.1016/j.ijnurstu.2016.08.009>

- Yu, K.H., Kuo, c.f., Chou, I.J., See, L.C. (2016). Risk of End-Stage Renal Disease in Systemic Lupus Erythematosus Patients: A Nationwide Population-Based Study. *International Journal of Rheumatic Diseases*. doi: 10.1111/1756-185X.12828
- Zhang, B., Wing, Y.K. (2006). Sex Difference in Insomnia: A Meta-Analysis. *Sleep*. 29(1): 85- 93
- Zucconi, M., and Ferri, R. (2014). Classification of Sleep Disorders. *European Sleep Research Society*.