

DAFTAR PUSTAKA

- Adamson, J. W. (2005) Iron deficiency and other hypoproliferative anemias. *HARRISONS PRINCIPLES OF INTERNAL MEDICINE*, 16(1): 586.
- Akobeng, A. K. (2007) Understanding diagnostic tests 2: likelihood ratios, pre- and post-test probabilities and their use in clinical practice. *Acta Paediatrica*, 96(4): 487-491.
- Almárcegui, C. J., Huybrechts, I., Bruton, A. G., Llorente, Á. M., Agüero, A. G., Cabello, A. G., Moreno, L. A., Casajús, J. A. & Rodríguez, G. V. (2015) Validity of a food-frequency questionnaire for estimating calcium intake in adolescent swimmers. *Nutricion hospitalaria*, 32(n04): 1773-1779.
- Altman, D. G. & Bland, J. M. (1994) Diagnostic tests 3: receiver operating characteristic plots. *BMJ: British Medical Journal*, 309(6948): 188.
- Ambrosini, G. L., O'Sullivan, T. A., De Klerk, N. H., Mori, T. A., Beilin, L. J. & Oddy, W. H. (2011) Relative validity of adolescent dietary patterns: a comparison of a FFQ and 3 d food record. *British journal of nutrition*, 105(04): 625-633.
- Baddour, S. E., Virasith, H., Vanstone, C., Forest, J. C., Giguere, Y., Charland, M. & Weiler, H. A. (2013) Validity of the Willett food frequency questionnaire in assessing the iron intake of French-Canadian pregnant women. *Nutrition*, 29(5): 752-6.
- Baer, H. J., Blum, R. E., Rockett, H. R., Leppert, J., Gardner, J. D., Suitor, C. W. & Colditz, G. A. (2005) Use of a food frequency questionnaire in American Indian and Caucasian pregnant women: a validation study. *BMC Public Health*, 5(1): 1.
- Baker, R. D. & Greer, F. R. (2010) Diagnosis and prevention of iron deficiency and iron-deficiency anemia in infants and young children (0–3 years of age). *Pediatrics*, 126(5): 1040-1050.
- Baltussen, R., Knai, C. & Sharan, M. (2004) Iron fortification and iron supplementation are cost-effective interventions to reduce iron deficiency in four subregions of the world. *The Journal of nutrition*, 134(10): 2678-2684.
- Bardosono, S. (2016) Maternal Micronutrient Deficiency during the First Trimester among Indonesian Pregnant Women Living in Jakarta. *eJournal Kedokteran Indonesia*, 76-81.
- Barkley, J. S., Kendrick, K. L., Codling, K., Muslimatun, S. & Pachon, H. (2015) Anaemia prevalence over time in Indonesia: estimates from the 1997, 2000, and 2008 Indonesia Family Life Surveys. *Asia Pac J Clin Nutr*, 24(3): 452-5.
- Barragán-Ibañez, G., Santoyo-Sánchez, A. & Ramos-Peñafiel, C. (2016) Iron deficiency anaemia. *Revista Médica del Hospital General de México*, 79(2): 88-97.

- Basiotis, P. P., Welsh, S. O., Cronin, F. J., Kelsay, J. L. & Mertz, W. (1987) Number of days of food intake records required to estimate individual and group nutrient intakes with defined confidence. *J nutr*, 117(9): 1638-1641.
- Baxter, S. D., Guinn, C. H., Royer, J. A., Hardin, J. W. & Smith, A. F. (2010) Shortening the retention interval of 24-hour dietary recalls increases fourth-grade children's accuracy for reporting energy and macronutrient intake at school meals. *J Am Diet Assoc*, 110(8): 1178-88.
- Beaton, G. H., Milner, J., McGuire, V., Feather, T. E. & Little, J. A. (1983) Source of variance in 24-hour dietary recall data: implications for nutrition study design and interpretation. Carbohydrate sources, vitamins, and minerals. *The American journal of clinical nutrition*, 37(6): 986-995.
- Benkhedda, K., L'Abbé, M. R. & Cockell, K. A. (2010) Effect of calcium on iron absorption in women with marginal iron status. *The British journal of nutrition*, 103(5): 742.
- Boeing, H., Bohlscheid-Thomas, S., Voss, S., Schneeweiss, S. & Wahrendorf, J. (1997) The relative validity of vitamin intakes derived from a food frequency questionnaire compared to 24-hour recalls and biological measurements: results from the EPIC pilot study in Germany. European Prospective Investigation into Cancer and Nutrition. *International journal of epidemiology*, 26(suppl 1): S82.
- Bogen, D. L., Duggan, A. K., Dover, G. J. & Wilson, M. H. (2000) Screening for iron deficiency anemia by dietary history in a high-risk population. *Pediatrics*, 105(6): 1254-1259.
- Bonifacj, C., Gerber, M., Scali, J. & Daures, J. (1997) Comparison of dietary assessment methods in a southern French population: use of weighed records, estimated-diet records and a food-frequency questionnaire. *European journal of clinical nutrition*, 51(4): 217-231.
- Boushey, C. J., Coulston, A. M., Rock, C. L. & Mosen, E. (2001) *Nutrition in the Prevention and Treatment of Disease*: Academic Press.
- Brown, J. E., Buzzard, I. M., JACOBS, D. R., Hannan, P. J., Kushi, L. H., Barosso, G. M. & Schmid, L. A. (1996) A food frequency questionnaire can detect pregnancy-related changes in diet. *Journal of the American Dietetic Association*, 96(3): 262-266.
- Cade, J., Burley, V., Warm, D., Thompson, R. & Margetts, B. (2004) Food-frequency questionnaires: a review of their design, validation and utilisation. *Nutrition research reviews*, 17(01): 5-22.
- Cade, J., Thompson, R., Burley, V. & Warm, D. (2002) Development, validation and utilisation of food-frequency questionnaires—a review. *Public health nutrition*, 5(04): 567-587.
- Chowdhury, H. A., Ahmed, K. R., Jebunessa, F., Akter, J., Hossain, S. & Shahjahan, M. (2015) Factors associated with maternal anaemia among pregnant women in Dhaka city. *BMC Womens Health*, 15(1): 77.

- Clavel, T., Zkik, A., Berdeaux, G., Auges, M., Sanchez, C. & Harvey, T. (2016) Iron Deficiency Anemia In Pregnant Women In France: A Prospective Cohort Study. *Value in Health*, 19(7): A401.
- Cook, J. D., Flowers, C. H. & Skikne, B. S. (2003) The quantitative assessment of body iron. *Blood*, 101(9): 3359-3363.
- Crozier, S. R., Inskip, H. M., Godfrey, K. M. & Robinson, S. M. (2008) Dietary patterns in pregnant women: a comparison of food-frequency questionnaires and 4 d prospective diaries. *Br J Nutr*, 99(4): 869-75.
- D'Angelo, G. (2013) Role of hepcidin in the pathophysiology and diagnosis of anemia. *Blood research*, 48(1): 10-15.
- Dahlan, M. S. (2009) Penelitian diagnostik: Dasar-dasar teoritis dan aplikasi dengan program SPSS dan Stata. *Jakarta: Salemba Medika*.
- De Keyzer, W., Huybrechts, I., De Vriendt, V., Vandevijvere, S., Slimani, N., Van Oyen, H. & De Henauw, S. (2011) Repeated 24-hour recalls versus dietary records for estimating nutrient intakes in a national food consumption survey. *Food & nutrition research*, 55.
- Deeks, J. J. & Altman, D. G. (2004) Diagnostic tests 4: likelihood ratios. *Bmj*, 329(7458): 168-169.
- Farrukh, D. G. M., Hasan, D. Z., Ikram, S. & Tariq, B. (2016) IRON DEFICIENCY ANEMIA; DIETARY PATTERN OF IRON INTAKE FROM INDIGENOUS IRON RICH FOOD IN FEMALE IDA PATIENTS AND CORRESPONDING HEMATOLOGICAL PROFILES: A CROSS SECTIONAL STUDY AT A TERTIARY CARE HOSPITAL IN KARACHI. *The Professional Medical Journal*, 23(9): 1092-1098.
- Field, A. E., Colditz, G. A., Fox, M. K., Byers, T., Serdula, M., Bosch, R. J. & Peterson, K. E. (1998) Comparison of 4 questionnaires for assessment of fruit and vegetable intake. *American Journal of Public Health*, 88(8): 1216-1218.
- Flood, V. M., Wen, L. M., Hardy, L. L., Rissel, C., Simpson, J. M. & Baur, L. A. (2014) Reliability and validity of a short FFQ for assessing the dietary habits of 2–5-year-old children, Sydney, Australia. *Public health nutrition*, 17(03): 498-509.
- Ganz, T. (2003) Hepcidin, a key regulator of iron metabolism and mediator of anemia of inflammation. *Blood*, 102(3): 783-788.
- Ganz, T. & Nemeth, E. (2012) Hepcidin and iron homeostasis. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1823(9): 1434-1443.
- Gebre, A. & Mulugeta, A. (2015) Prevalence of anemia and associated factors among pregnant women in North Western zone of Tigray, Northern Ethiopia: a cross-sectional study. *Journal of nutrition and metabolism*, 2015.
- Gibson, R. S. (2005) *Principles of nutritional assessment*: Oxford university press.
- Gibson, R. S. & Ferguson, E. L. (2008) An interactive 24-hour recall for assessing the adequacy of iron and zinc intakes in developing countries. *Washington, DC: IFPRI and CIAT*.

- Głabska, D., Guzek, D., Ślęzak, J. & Włodarek, D. (2017) Assessing the Validity and Reproducibility of an Iron Dietary Intake Questionnaire Conducted in a Group of Young Polish Women. *Nutrients*, 9(3): 199.
- Gowri, D., Sakthi, D. & Palanivel, C. (2017) Influence of Awareness and Attitude about Anemia and Iron Supplements on Anemic Status of Pregnant Women Attending a Tertiary Care Centre in South India. *Journal of Contraceptive Studies*.
- Greger, J. & Etnyre, G. (1978) Validity of 24-hour dietary recalls by adolescent females. *American journal of public health*, 68(1): 70-72.
- Haftenberger, M., Heuer, T., Heidemann, C., Kube, F., Krems, C. & Mensink, G. B. (2010) Relative validation of a food frequency questionnaire for national health and nutrition monitoring. *Nutrition journal*, 9(1): 36.
- Haidar, J. (2010) Prevalence of anaemia, deficiencies of iron and folic acid and their determinants in Ethiopian women. *Journal of health, population, and nutrition*, 28(4): 359.
- Hajian-Tilaki, K. (2013) Receiver Operating Characteristic (ROC) Curve Analysis for Medical Diagnostic Test Evaluation. *Caspian Journal of Internal Medicine*, 4(2): 627-635.
- Harti, L. B., Kusumastuty, I. & Hariadi, I. (2016) Hubungan Status Gizi dan Pola Makan terhadap Penambahan Berat Badan Ibu Hamil (Correlation between Nutritional Status and Dietary Pattern on Pregnant Mother's Weight Gain). *Indonesian Journal of Human Nutrition*, 3(1): 54-62.
- Hartman, T. J., Elliott, A. J., Angal, J., Block, T., Ferranti, E. P., Mitchell, D. C., Nickleach, D. C., Norris, J. C. & Breslow, R. A. (2016) Relative validation of a short questionnaire to assess the dietary habits of pregnant American Indian women. *Food Science & Nutrition*.
- Hartriyanti, Y., Suyoto, P., Muhammad, H. & Palupi, I. R. (2012) Nutrient intake of pregnant women in Indonesia: a review. *Malays J Nutr*, 18113-124.
- Heath, A. M., Skeaff, C. & Gibson, R. (2000) The relative validity of a computerized food frequency questionnaire for estimating intake of dietary iron and its absorption modifiers. *European Journal of Clinical Nutrition*, 54(7): 592.
- Hidayat, R. & Primasari, I. (2016) Metodologi Penelitian Psikodiagnostika. *Buletin Psikologi*, 19(2).
- Houston, Z. L. (2014) Development and validation of a semi-quantitative food frequency questionnaire to assess dietary intake of adult women living in New Zealand: a thesis presented in partial fulfillment of the requirements for the degree of Masters of Science in Nutrition and Dietetics, Massey University, Albany, New Zealand. Massey University.
- Hunt, J. R. (2005) Dietary and physiological factors that affect the absorption and bioavailability of iron. *International journal for vitamin and nutrition research*, 75(6): 375-384.
- Jadhav, B. N. (2016) A critical review on iron deficiency anaemia in female population of developing India.

- Jung, Y.-M. & Choi, M.-J. (2017) Nutrient Intake according to Weight Gain during Pregnancy, Job Status, and Household Income. *Clinical Nutrition Research*, 6(1): 27-37.
- Kalim, A. & Singh, P. (2016) Study on Iron Deficiency in Pregnant Women By Determining Iron Status. *Global Journal For Research Analysis*, 5(6).
- Kassebaum, N. J., Jasrasaria, R., Naghavi, M., Wulf, S. K., Johns, N., Lozano, R., Regan, M., Weatherall, D., Chou, D. P. & Eisele, T. P. (2014) A systematic analysis of global anemia burden from 1990 to 2010. *Blood*, 123(5): 615-624.
- Kim, J., Kim, Y., Ahn, Y. O., Paik, H. Y., Ahn, Y., Tokudome, Y., Hamajima, N., Inoue, M. & Tajima, K. (2003) Development of a food frequency questionnaire in Koreans. *Asia Pac J Clin Nutr*, 12(3): 243-50.
- Kristal, A. R., Shattuck, A. L. & Williams, A. E. (Year) Food frequency questionnaires for diet intervention research. In: Proceedings of the 17th National Nutrient Databank Conference, 1992. 110-125.
- Kunneke, E., Jordaan, E., Vorster, H., Womarans, P. & Laubscher, R. (2010) frequency questionnaire to assess dietary iron intake: a structural equation modelling approach. *S Afr J Clin Nutr*, 23(3 Supplement 2).
- Lalkhen, A. G. & McCluskey, A. (2008) Clinical tests: sensitivity and specificity. *Continuing Education in Anaesthesia, Critical Care & Pain*, 8(6): 221-223.
- Lander, R. L., Hambidge, K. M., Krebs, N. F., Westcott, J. E., Garces, A., Figueroa, L., Tejeda, G., Lokangaka, A., Diba, T. S. & Somannavar, M. S. (2017) Repeat 24-hour recalls and locally developed food composition databases: a feasible method to estimate dietary adequacy in a multi-site preconception maternal nutrition RCT. *Food & Nutrition Research*, 61(1): 1311185.
- Ling, A., Horwath, C. & Parnell, W. (1998) Validation of a short food frequency questionnaire to assess consumption of cereal foods, fruit and vegetables in Chinese Singaporeans. *European journal of clinical nutrition*, 52(8): 557-564.
- Liu, L., Wang, P. P., Roebathan, B., Ryan, A., Tucker, C. S., Colbourne, J., Baker, N., Cotterchio, M., Yi, Y. & Sun, G. (2013) Assessing the validity of a self-administered food-frequency questionnaire (FFQ) in the adult population of Newfoundland and Labrador, Canada. *Nutrition journal*, 12(1): 1.
- Lopez, A., Cacoub, P., Macdougall, I. C. & Peyrin-Biroulet, L. (2016) Iron deficiency anaemia. *The Lancet*, 387(10021): 907-916.
- Ma, A., Chen, X., Zheng, M., Wang, Y., Xu, R. & Li, J. (2002) Iron status and dietary intake of Chinese pregnant women with anaemia in the third trimester. *Asia Pacific journal of clinical nutrition*, 11(3): 171-175.
- Maitland, T. E. (2007) Anemia in the Turks and Caicos Islands: exploring the dietary link. *ETHNICITY AND DISEASE*, 17(2): 313.
- Malekshah, A., Kimiagar, M., Saadatian-Elahi, M., Pourshams, A., Nouraie, M., Gogiani, G., Hoshiarrad, A., Sadatsafavi, M., Golestan, B. & Yoonesi, A. (2006) Validity and reliability of a new food frequency questionnaire

- compared to 24 h recalls and biochemical measurements: pilot phase of Golestan cohort study of esophageal cancer. *European journal of clinical nutrition*, 60(8): 971-977.
- Mansoor, M. & Raza, H. (2016) IRON DEFICIENCY ANEMIA : IMPORTANCE OF IRON FORTIFIED FOOD (WHEAT) FOR PREVENTION. *The Professional Medical Journal*, 23(6): 673--679.
- McLean, E., Cogswell, M., Egli, I., Wojdyla, D. & de Benoist, B. (2009) Worldwide prevalence of anaemia, WHO Vitamin and Mineral Nutrition Information System, 1993–2005. *Public Health Nutrition*, 12(04): 444-454.
- Mebratu, L. (2016) Identification of Risk Factors for Anemia on third Trimester Pregnant Women West Showa Zone, Ambo, Ethiopia. Addis Ababa University.
- Messerer, M., Johansson, S.-E. & Wolk, A. (2004) The validity of questionnaire-based micronutrient intake estimates is increased by including dietary supplement use in Swedish men. *The Journal of Nutrition*, 134(7): 1800-1805.
- Messerer, M. & Wolk, A. (2004) Sensitivity and specificity of self-reported use of dietary supplements. *Eur J Clin Nutr*, 58(12): 1669-71.
- Metz, C. E. & Haus, A. (1979) Applications of ROC analysis in diagnostic image evaluation. American Institute of Physics New York.
- Miglioli, T. C., Fonseca, V. M., Gomes Junior, S. C., da Silva, K. S., de Lira, P. I. & Batista Filho, M. (2015) Factors associated with the nutritional status of children less than 5 years of age. *Rev Saude Publica*, 4959.
- Mohammadifard, N., Omidvar, N., Houshiarrad, A., Neyestani, T., Naderi, G.-A. & Soleymani, B. (2011) Validity and reproducibility of a food frequency questionnaire for assessment of fruit and vegetable intake in Iranian adults. *Journal of Research in Medical Sciences*, 16(10).
- Molag, M. L., de Vries, J. H., Ocke, M. C., Dagnelie, P. C., van den Brandt, P. A., Jansen, M. C., van Staveren, W. A. & van't Veer, P. (2007) Design characteristics of food frequency questionnaires in relation to their validity. *Am J Epidemiol*, 166(12): 1468-78.
- Moran, V. H. (2007) A systematic review of dietary assessments of pregnant adolescents in industrialised countries. *British journal of nutrition*, 97(03): 411-425.
- Mosha, D., Liu, E., Hertzmark, E., Chan, G., Sudfeld, C., Masanja, H. & Fawzi, W. (2016) Dietary iron and calcium intakes during pregnancy are associated with lower risk of prematurity, stillbirth and neonatal mortality among women in Tanzania. *Public Health Nutrition*, 1-9.
- Mouratidou, T., Ford, F. & Fraser, R. B. (2006a) Validation of a food-frequency questionnaire for use in pregnancy. *Public health nutrition*, 9(04): 515-522.
- Mouratidou, T., Ford, F., Prountzou, F. & Fraser, R. (2006b) Dietary assessment of a population of pregnant women in Sheffield, UK. *British Journal of Nutrition*, 96(05): 929-935.

- Murphy, P. (2005) PREVALENCE AND DIETARY PREDICTORS OF IRON DEFICIENCY ANEMIA IN WOMEN 1-YEAR POSTPARTUM LIVING IN CENTRAL MONTREAL. McGill University.
- Nasir, M. & Riaz, M. (2016) Caffeine and Women's Fertile Health. *International Journal of Food Safety, Nutrition, Public Health and Technology*, 8(4): 17.
- NIDDK (2013) Anemia of Inflammation and Chronic Disease. In: Service, N. H. D. I. (ed.) *U.S. Department of Health and Human Services*. United of States: U.S. Department of Health and Human Services.
- Northstone, K., Emmett, P. M. & Rogers, I. (2008) Dietary patterns in pregnancy and associations with nutrient intakes. *Br J Nutr*, 99(2): 406-15.
- Okueso, S. & Anetor, G. (2016) EFFECTS OF NUTRITION EDUCATION AMONG PREGNANT WOMEN USING FRUITS AND VEGETABLES FOR THE ACHIEVEMENT OF MDG5 IN ODOGBOLU LGA, OGUN STATE.
- Ozdemir, N. (2015) Iron deficiency anemia from diagnosis to treatment in children. *Turk Pediatri Ars*, 50(1): 11-9.
- Persson, V., Winkvist, A., Ninuk, T., Hartini, S., Greiner, T., Hakimi, M. & Stenlund, H. (2001) Variability in nutrient intakes among pregnant women in Indonesia: implications for the design of epidemiological studies using the 24-h recall method. *The Journal of nutrition*, 131(2): 325-330.
- Phillips, W., Scott, J. & Blasczynski, G. (1983) Statistics for diagnostic procedures. I. How sensitive is "sensitivity"; how specific is "specificity"? *American journal of roentgenology*, 140(6): 1265-1270.
- Priswanti, P. (2005) Hubungan Ketersediaan Pangan Keluarga Dan Tingkat Konsumsi Energi Protein, Fe, Asam Folat, Vitamin B12 Dengan Kejadian Kurang Energi Kronis (KEK) Dan Anemia Pada Ibu Hamil. Program Studi Ilmu Gizi.
- Pynaert, I., Matthys, C., De Bacquer, D., De Backer, G. & De Henauw, S. (2008) Evaluation of a 2-day food record to determine iron, calcium and vitamin C intake in young Belgian women. *European journal of clinical nutrition*, 62(1): 104-110.
- Remick, A. K., Polivy, J. & Pliner, P. (2009) Internal and external moderators of the effect of variety on food intake. *Psychological bulletin*, 135(3): 434.
- Ruchala, P. & Nemeth, E. (2014) The pathophysiology and pharmacology of hepcidin. *Trends in Pharmacological Sciences*, 35(3): 155-161.
- Santoyo-Sánchez, A., Aponte-Castillo, J., Parra-Peña, R. & Ramos-Peñafiel, C. (2015) Dietary recommendations in patients with deficiency anaemia. *Revista Médica Del Hospital General De México*, 78(3): 144-150.
- Sari, M., Pee, S. d., Martini, E., Herman, S., Bloem, M. W. & Yip, R. (2001) Estimating the prevalence of anaemia: a comparison of three methods. *Bulletin of the World Health Organization*, 79(6): 506-511.

- Seck, B. C. & Jackson, R. T. (2008) Determinants of compliance with iron supplementation among pregnant women in Senegal. *Public health nutrition*, 11(06): 596-605.
- Seres, D. S. (2003) Nutritional assessment: current concepts and guidelines for the busy physician. *Practical Gastroenterology*, 27(8): 30-39.
- Sevak, L., Mangtani, P., McCormack, V., Bhakta, D., Kassam-Khamis, T. & Santos Silva, I. d. (2004) Validation of a food frequency questionnaire to assess macro-and micro-nutrient intake among South Asians in the United Kingdom. *European journal of nutrition*, 43(3): 160-168.
- Steinemann, N., Grize, L., Ziesemer, K., Kauf, P., Probst-Hensch, N. & Brombach, C. (2017) Relative validation of a food frequency questionnaire to estimate food intake in an adult population. *Food & Nutrition Research*, 61(1): 1305193.
- Streppel, M. T., de Vries, J. H., Meijboom, S., Beekman, M., de Craen, A. J., Slagboom, P. E. & Feskens, E. J. (2013) Relative validity of the food frequency questionnaire used to assess dietary intake in the Leiden Longevity Study. *Nutrition journal*, 12(1): 75.
- Sullivan, K. M., Mei, Z., Grummer-Strawn, L. & Parvanta, I. (2008) Haemoglobin adjustments to define anaemia. *Trop Med Int Health*, 13(10): 1267-71.
- Szwajcer, E. M., Hiddink, G. J., Koelen, M. A. & van Woerkum, C. M. (2007) Nutrition awareness and pregnancy: Implications for the life course perspective. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 135(1): 58-64.
- Tadesse, S. E., Seid, O., Fekadu, A., Wasihun, Y., Endris, K. & Bitew, A. (2017) Determinants of anemia among pregnant mothers attending antenatal care in Dessie town health facilities, northern central Ethiopia, unmatched case-control study. *PloS one*, 12(3): e0173173.
- Vandevijvere, S., Amsalkhir, S., Van Oyen, H., Ines, E. & Moreno-Reyes, R. (2013) Iron status and its determinants in a nationally representative sample of pregnant women. *Journal of the Academy of Nutrition and Dietetics*, 113(5): 659-666.
- Vereecken, C. A., Covents, M., Sichert-Hellert, W., Alvira, J. M., Le Donne, C., De Henauw, S., De Vriendt, T., Phillipp, M. K., Beghin, L., Manios, Y., Hallstrom, L., Poortvliet, E., Matthys, C., Plada, M., Nagy, E. & Moreno, L. A. (2008) Development and evaluation of a self-administered computerized 24-h dietary recall method for adolescents in Europe. *Int J Obes (Lond)*, 32 Suppl 5S26-34.
- Vuković, V., Popović, J. & Resimić, R. (2016) Importance of proper nutrition during pregnancy. *Sestrinska reč*, 20(73): 7-9.
- Wallach, J. B. (2007) *Interpretation of diagnostic tests*: Lippincott Williams & Wilkins.
- Warner, J. (2004) Clinicians' guide to evaluating diagnostic and screening tests in psychiatry. *Advances in Psychiatric Treatment*, 10(6): 446-454. WHO (2001) Iron deficiency anaemia: assessment, prevention and control: a guide for programme managers.

- WHO (2009) *Monitoring and evaluation of health systems strengthening: An operational framework*, Geneva, Switzerland:WHO.
- Williamson, C. (2006) Nutrition in pregnancy. *Nutrition bulletin*, 31(1): 28-59.
- Wrieden, W., Peace, H., Armstrong, J. & Barton, K. (Year) A short review of dietary assessment methods used in National and Scottish Research Studies. *In: Briefing Paper Prepared for: Working Group on Monitoring Scottish Dietary Targets Workshop*. Edinburgh, 2003.
- Yadav, J. (2017) Prevalence and Factor Associated with Maternal Anaemia in India: Analysis of A Nationally Representa-tive Cross-Sectional Survey, 2012-13. *BAOJ Hematol*, 1(002).
- Yeomans, E. R. & Gilstrap III, L. C. (2005) Physiologic changes in pregnancy and their impact on critical care. *Critical care medicine*, 33(10): S256-S258.
- Zanin, F. H., da Silva, C. A., Bonomo, E., Teixeira, R. A., Pereira, C. A., Dos Santos, K. B., Fausto, M. A., Negrao-Correa, D. A., Lamounier, J. A. & Carneiro, M. (2015) Determinants of Iron Deficiency Anemia in a Cohort of Children Aged 6-71 Months Living in the Northeast of Minas Gerais, Brazil. *PLoS One*, 10(10): e0139555.