

DAFTAR PUSTAKA

- Andarwulan, N., Fardiaz D., Wattimena G. A., dan Shetty K. 1999. Antioxydant Activity Associated with Lipid and Phenolic Mobilization During Seed Germination of *Pongamia pinnata*. *Journal of Agriculture and Food Chemistry* Vol. 47: 3158-3163
- Anjani, P., Puncak, Shelly A., Tri D.W. 2015. Pengaruh Penambahan Pandan Wangi dan Kayu Manis pada Teh Herbal Kulit Salak bagi Penderita Diabetes. *Jurnal Pangan dan Agroindustri* Vol.3: 203-214
- Arief, M.C.W., Mesin Tarigan, Ramainim Saragih, dan Fazrin Rahmadani. 2011. *Panduan Sekolah Lapangan Budidaya Kopi Konservasi*. Jakarta : Conservation International Indonesia.
- Artanti, Anif N., Wahyu R.N., Discus H.S., Fea P. 2016. Perbedaan Kadar Kafein Daun Teh (*Camellia sinensis* (L.) Kuntze) Berdasarkan Status Ketinggian Tempat Tanam dengan Metode HPLC. *Journal of Pharmaceutical and Clinical Research* Vol.1: 37-44
- Ashihara, Hiroshi and Takeo Suzuki. 2004. *Distribution and Biosynthesis of Caffeine in Plant*. Departement of Biology, Faculty of Science, Ochanomizu University, Japan.
- Atoui, Ali K., Abdelhak Mansouri, George Boskou, and Panagiotis Kefalas. 2005. Tea and Herbal Infusion : Their Antioxydant Activity and Phenolic Profile. *Journal of Food Chemistry* Vol.89: 27-36
- Ayningtyastuty, Hilda. 2009. *Laporan Magang di PT. Sari Kemuning I Ngargoyoso Karanganyar (Quality Control pada Proses Produksi Teh Hijau)*. Fakultas Pertanian, Universitas Sebelas Maret
- Bahri, S. 1996. *Bercocok Tanam Tanaman Perkebunan Tahunan*. Yogyakarta : UGM Press
- Barathi, N. 2003. Stevia-The Calorie Free Natural Sweetener. *Natural Product Radiance* Vol 2: 3
- Campbell, Neil A. 2003. *Biology Fifth Edition*. University of Montana
- Chaturvedula, V. S. P. dan Indra Parakash. 2011. The Aroma, Taste, Color, and Bioactive Constituents of Tea. *Journal of Medicinal Plant Research* Vol 5 : 2110-2124
- Christianty, Fanny. 2008. Perbandingan Efektivitas Berkumur dengan Larutan Teh Hijau Seduh Konsentrasi 50% dan 25% dalam Pembentukan Plak Gigi secara Klinis pada Enam Permukaan Gigi. Fakultas Kedokteran Gigi, Universitas Indonesia.

- Chung, D.S. and D.I. Chang.1982. Principles of Food Dehydration. *J. Food Protec.* Vol. 45: 475-478
- Dira.2006. *Isolasi Kafein dari Daun Kopi (Coffea arabica L.) dengan Metoda Sublimasi dan Penetapan Kadarnya secara Spektrofotometri Ultraviolet.* Fakultas Matematika dan Ilmu Pengetahuan, Universitas Andalas, Padang
- Ditjenbun.2014.*Statistik Perkebunan Indonesia: Kopi 2013-2015.* Direktorat Jendral Perkebunan, Jakarta
- Eleanore, Y. 2013.*Analisis Fitokimia dan Aktivitas Antioksidan Ekstrak Daun Sengon (Paraserianthes falcata (L) Nielsen) Menggunakan Metode DPPH.* Institut Pertanian Bogor, Fakultas Matematika dan Ilmu Pengetahuan Alam
- Farah, A. dan Donangelo C.M. 2006. Phenolic Compound in Coffee. *Brazilian Journal of Plant Physiology* Vol 18 No.1
- Fischer, R.A. and Yates, F.1938. *Statistical Tables for Biological, Agricultural, and Medical Research.* London : Oliver and Boyd
- Gaaniyati, F. 2011. *Aspek Gizi dan pH Berbagai Minuman Komersial.* Institut Pertanian Bogor, Bogor
- Geuns, Jan M.C. 2003. Stevioside. *Elsivier : Phytochemistry* Vol. 64: 913-921
- Graham, H. N. 1992. Green Tea Composition, Consumption, and Poliphenol Chemistry. *Preventative Medicine* Vol.21 : 334-350
- Hajra, N.Gosh and Yang, Won-Mo.2015.Diversification of Tea Product. *Journal of Tea Science Research* Vol.5 No.: 3
- Heck, C.I. and De Mejia, E.G. 2007. Yerba Mate Tea (Ilex paraguariensis): Comprehension Review on Chemistry, Healthy Implication, and Technological Consideration. *Journal of Food Science* Vol. 72: R 138-151
- Hidayatullah, M.E.2016.*Senyawa Metabolit Sekunder (Catechin).* Program Studi Biosains Fakultas Pasca Sarjana, UNS
- Jigisha, A., Rai Nishant, Kumar Navin, dan Gautam Pankaj. 2012. Green Tea : A Magical Herb with Miraculous Outcome. *Internationa Journal of Pharmacy* hal. 139-148
- Khotimah, K.2014. Karakteristis Kimia Kopi Kawa dari Berbagai Umur Helai Daun Kopi yang Diproses dengan Metode Berbeda. *Jurnal Teknologi Pertanian* Vol.9: 40-48
- Kris-Etheron, P.M. dan Keen, C.L.2002. Evidence that Antioxidant Flavonoids in Tea and Cocoa are Beneficial for Cardiovascular Health. *Current Opinion in Lipidology* (13):41-19

- Kusumaningrum, R., Agus S., dan Siti H.R.J. 2013. Karakteristik dan Mutu Teh Bunga Lotus (*Nelumbo nucifera*). *Fishtech* Vol.2 No. 1
- Li, S., C.Y. Lo, M.H. Pan. 2013. Black Tea : Chemical Analysis and Stability. *Food Func.* Vol.4: 4-10
- Lee, Frank A. 1983. *Basic of Food Chemistry..* Wesport: The Avi Publishing Company, Inc.
- Magoma, G.N., Wachira F.N., Obanda M., Imbuga M., Agong S.G. 2000. The Use of Catechins as Biochemical Markers in Diversity Studies of Tea (*Camellia sinensis*). *Genetic Resources and Crop Evolution* Vol.47: 107-114
- Mitrowihardjo, S., Woerjono M., Hari H., dan Prapto Y. 2012. Kandungan Katekin dan Kualitas (Warna Air Seduhan, Flavor, Kenampakan) Enam Klon Teh (*Camellia sinensis* (L.) O. Kuntze) di Ketinggian Berbeda. *Agritech* Vol. 32 : 199-208
- Mun'im, Abdul, Endang H., Andita M. 2008. *Pembuatan Teh Herbal Campuran Kelopak Bunga Rosella (*Hibiscus sabdariffa*) dan Herba Seledri (*Apium Graveolens*)*. Fakultas MIPA UI, Universitas Indonesia, Jakarta
- Nadee, A. 2011. *Drying Kinetic Model and Physical Properties of Herbs Pandanus Leaf*. Departement of Chemical Engineering, Prince of Songkla University, Songkhla, Thailand
- Nagabayashi, T. 1992. *Chemistry and Function of Green Tea, Black Tea, and Oolong Tea*. Japan: Hong-Xie Publisher
- Nagalakshmi, S. 2003. *Tea: An Appraisal of Processing Methods and Products*. Central Food Technological Research Institute, India
- Najiyati, S. dan Danarti. 2009. *Kopi : Budidaya dan Penanganan Lepas Panen*. Jakarta: Penebar Swadaya
- Nakagawa, M. 1975. Chemical Components and Taste of Green Tea. *Jpn. Agr. Res. Q.* Vol.9: 156-160
- Nonaka, G., Kawahara O., Nishioka I. 1983. Tannins and Related Compounds XV. New Class of Dimeric Flavan 3-ol Gallates, Theasinensins A and B, and Proanthocyanin Gallates from Green Tea Leaf.(I). *Chem. Pharm. Bull.* Vol.31: 3906
- Osman, H., R. Nasarudin, S.L. Lee. 2004. Extract of Cocoa (*Theobroma cacao* L.) and Their Antioxidation Potential. *Food Chemistry* Vol.8: 41-46
- Ozcan, Mehmet M., Ahmet Unver, Tolga Ucar, and Derya Arslan. 2008. Mineral Content of Some Herbs and Herbal Teas by Infusion and Decoction. *Elsivier : Food Chemistry* Vol. 106: 1120-1127

- Prastowo, B., Elna K., Rubijo, Siswanto, Chandra I., S. Joni M. 2010. *Budidaya dan Pasca Panen Kopi*. Bogor: Nitro PDF Professional
- Sembiring, N.V.N. 2009. *Pengaruh Kadar Air dari Bubuk Teh Hasil Fermentasi terhadap Kapasitas Produksi pada Stasiun Pengeringan di Pabrik Teh PTPN IV Unit Kebun Bah Butong*. Departemen Kimia, Universitas Sumatra Utara
- Salgado, P.R., Jose L.F., Roseli A.L., Oscar F.L.F. 2010. Total Phenol Concentrations in Coffee Tree Leaves during Fruit Development. *Scientia Agricola* Vol. 65 No. 4
- Sanderson, G.W. 1964. *The Theory of Withering in Tea Manufacture*. Tea Research Institute Staff Seminar
- Serafini, M., Ilaria P., Anna R. 2010. Flavonoid as Anti-inflammatory Agent. *Nutrition Society* Vol. 69: 273-278
- Shan, Bin, Yi-Zhong Cai, John D. Brooks, and Harold Corke. 2007. Antibacterial Properties and Major Bioactive Components of Cinnamon Stick (*Cinnamomum burmannii*) : Activity Against Foodborn Pathogenic Bacteria. *Journal of Agriculture and Food Chemistry* Vol.55: 5484-5490
- Sibue. 2003. *Pengolahan Teh*. Bandung: Gambung
- Singh, V., Deepak K.V., Gurupreet S. 2014. Processing Technology and Health Benefits of Green Tea. *Popular Kheti* Vol.2 No.1
- Siringoringo, F.H.T., Zulkifli L., Rona J.N. 2012. Studi Pembuatan Teh Daun Kopi. *Jurnal Rekayasa Pangan dan Pertanian* Vol.1 No. 1
- Sudarmadji, S., Bambang H., dan Suhardi. 1997. *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Yogyakarta : Liberty Yogyakarta
- Supriyanto, Purnama D., Iik S. 2014. Studi Pembuatan Teh Daun Tanaman Kakao (*Theobroma cacao* L.) sebagai Minuman Penyegar. *Agritech* Vol.34 No.: 4
- Tomlins, K.I. and Mashigaidze, A. 1997. Influence of Withering, Including Leaf Handling on Manufacturing and Quality of Black Teas-a Review. *Elsivier: Food Chemistry* Vol. 60: 573-580
- Tomlins, K.I., Mashigaidze A., S.J. Temple. 1997. *Sever Review of Withering in the Manufacture of Black Tea*.
- Rokhmah, D.N., Handi S., Balittri. 2015. Karakteristik Stomata Beberapa Klon Kopi Robusta. *Warta Penelitian dan Pengembangan Tanaman Industri* Vol. 21.: 20-24
- Wang, Ni. 2011. *A Comparison of Chinese and British Tea Culture*. Xian University of Architecture and Technology, China

- Watanabe, M., Salma B., Takayuki T., Alexander E., Patrick G., Joachim K., Bernd M.R., Alisdair R.F., Rainer H. 2013. Comprehensive Dissection of Spatiotemporal Metabolic Shifts Primary, Secondary, and Lipid Metabolism during Developmental Senescence in Arabidopsis. *Plant Physiology* Vol.162 : 1290-1310
- Wijaya, Dhira A. dan Yuwono S.S. 2015. Pengaruh Lama Pengukusan dan Konsentrasi Etil Asetat terhadap Karakteristik Kopi pada Proses Dekafeinasi Kopi Robusta. *Jurnal Pangan dan Agroindustri* Vol.3: 1560-1566
- Yen, G.C. dan Chen H.Y. 1996. Relationship between Antimutagenic Activity and Major Components of Various Teas. *Mutagenesis* Vol.1: 37-41
- Zheng, Xin-qiang and Ashihara Hiroshi. 2004. Distribution, Biosynthesis, and Function of Purine and Pyrimidine Alkaloid in Coffea Arabica Seedling. *Plant Science* Vol.166 :807-813
- Ahmad, Usman. 2015. Materi IV a: Pengolahan Teh, dalam <http://web.ipb.ac.id/~usmanahmad/Pengolahanteh.htm> diakses pada 10 Desember 2015 pk1 22.30 WIB
- Balittri Litbang Pertanian. 2012. *Mengenal 4 Macam Jenis Teh*, dalam <http://balittri.litbang.pertanian.go.id/index.php/component/content/article/49-infotekno/159-mengenal-4-macam-jenis-teh> diakses pada 10 Desember 2015 pk1. 23.50 WIB