

Daftar Pustaka

- Abraham, S. (2016). Factors Contributing to Psychiatric Patient Falls. *J Community Med Health Educ*, 6 (2); 1-10. <http://dx.doi.org/10.4172/2161-0711.1000410>
- Abraham, S. (2016). Looking for a psychiatric fall risk assessment tool. *Ann Psychiatry Ment Health*, 4(2): 1-4.
- Accreditation Canada. (2014). *Preventing Falls: From Evidence to Improvement in Canadian Health Care*. Ottawa; Canadian Institute for Health Information and Canadian Patient Safety Institute. Diakses dari <https://accreditation.ca/sites/default/files/falls-joint-report-2014-en.pdf>
- Agency for Healthcare Research Quality (AHRQ). (2013). Preventing falls in hospitals; toolkit for improving quality of care. AHRQ publication No 13-0015-EF. Rockviller, MD; Agency for Healthcare Research and Quality.
- Allen, D. E., Nesnera, A., & Robinson, D. A. (2012). Psychiatric Patients Are at Increased Risk of Falling and Choking. *Journal of the American Psychiatric Nurses Association*, 18(2) 91 –95. DOI:10.1177/1078390312440325
- Babine, Rhonda L. B., Hyrkäs, K.E., Bachand, D.A., Chapman, J.L., Fuller, V.J dan Honess, C.A. (2016). Falls in A Tertiary Care Hospital— Association With Delirium: A Replication Study. *The Academy of Psychosomatic Medicine*, 57:273–282.
- Badan Pusat Statistik. (2015). Daerah Istimewa Yogyakarta dalam Angka. Badan Pusat Statistik D.I.Yogyakarta; Yogyakarta.
- Batani, H dan Maki, BE. (2005). Assistive Devices for Balance and Mobility: Benefits, Demands, and Adverse Consequences. *Arch Phys Med Rehabil*, 86; 134-145.
- Bell, J., Collins, JW., Dasley, E dan Sublet, V. (2010). Slip, Trip and Fall Prevention for Healthcare Worker. Washington; National Institute for Occupational Safety and Health (NIOSH)
- Bikrumal, Nurdin, A.E dan Susanti, R. (2012). Gambaran Pola Gangguan Jiwa pada Pelaku Tindak Pidana Kekerasan yang Dimintakan Visum et Repertum Psikiatri ke RSJ Prof. HB. Saanin Padang Periode 1 Januari 2008 – 31 Desember 2012. *Jurnal Kesehatan Andalas*, 4(2); 540-534
- Blair, E dan Gruman, C. (2006). Falls in an Inpatient Geriatric Psychiatric Population. *Nurse Assoc*, 11; 351-354
- Boyd, R & Dunn, K. (2015). Understanding Bipolar Disorder. United Kingdom of England; Mind (National Association for Mental Health).
- Bulechek, G. M., Butcher, H., Dotcherman, J. M & Wagner, C. M. (2016). *Nursing Intervention Classification (NIC)* (6th ed.).(Nurjannah, I & Tumanggor, RD, Terjemahan). Indonesia: Mocomedia
- Bunn, F., Dickinson, A., Simpson, C., Narayanan, V., Humphrey, D., Griffiths, C., Martin, W and Victor, C. (2014). Preventing falls among older people with mental health problems: a systematic review. *BMC Nursing*, 13(4); 1-15

- Callis, N. (2014). Falls prevention: Identification of predictive fall risk factors. *Applied Nursing Research*, 29; 53–58
- Callis, N. (2016). Falls prevention: Identification of predictive fall risk factors. *Applied Nursing Research*, 29; 53–58
- Carpenter, CR., Scheatzle, MD., D’Antonio, JA., Ricci PT dan Coben, JH. (2009). Identification of Fall Risk Factors in Older Adult Emergency Department Patients. *Academic Emergency Medicine*, 16(3); 211-219.
- Chan, CH., Gau, S.SF., Chan, HY., Tsai, YJ., Chiu, CC., Wang, SM dan Huang, ML. (2013). Risk factors for falling in psychiatric inpatients: A prospective, matched casecontrol study. *Journal of Psychiatric Research*, 47; 1088-1094
- Chiara, M., Gianluigi, G., Pasquale, A., Alessandro, M., Alice, M., Gabriele, N., Paolo, C., Loredana, G., Giovanni, T., Franco, R., Giulio, M., Gianfranco, S., Niccolò, M & Andrea, U. (2013). Unexplained Falls Are Frequent in Patients with Fall-Related Injury Admitted to Orthopaedic Wards: The UFO Study (Unexplained Falls in Older Patients). *Hindawi Publishing Corporation*, 2013; 1-6. <http://dx.doi.org/10.1155/2013/928603>
- Chiarelly, PE., Mackenzie, LA dan Osmotherly, GE. (2009). Urinary incontinence is associated with an increase in falls: a systematic review. *Australian Journal of Physiotherapy*, 55; 89-95.
- Chiovitti, R. F. (2008). Nurses’ meaning of caring with patients in acute psychiatric hospital settings: A grounded theory study. *International Journal of Nursing Studies*. 45; 203–223
- Craven, R. F & Hirnz, C. J. (2009). *Fundamental of nursing, human health and function (6th ed)*. America; Woters Kluwer Health, Williams & Wilkin.
- De Carle AJ dan Kohn R. (2001). Risk factor for falling in a psychogeriatric unit. *Int J Geriatric Psychiatry*, 16 (8); 762-7.
- Departemen Kesehatan RI. (2013). Laporan hasil riset kesehatan dasar 2013. Jakarta: Depkes RI
- Dhargave, P dan Sendhilkumar, R. (2016). Prevalence of risk factors for falls among elderly people living in long-term care homes. *Journal of Clinical Gerontology & Geriatrics*, 7; 99- 103.
- Draper, B., Busseto, G dan Cullen, B. (2004). Risk factors for and prediction of falls in an acute aged care psychiatry unit. *Australiasian Journal of Ageing*, 23 (1); 48-51.
- Edmonson, D., Robinson, S & Hughes, L. (2011). Development of the Edmonson Psychiatric Fall Risk Assessment Tool. *Journal of Psychosocial nursing*, 49 (2); 29-36.
- Fatimah, Elita, V dan Wahyuni, S. (2010). Gambaran Tipe Empati Perawat Jiwa di Rumah Sakit Jiwa Tampan Pekanbaru. *FIKkes*, 3(2); 88-97
- Gallardo, A., Asencio, J. M. M., Sanchez, J. C. C., Sojo, S. B., Jimenez, C. P., Fernandez, A.M., Rodriguez, M. E. L., Suarez, A. B. M & Banderas, A. M. M.(2013). Instruments for assessing the risk of falls in acute hospitalized patients: a systematic review and meta-analysis. *BMC Health Services Research*. 13(122); 1-15. doi:10.1186/1472-6963-13-122

- Gallardo, M., Asencio, J., Sanchez, J., Banderas, A., & Suarez, A. (2012). Instruments for assessing the risk of falls in acute hospitalized patients: A systematic review protocol. *Journal of Advanced Nursing*, 69(1); 185–193
- Girolamo, G.D., Daganil, J., Purcell, R., Cocchi, A dan McGorry, P.D. (2012). Age of onset of mental disorders and use of mental health services: needs, opportunities and obstacles. *Epidemiology and Psychiatric Sciences*, 21(1); 47-58
- Grant, L. (2013). Making time for nurses to reduce patient falls. *Nursing Times*. 109(37) ; 21-23. Diakses dari www.nursingtimes.net
- Gu, Y-Y., Balcaen, K., Ni, Y., Ampe, J dan Goffi, J. (2016). Review on prevention of falls in hospital settings. *Chinese Nursing Research*, 3; 7-10
- Hampel, S., Newberry, S., Wang, Z, Booth, M., Shanman, R., Johnsen, B., Shier, V., Saliba, D., Spector, W.D., Ganz, D. (2013). Hospital fall prevention: A systematic review of implementation, components, adherence, and effectiveness. *Journal of the American Geriatrics Society*, 61(4); 483-494. doi:10.1111/jgs.12169
- Hughes, R. G (ed.). (2008). *Patient safety and quality: An evidence-based handbook for nurses*. Rockville, MD; AHRQ Publication. Diakses dari <http://www.ncbi.nlm.nih.gov/books/NBK2651/> jam 7:49
- Huisman, ERCM., Morales, E., Hoof, J dan Kort, HSM. (2012). Healing environment: A review of the impact of physical environmental factors on users. *Building and environment*, 58; 70-80
- Johnson, R. L., Penny, J. A & Gordon, B. (2008). *Assesing Perfomance*. New York: The Guilford Press
- Joint Commission International. (2013). *Joint Commission International Accreditation Standards for Hospital*. Edisi 5. Diakses dari <https://www.jointcommissioninternational.org/assets/3/7/Hospital-5E-Standards-Only-Mar2014.pdf>.
- Jurascheck, S.P., Daya, N., Appel, L.J., Miller, E.R., Windham, B.W., Pompeii, L., Newton, A.K., Selvin, E dan Griswold, M.E. (2017). Orthostatic Hypotension in Middle-Age and Risk of Falls. *American Journal of Hypertention*, 30(2); 188-195
- Kanerva A, Kivinen T, and Lammintakanen J. (2012). Patient safety in psychiatric inpatient care: A literature review. *Journal of psychiatric and mental health nursing*, 20 (6); 541-548 DOI:10.1111/j.1365 2850.2012.01949.x
- Kaplan & Sadock's. (2007). *Synopsis of Psychiatry, Behavioral Science/Clinical Psychiatry*. Edisi 10. China; Wolters Kluwer Health, Lippincott Williams & Wilkins
- Kementrian Kesehatan Indonesia. (2013). *Riset Kesehatan Dasar 2013*. Jakarta; Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI
- Kementrian Kesehatan Republik Indonesia. (2011). *Standar Akreditasi Rumah Sakit*. Edisi 1. Diakses dari http://elearning.mmr.umy.ac.id/file.php/1/STANDAR_AKREDITASI_RS_Edisi_1_FINAL_-_Okt_2011.pdf pada tanggal 22 November 2016 pukul 08.09 WIB

- Kenny, R. A., Ortuno, R. R & Cogan, L. (2012). Falls. *Medicine*, 41(3); 155-159
- Knight, M dan Coakley, C. (2010). Fall Risk in Patient with Acute Psychotic. *J Nurs Care Qual*, 25(3); 2018-215.
- Kozier, B., Erb, G., Snyder, S. J & Berman, A. (2008). *Fundamental of Nursing*. Edisi 8. United States of America; Pearson Education, Inc.
- Lam, C., Kang, J-H., Lin, H-Y., Huang, H-C., Wu, C-C & Chen, P-L. (2016). First Fall-Related Injuries Requiring Hospitalization Increase the Risk of Recurrent Injurious Falls: A Nationwide Cohort Study in Taiwan. *PLoS ONE* 11(2): 1-15. doi:10.1371/journal.pone.0149887
- Lee, A., Mills, P.D dan Watts, B.V. (2012). Using root cause analysis to reduce falls with injury in the psychiatric unit. *General Hospital Psychiatry*, 34; 304-311
- Li, In-Fun., Hsiung, Yvonne., Hsing, Hui-Fen., Lee, Mei-Yu., Chang, Te-Hsin dan Huang, Ming-Yuan. (2016). Elderly Taiwanese's Intrinsic Risk Factors for Fall-related Injuries. *International Journal of Gerontology* 10; 137-141
- Madalise, S., Bidjuni, H dan Wowiling, F. (2015). Pengaruh Pemberian Pendidikan Kesehatan pada Pasien Gangguan Jiwa (Defisit Perawatan Diri) Terhadap Pelaksanaan ADL (*activity daily living*) Kebersihan Gigi dan Mulut di RSJ Prof. Dr. V. L Ratumbuang Ruang Katrili. *E-journal Keperawatan (e-Kp)*, 3 (2); 1-8
- Mamum, K., & Lim, J. (2010). Association between falls and high risk medication use in hospitalized Asian elderly patients. *Geriatrics Society*, 9; 276-281.
- Masuwai, A., Tajudin, NM dan Saad, SH. (2016). Evaluating the Face and Content Validity of Teaching and Learning Guiding Principles Instrumen (TLGPI): A Perspective Study of Malaysian Teacher Educators. *Malaysian Journal of Society and Space*, 12 (3); 11 - 21.
- Mathleson, K. (2014). Making Sense of Biostatistics: Types of Nonprobability Sampling. *Journal of Clinical Research Best practice*, 10 (10); 1-2
- Mediakomunikasi Kementerian Kesehatan RI. (2015). Diakses pada 22 November 2016, dari <http://mediakom.sehatnegeriku.com/rsup-dr-sardjito-tingkatkan-kepuasan-pelanggan/>
- Miake-Lye, I. M., Hempel, S., Ganz, D. A and Shekelle, P. G. (2013). Inpatient Fall Prevention Programs as a Patient Safety Strategy. *Annals of Internal Medicine*, 158 (5); 390-396.
- Miake-Lye, I. M., Hampel, S., Ganz, D. A & Shekelle, P. G. (2013). Inpatient Fall Prevention Programs as a Patient Safety Strategy. *Annals of Internal Medicine*, 158 (2); 390-396.
- Mood Disorder Society of Canada. (2009). What is Bipolar Disorder?. Canada; AztraZeneca of Canada, Inc.
- Mubarta, AF., Husein, A.W dan Arifin, S. (2013). Gambaran Distribusi Pasien Gangguan Jiwa di Wilayah Banjarmasin dan Banjarbaru Tahun 2011. *Jurnal berkala kedokteran*, 9 (2); 199- 2019
- National Alliance on Mental Illness. (2010). Mental Health Crisis Planing. Minesota. Diakses dari <http://www.namihelps.org/Crisis-Booklet-Adults.pdf> pada 11 Mei 2017 pukul 8:04 pm

- National Institute of Mental Health. (2015). Bipolar Disorder. America; U.S. Department of Health and Human Services.
- Neumann L, Hoffmann VS, Golgert S, Hasford J, Von Renteln-Kruse W. (2013). In-hospital fall-risk screening in 4,735 geriatric patients from the LUCAS project. *J Nutr Health Aging*, 17(3):264-9.
- Notoatmodjo, S. (2012). Metodologi penelitian kesehatan. Jakarta; Rineka Cipta.
- Nurhayati. (2008). Studi perbandingan sampling antara simple random dengan stratified random. *Jurnal Basis Data, ICT Research Center UNAS*. 3(1); 18-32.
Diakses dari http://old.unas.ac.id/download.php?file=Basis_Data_Vol_3_No_1_2008_list3.pdf
- Nurjannah, I., Nurmasari, P., Nugraha, IT, Katan, DY dan Haryadi, K. (2017). Interrater reliability of client categorization system as a psychiatric status rating scale in measuring psychiatric patients' health status. *International Journal of Research in Medical Sciences*, 5(5); 2193-2201
- O' Brien, P. G., Kennedy, W. Z & Ballard, K. A. (2013). Psychiatric Mental Health Nursing: An Introduction to Theory and Practice. Edisi 2. America; Jones & Bartlett Learning
- OECD Health Data. (2001). A Comparative Ananlysis of 30 countries. Paris; definition and methode
- Pahwa, AK., Newman, DK., Stambakio, H., Schmitz: KH dan Arya, LA. (2016). Nocturnal Enuresis as a Risk Factor for Falls in Older Community Dwelling Women with Urinary Incontinence. *The Journal of Urology*, 195 (5); 1512-1516.
- Pearson, K. B & Coburn, A. F. (2011). Evidence-based Falls Prevention in Critical Access Hospitals. *Flex Monitoring Team*. 1-35.
- Pearson, K. B & Coburn, A. F. (2011). Evidence-based Falls Prevention in Critical Access Hospitals. *Flex Monitoring Team*. 1-35. Tersedia dari http://www.flexmonitoring.org/wpcontent/uploads/2013/07/PolicyBrief24_Falls-Prevention.pdf
- Pendlebury, ST., Lovet, NG., Smith, SC., Dutta, N., Bendon, C., Lloyd- lavery, A., Metha, Z dan Rothwell, PM. (2015). Observational Longitudinal Study of Delirium in Consecutive Unselected Acute Medical Admission; age-specific rates and Associated Factor , Mortality and re-admission. *BMJ Open*, Shaw, B.H. & Claydon, V.E. Clin Auton Res. (2014). The relationship between orthostatic hypotension and falling in older adults. *Clinical Autonomic Research*, 24 (1); 3-13
- Peraturan Menteri Kesehatan. (2011). Permenkes RI Nomor 1096/MENKES/PER/VI/2011 tentang keselamatan pasien rumah sakit. Jakarta ; Kementrian Kesehatan.
- Poerwani, S. K & Sopacua, E. (2006). Akreditasi Sebagai Upaya Peningkatan Mutu Pelayanan Rumah Sakit. *Bulletin penelitian sistem kesehatan*, 9(3); 123-133
- Potter, P. A & Perry, A. G.(2007). *Basic nursing; essentials for practice (6th ed)*. Philadelphia; Mosby Elsevier.

- Potter, P. A., Perry, A. G., Stockert, P. A., & Hall, A. (2011). *Basic Nursing*. Edisi 7. Canada; Mosby Elsevier.
- Priyanto, B., Nurjannah, I dan Rahmat, I. (2005). *Studi Deskriptif Lama Rawat Inap dan Sistem kategori Pasien Jiwa pada Pasien yang Dirawat di Ruang Sakura RSUD Banyumas*. Universitas Gadjah Mada, Yogyakarta, Indonesia
- Puri, B. K., Laking, P. J & Treasaden, I. H. (2012). *Buku Ajar Psikiatri*. Edisi 2. Jakarta; EGC
- Qader, MAA., Amin, RM., Shah, SA., Isa, Z., Latif, KA dan Ghazi1, HF. (2013). Psychological risk factors associated with falls among elderly people in Baghdad city, Iraq. *Open Journal of Preventive Medicine*, 3(7); 441-445
- Quigley, P., Lunsford, B., Wilson, L. D., Wexler, S. S., D'Amico, C. O & Hester, A. L. (2015). Focus on fall prevention. *American Nurse Today*, 10 (7) ;27-39. Diakses dari
- Rahamtullah, A.T & Sari, S.P. (2014). Gambaran Tingkat Spiritualitas pada Orang dengan Skizofrenia (ODS) di Poliklinik Rawat Jalan RSJD Dr. Amino Gondohutomo Semarang. *Jurnal jurusan keperawatan*. Universtas Diponegoro Semarang. Diakses dari <http://ejournal-s1.undip.ac.id/>
- Roshdal, C. B & Kowalski, M. T. (2008). *Text book of nursing (9th ed)*. America; Woters Kluwer Health, Williams & Wilkin.
- Royal College of Physicians. (2015). *National Audit of Inpatient Falls: audit report 2015*. London: Healthcare Quality Improvement Partnership diakses dari <https://www.rcplondon.ac.uk/file/1545/download?token>
- Ruiz-Iriondo, M., Salaberria, M & Echeburúa, E. (2013). Schizophrenia: Analysis and psychological treatment according to the clinical staging. *Actas Esp Psiquiatr*,41(1):52-9.
- Sadock, Benjamin J & Sadock, Virginia A. (2010). *Pocket Handbook of Clinical Psychiatry*. Edisi 5. USA; Lippincott William & Wilkins.
- Sanders, R.D dan Gillig, P.M. (2010). Gait and Its Assesement in Psychiatric. *Psychiatry (Edgemont)*, 7(7) :38-43
- Sardo, P. M. G., Simoes, C. S. O., Alvarelhao, J. J. M., Simoes, J. F. F. L & Pinheiro de Melo, E. M. O. Fall risk assessment: retrospective analysis of Morse Fall Scale scores in Portuguese hospitalized adult patients. *Applied Nursing Research*, 31; 34-40
- Scanlan, J.N., Wheatley, J & McIntosh S (2012). Characteristics of falls in inpatient psychiatric units. *Australasian Psychiatry*, 20 (4); 305-308. DOI: 10.1177/1039856212455250
- Stein, D. J., Phillips, K. A., Bolton, D., K.W.M Fulford, Sadler, J. Z., & Kendler, K. S. (2010). What is a Mental/Psychiatric Disorder? From DSM-IV to DSM-V. *Psychol Med*, 40(11): 1759-1765. doi:10.1017/S0033291709992261.
- Stuart, D. W & Sundeen, S. J. (1995). *Buku Saku Keperawatan Jiwa*. Edisi 3. Jakarta; EGC.
- Sugianto dkk. (2013). *Kementerian Kesehatan RI, Riskesdas Dalam Angka Provinsi Daerah Istimewa Yogyakarta 2013*. Lembaga Penerbitan Badan Litbangkes; Jakarta

- Sugiyono. (2010). *Metode Penelitian Kualitatif Kuantitatif dan R&D*. Bandung; Alfabeta
- Sugiyono. (2010). *Statistika untuk penelitian*. Bandung; Penerbit Alfabeta
- Suparna. (2015). *Evaluasi penerapan patient safety risiko jatuh unit gawat darurat di rumah sakit panti rini kalasan sleman*. (Skripsi, STIKES Aisyiyah, 2015). Diakses dari <http://opac.say.ac.id/179/1/Naskah%20Publikasi.pdf>
- Suryani, S. (2013). Mengenal gejala & penyebab gangguan jiwa. Paper dipresentasikan pada Seminar Nasional “Stigma terhadap orang gangguan jiwa” BEM Psikologi UNJANI
- Susanti, R., Nauli, A.F dan Utomo, W. (2015). Hubungan Pengetahuan dan Motivasi Terhadap Pemenuhan Kebutuhan Dasar Pasien Gangguan Jiwa dengan Defisit Perawatan Diri. *Jurnal Online Mahasiswa*, 2(1); 863-871
- The Joint Commission Accreditation Hospital. (2013). *Accreditation Guide for Hospital*. USA; Joint Commission International
- Tseng, CC., Su, PY., Huang, HT., Chang, YC dan Tai, YH. (2013). Risk Factor for Inpatient Fall at A Mental Hospital. *Taiwanese Journal of Psychiatry*, 27(2); 131-139.
- Tzeng, H.M. (2011). Retrospective Case Reviews of Adult Inpatient Falls in the Acute Care Setting. *Nursing Forum*, 46 (3); 137-145
- Vafre, M. (2013). *Foundation of Mental Health Care*. Edisi 5. USA; Elsevier.
- Varcarolis, E. M & Halter, M. J. (2010). *Foundation of Psychiatric Mental Health Nursing, A Clinical Approach*. Edisi 6. Canada; Saunders Elsevier
- Videbek, S. L. (2011). *Psychiatric- Mental Health Nursing*. Edisi 5. China; Wolters Kluwer Health, Lippincott Williams & Wilkins
- Vincent, C. (2010). *Patient Safety*. 2^{ed}. John Welly and Sons Ltd. England. Tersedia dari
- Weil, T. P. (2015). Patient falls in hospitals: An increasing problem. *Geriatric Nursing*, 36 ; 342-347
- WHO. (2012). Depression, A Global Public Health Concern. Diakses dari http://www.who.int/mental_health/management/depression/who_paper_depression_wfmh_2012.pdf
- World Health Organization (WHO). What is patient safety? www.who.int/patientsafety/en/ (2016, diakses pada April 2016)
- World Health Organization. 2012. Falls Fact Sheet No 344. URI: www.who.int/mediacentre/factsheets/fs344/en/ (diakses pada 9 Mei 2016).
- Wynaden, D. (2016). Recognising falls risk in older adult mental health patients and acknowledging the difference from the general older adult population. *Collegian*, 23; 97-102
- Xu, C dan Xie, H. (2015). Translating evidence from a systematic review to the development of an evidence-based fall prevention program in a tertiary psychiatric hospital. *Nursing Report*, 5 (5102); 13-18
- Yuan-Gu, Y., Balcaen, K., Ni, Y., Ampe, J & Goffin, J. (2016). Review on prevention of falls in hospital settings. *Chinese Nursing Research*, 3; 7-10
- Zainal, Zaidah. (2007). Case study as a research method. *Jurnal Kemanusiaan*, 7; 1-6.

Zecevic, A. A., Salmoni, A. W., Speechley, S & Vandervoort, A. A. (2006).
Defining a Fall and Reasons for Falling: Comparisons Among the Views
of Seniors, Health Care Providers, and the Research Literature. *The
Gerontological Society of America*, 46(3); 367–376.