

DAFTAR PUSTAKA

- Abdorreza, M. N., Cheng, L. H. and Karim, A. A. (2011) 'Effects of plasticizers on thermal properties and heat sealability of sago starch films', *Food Hydrocolloids*, 25(1), pp. 56–60.
- Abdou, E.S. and Sorour, M.A. (2014). Preparation and characterization of starch/carragenan edible films, *International Food Research Journal*, 21(1), pp. 189-193.
- Adebowale, K.O., Owolabi, B.I.O., Olawumi, E.K. and Lawal, O.S. (2005). Functional properties of native physically and chemically modified breadfruit (*Artocarpus artilis*) starch. *Industrial Crops and Products*, 21, pp 343-351.
- Alcazar-Alay, S. C. and Meireles, M. A. A. (2015) 'Physicochemical properties , modifications and applications of starches from different botanical sources', *Food Sciences and Technology*, 35(2), pp. 215–236.
- Anonim. 2005. AOAC. 1995. Official Method of Analysis of The Association of Official Agricultural Chemistry. Association of Official Agriculture Chemistry. Washington D.C.
- Anonim. 2006. SNI 01-2332.3-2006 Cara uji mikrobiologi-Bagian 3: Penentuan angka lempeng total (ALT) pada produk perikanan. Badan Standarisasi Nasional.
- Anonim. 2013. SNI-01-2986-2013: Dodol Nanas. Badan Standarisasi Nasional.
- Anonim. 2016. Badan Pusat Statistik : Ubi Jalar. [http://: bps.go.id](http://bps.go.id) [15 Maret 2017].
- Bemiller, J.N. (1997). Starch modification : Challenges and prospect. *Starch/Starke*, 49, pp. 127-131.
- Bertuzzi, M.A., Castro Vidaurre, e.f., Armada, M. and Gottifredi, J.C. (2007). Water vapor permeability of edible starch based films. *Journal of Food Engineering*, 80(3), pp. 972-978.
- Buléon, A., Colonna, P., Planchot, V., & Ball, S. (1998). Starch granules: structure and biosynthesis. *International Journal of Biological Macromolecules*, 23(2), pp. 85-112.
- Campos, C. A., Gerschenson, L. N. and Flores, S. K. (2011) 'Development of Edible films and Coatings with Antimicrobial Activity', *Food Bioprocess Technology*, 4, pp. 849–875.

- Cazon, P., Velazquez, G., Ramirez, J. A., and Vazquez, M. (2017) 'Food Hydrocolloids Polysaccharide-based films and coatings for food packaging : A review', *Food Hydrocolloids*, 68, pp. 136–148.
- Chiumarelli, M. and Hubinger, M. D. (2012) 'Stability , solubility , mechanical and barrier properties of cassava starch- carnauba wax edible coatings to preserve fresh-cut apples', *Food Hydrocolloids.*, 28(1), pp. 59–67.
- Dewita Sari, F. (2014). Pembuatan Edible Coating Antimikroba Kayu Manis untuk Dodol Talas. Skripsi. Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Bogor.
- Dick, M., Costa, T.M.H., Gomaa, A., Subirade, M., Rios, A. de O., and Flôres, S.H.. (2015) 'Edible film production from chia seed mucilage: Effect of glycerol concentration on its physicochemical and mechanical properties.', *Carbohydrate polymers.*, 130, pp. 198–205.
- Ega, L. and Lopulalan, C. G. C. (2015) 'Modifikasi Pati Sagu dengan Metode *Heat Moisture Treatment*', *Teknologi Pertanian*, 4(2), pp. 33–40.
- Genevois, C. E., Pla, M. F. D. E. and Flores, S. K. (2016) 'Application of edible coatings to improve global quality of fortified pumpkin', *Innovative Food Science and Emerging Technologies*. Elsevier Ltd, 33, pp. 506–514.
- Guilbert, S. (1986). Technology and application of edible protective films. In Mathlouthi, M. (Ed.), Food packaging and preservation, p. 371–394. London, UK: Elsevier Applied Science.
- Guntarti, S., Agustina Arianita, C. and Anna, F. (2015) 'Karakterisasi Sifat Fisik dan Mekanik Penambahan Kitosan pada *Edible film* Karagenan dan Tapioka Termodifikasi', *Kimia dan Kemasan*, 37(2), pp. 103–110.
- Gutierrez, T. J., Tapia, M. S., Perez, E., and Fama, L. (2015) 'Structural and mechanical properties of *edible films* made from native and modified cush-cush yam and cassava starch', *Food Hydrocolloids*, 45, pp. 211–217.
- Han, L., Qin, Y., Liu, D., Chen, H., Li, H., and Yuan, M. (2015) 'Evaluation of biodegradable fi lm packaging to improve the shelf-life of Boletus edulis wild edible mushrooms', *Innovative Food Science and Emerging Technologies*. Elsevier Ltd, 29, pp. 288–294.
- Haq, M.A., Hasnain, A., Jafri, F.A., Akbar, M.F., and Khan, A. (2016) 'Characterization of edible gum cordia film: Effects of beeswax', *Food Science and Technology*, 68, pp. 674–680.

- Hoover, R. and Vasanthan, T. (1994). Effect of heat moisture treatment on structure and physicochemical properties of cereal, legume and tuber starches. *Carbohydrate Research*, 252, pp. 33-53.
- Huang, T.T., Zhou, D.N., Jin, Z.Y., Xu, X.M., and Chen, H.Q. (2016) 'Effect of repeated heat-moisture treatments on digestibility, physicochemical and structural properties of sweet potato starch', *Food Hydrocolloids*, 54, pp. 202–210.
- Jacoeb, A. M., Nugraha, R. and Utari, S. P. S. D. (2014) 'Pembuatan *Edible film* dari Pati Buah Lindur dengan Penambahan Gliserol dan Karaginan', *Hasil Penelitian Industri*, 17, pp. 14–21.
- Jiménez, A., Fabra, M. J. and Talens, P. (2012) 'Edible and Biodegradable Starch Films : A Review', *Food Bioprocess Technology*, 5, pp. 2058–2076.
- Khazaei, N., Esmaili, M., Emam, Z., and Ghasemlou, M. (2014) 'Characterization of new biodegradable *edible film* made from basil seed (*Ocimum basilicum* L .) gum', *Carbohydrate Polymers*. Elsevier Ltd., 102, pp. 199–206.
- Klein, B., Zanella, V., Levien, N., Zavareze, R., Colussi, R., Amaral, J., and Dias, G. (2013) 'Effect of single and dual heat – moisture treatments on properties of rice , cassava , and pinhao starches', *Carbohydrate Polymers*. Elsevier Ltd., 98(2), pp. 1578–1584.
- Krisna, D. D. A. (2011) Pengaruh Regelatinisasi Dan Modifikasi Hidrotermal terhadap Sifat Fisik Pada Pembuatan *Edible film* Dari Pati Kacang Merah (*Vigna angularis* sp.). Tesis. Magister Teknik Kimia. Universitas Diponegoro. Semarang.
- Krochta, J.M. and Mulder-Johnston, C.D. (1997). Edible and biodegradable polymer films: challenges and opportunities. *Food Technology* 51(2), pp. 61-74.
- Lase, V. A., Julianti, E. and Lubis, M. (2013) 'Bihon Type Noodles From Heat Moisture Treated Starch of Four Varieties of Sweet Potato', *Teknologi dan Industri Pangan*, 24(1), pp. 89–96.
- Lee, C. J., Kim, Y., Choi, S. J., and Moon, T. W. (2012) 'Slowly digestible starch from heat-moisture treated waxy potato starch : Preparation , structural characteristics , and glucose response in mice', *Food Chemistry*. Elsevier Ltd, 133, pp. 1222–1229.
- Li, J., Ye, F., Liu, J., and Zhao, G. (2015) 'Effects of octenylsuccination on physical, mechanical and moisture-proof properties of stretchable sweet potato starch film', *Food Hydrocolloids*, 46, pp. 226–232.

- Li, S., Zhang, Y., Wei, Y., Zhang, W., and Zhang, B. (2014) 'Thermal, Pasting and Gel Textural Properties of Commercial Starches from Different Botanical Sources', *Bioprocessing & Biotechniques*, 4(4), pp. 1–6.
- Liu, H., Yu, L., Xie, F., and Chen, L. (2006). Gelatinization of corn starch with different amylose/amylopectin content. *Carbohydrate Polymers* 65, pp. 357–363.
- Lu, D.R., Xiao, C.M., and Xu, S.J. (2009). Starch-based completely biodegradable polymer materials. *EXPRESS Polymer Letters* 3(6), pp. 366–375.
- Mahmudatussa'adah, A. (2014) 'Komposisi Kimia Ubi Jalar (*Ipomoea batatas* L) Cilembu pada Berbagai Waktu Simpan sebagai Bahan Baku Gula Cair', *PANGAN*, 23(1), pp. 53–64.
- Majzoobi, M., Pesaran, Y., Mesbahi, G., Golmakani, M. T., Farahnaky, and Asgar. (2015) 'Physical properties of biodegradable films from heat-moisture treated rice flour and rice starch', *Starch/Stärke*, 67(October), pp. 1–8.
- Mali, S., Grossmann, M.V.E., Garcia, M.A., Martino, M.N., and Zaritzky, N.E. (2004). Barrier, mechanical and optical properties of plasticized yam starch films. *Carbohydrate Polymers*, 56(2), pp. 129–135.
- Maran, J. P., Sivakumar, V., Sridhar, R., and Thirugnanasambandham, K. (2013) 'Development of model for barrier and optical properties of tapioca starch based *edible films*', *Carbohydrate Polymers*. Elsevier B.V., 92(2), pp. 1335–1347.
- Murni, S. W., Pawignyo, H., Widyawati, D., and Sari, N. (2013) 'Pembuatan *Edible film* dari Tepung Jagung (*Zea Mays* L.) dan Kitosan', in *Prosiding Seminar Nasional Teknik Kimia 'Kejuangan'*, pp. 1–9.
- Muscat, D., Adhikari, R., Mcknight, S., Guo, Q., and Adhikari, B. (2013) 'The physicochemical characteristics and hydrophobicity of high amylose starch – glycerol films in the presence of three natural waxes', *Journal of Food Engineering*. Elsevier Ltd, 119(2), pp. 205–219.
- Pareta R., Edirisinghe M. J. (2006). A novel method for the preparation of starch films and coatings. *Carbohydrate Polymer*, 63, pp. 425–431
- Pranoto, Y. *et al.* (2014) 'Physicochemical properties of heat moisture treated sweet potato starches of selected Indonesian varieties', *International Food Research journal*, 21(5), pp. 2031–2038.

- Pranoto, Y., Rahmayuni, Haryadi, & Rakshit, S. K. (2009) 'Modifikasi Karakteristik *Edible film* Pati Aren Melalui Proses Retrogradasi dan *Heat Moisture Treatment*', in *Seminar Nasional Patpi (Perhimpunan Ahli Teknologi Pangan Indonesia)*, pp. 1–11.
- Putri, A. M. E. and Nisa, F. C. (2015) 'Modifikasi Pati Ubi Jalar Putih (*Ipomoea batatas* L .) Starch Menggunakan Enzim Amylomaltase Menjadi Pati Thermoreversible : Kajian Pustaka', *Pangan dan Agroindustri*, 3(2), pp. 749–755.
- Rafiq, S. I., Singh, S. and Saxena, D. C. (2016) 'Effect of heat-moisture and acid treatment on physicochemical, pasting, thermal and morphological properties of Horse Chestnut (*Aesculus indica*) starch', *Food Hydrocolloids*, 57, pp. 103–113.
- Rahim, A., Alam, N. and Santoso, U. (2010) 'Pengaruh Konsentrasi Pati Aren dan Minyak Sawit Terhadap Sifat Fisik dan Mekanik *Edible film*', *Jurnal Agroland*, 17(1), pp. 38–46.
- Rhim, J. and Wang, L. (2013) 'Mechanical and water barrier properties of agar / k-carrageenan / konjac glucomannan ternary blend biohydrogel films', *Carbohydrate Polymers*. Elsevier Ltd., 96(1), pp. 71–81.
- Santacruz, S., Rivadeneira, C. and Castro, M. (2015) '*Edible films* based on starch and chitosan. Effect of starch source and concentration, plasticizer, surfactant's hydrophobic tail and mechanical treatment, *Food hydrocolloids*. Elsevier Ltd, 49, pp. 89–94.
- Sanyang, M.L., Sapuan, S.M., Jawaid, M., Ishak, M.R., and Sahari, J. (2015) 'Effect of Plasticizer Type and Concentration on Tensile, Thermal and Barrier Properties of Biodegradable Films Based on Sugar Palm (*Arenga pinnata*) Starch', *Polymers*, (7), pp. 1106–1124.
- Sanyang, M. L., Sapuan, S. M., Jawaid, M., Ishak, M. R., and Sahari, J. (2016) 'Effect of plasticizer type and concentration on physical properties of biodegradable films based on sugar palm (*arenga pinnata*) starch for food packaging', *Food Science Technology*, 53(1), pp. 326–336.
- Shit, S. C. and Shah, P. M. (2014) 'Edible Polymers: Challenges and Opportunities', *Journal of Polymers*, 2014, pp. 1–13.
- Singh, G. D., Bawa, A. S., Riar, C. S., and Saxena, D. C. (2009) 'Influence of heat-moisture treatment and acid modifications on physicochemical, rheological, thermal and morphological characteristics of indian water chestnut (*trapa natans*) starch and its application in biodegradable films', *Starch/Staerke*, 61(9), pp. 503–513.

- Srichuwong, S., Sunarti, T.C., Mishima, T., Isono, N. and Hisamatsu, M. (2005). Starches from different botanical sources I: contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydrate Polymers* 60(4), pp. 529-538.
- Sun, Q., Wang, T., Xiong, L., and Zhao, Y. (2013) 'The effect of heat moisture treatment on physicochemical properties of early indica rice', *Food Chemistry*. Elsevier Ltd, 141, pp. 853-857.
- Sun, Q., Han, Z., Wang, L., and Xiong, L. (2014) 'Physicochemical differences between sorghum starch and sorghum flour modified by heat-moisture treatment', *Food Chemistry*. Elsevier Ltd, 145, pp. 756-764.
- Sunyoto, M., Andoyo, R., Radiani, H. A., and Michelle, C. T. (2016) 'Kajian Sifat Fungsional Pati Ubi Jalar Melalui Perlakuan Modifikasi Heat Moisture Treatment sebagai Sediaan Pangan Darurat', *Sains dan Teknologi*, 5(2), pp. 846-854.
- Syamsir, E., Hariyadi, P., Fardiaz, D., and Andarwulan, N. (2012) 'Pengaruh Proses *Heat-Moisture Treatment* (HMT) Terhadap Karakteristik Fisikokimia Pati, *Teknologi dan Industri Pangan*, XXIII(1), pp. 100-106.
- Tan, X., Li, X., Chen, L., Xie, F., Li, L., and Huang, J. (2017) 'Effect of heat-moisture treatment on multi-scale structures and physicochemical properties of breadfruit starch', *Carbohydrate Polymers*. Elsevier Ltd., 161, pp. 286-294.
- Tester, R.F. and Morrison, W.R. (1990). Swelling gelatinization of cereal starches I. Effect of amylopectin, amylase and lipids. *Cereal Chemistry* 67 : 551-557.
- Thakur, R., Saberi, B., Pristijono, P., Golding, J., Stathopoulos, C., Scarlett, C., and Vuong, Q. (2016) 'Characterization of rice starch- κ -carrageenan biodegradable *edible film*. Effect of stearic acid on the film properties', *International Journal of Biological Macromolecules*, 93, pp. 952-960.
- Triwarsita, W. S. A., Atmaka, W. and Rahadian, D. (2013) 'Pengaruh Penggunaan edible Coating Pati Sukun dengan Variasi Konsentrasi Gliserol sebagai Plasticizer terhadap Kualitas Jenang Dodol Selama Penyimpanan', *Teknosains Pangan*, 2(1), pp. 124-132.
- Wang, K., Wang, W., Ye, R., Liu, A., Xiao, J., Liu, Y., and Zhao, Y. (2017) 'Mechanical properties and solubility in water of corn starch-collagen composite films : Effect of starch type and concentrations', *Food Chemistry*. Elsevier Ltd, 216, pp. 209-216.

- Warkoyo, Rahardjo, B., Marseno, D. W., & Karyadi, J. N. W. (2014) 'Sifat Fisik, Mekanik, dan Barrier *Edible film* Berbasis Pati Umbi Kimpul (*Xanthosoma sagittifolium*) yang Diinkorporasi dengan Kalium Sorbat', *Agritech*, 34(1), pp. 72–81.
- Wihodo, M. and Moraru, C. I. (2013) 'Physical and chemical methods used to enhance the structure and mechanical properties of protein films : A review', *Journal of Food Engineering*. Elsevier Ltd, 114, pp. 292–302.
- Yadav, B. S., Guleria, P. and Yadav, R. B. (2013) 'Hydrothermal modification of Indian water chestnut starch: Influence of heat-moisture treatment and annealing on the physicochemical, gelatinization and pasting characteristics', *LWT - Food Science and Technology*, 53(1), pp. 211–217.
- Yahya, K., Naiu, A. S. and Yusuf, N. (2015) 'Karakteristik Organoleptik Dodol Ketan yang Dikemas dengan Edible Coating dari Kitosan Rajungan Selama Penyimpanan Suhu Ruang', *Perikanan dan Kelautan*, 3, pp. 111–117.
- Zavareze, E. D. R., Pinto, V. Z., Klein, B., El Halal, S. L. M., Elias, M. C., Prentice-Hernández, C., and Dias, A. R. G. (2012) 'Development of oxidised and heat-moisture treated potato starch film', *Food Chemistry*, 132(1), pp. 344–350.
- Zavareze, E. and Dias, A. R. G. (2011) 'Impact of heat-moisture treatment and annealing in starches : A review', *Carbohydrate Polymers*. Elsevier Ltd., 83(2), pp. 317–328.
- Zhang, P., Zhao, Y. and Shi, Q. (2016) 'Characterization of a novel *edible film* based on gum ghatti : Effect of plasticizer type and concentration', *Carbohydrate Polymers*. Elsevier Ltd., 153, pp. 345–355.
- Zhong, Y., Cavender, G. and Zhao, Y. (2014) 'Investigation of different coating application methods on the performance of edible coatings on Mozzarella cheese', *LWT - Food Science and Technology*. Elsevier Ltd, 56(1), pp. 1–8.
- Zhu, F. and Wang, S. (2014) 'Physicochemical properties , molecular structure , and uses of sweetpotato starch', *Trends in Food Science & Technology*. Elsevier Ltd, 36(2), pp. 68–78.