

DAFTAR PUSTAKA

- Abdullah, L. 2011. Herbage production and quality of shrub Indigofera treated by different concentration of foliar fertilizer. *Media Peternakan* 33(3): 169-175.
- Adjei, M.B. and F.K. Fianu. 1985. The effect of cutting interval on the yield and nutritive value of some tropical legumes on the coastal grassland of Ghana. *Trop. Grass.* 19: 164-171.
- Aganga, A.A. and S. Tshwenyane. 2004. Potentials of guinea grass (*Panicum maximum*) as forage crop in livestock production. *Pakistan J. Nutr.* 3(1): 1-4.
- Ahmad, Z., A. Ghafoor, and A. Ali. 2000. Evaluation of three exotic legume species for fodder potential. *Pakistan J. Biol. Sci.* 3: 2079-2081.
- Aiple, K.P., H. Steingass, and W. Drochner. 1996. Prediction of the net energy content of rawmaterials and compound feeds for ruminants by different laboratory methods. *Arch. Anim. Nutr.* 49: 213-220.
- AOAC. 2005. Official Method of Analysis of the Association of Official Analytical Chemists. 18th ed. AOAC International. William Harwitz (ed). Maryland.
- Aregheore, E.M., T.A. Steglar, and J.W. Ng'ambi. 2006. Nutrient characterisation and *in vitro* digestibility of grass and legume/browse species-based diets for beef cattle in Vanuatu. *The South Pacific J. Nat. Appl. Sci.* 24(1): 20-27.
- Bakshi M.P.S. and M. Wadhwa. 2007. Tree leaves as complete feed for goat kids. *Small Ruminant Res.* 69: 74-78.
- Ball, D.M., M. Collins, G.D. Lacefield, N.P. Martin, D.A. Mertens, K.E. Olson, D.H. Putnam, D.J. Undersander, and M.W. Wolf. 2001. Understanding forage quality. American Farm Bureau Federation Publication 1(1): 1-16.
- Beever, D.E. and F.L. Mould. 2000. Forage evaluation for efficient ruminant livestock production. In: *Forage Evaluation in Ruminant Nutrition*. D. I. Givens, E. Owen, R. F. E. Axford, and H. M. Omed (eds.). CAB International, Wallingford.
- Belachew, Z., K. Yisehak, T. Taye, and G.P.J. Janssens. 2013. Chemical composition and in sacco ruminal degradation of tropical trees rich in condensed tannins. *Czech J. Anim. Sci.* 58(4): 176-192.
- Beuvink, J.M.W. and J. Kogutk. 1993. Modelling gas production kinetics of grass silages incubated with buffered rumen fluid. *J. Anim. Sci.* 71(4):1041-1046.

- Blummel, M. and E.R. Ørskov. 1993. Comparison of *in vitro* gas production and nylon bag degradability of roughages in predicting feed intake in cattle. *Anim. Feed Sci. Technol.* 40(2): 109-119.
- Boschma, S.P., M.L. Lollback, and A.J. Rayner. 2010. Tropical perennial grasses - pasture quality and livestock production. Primefact 1070.
- Broderick, G.A. and R.C. Cochran. 2000. *In vitro* and *in situ* methods for estimating digestibility with reference to protein degradability. In: *Journal of Feeding Systems and Feed Evaluation Models*. Theodorou, M. K. and France (eds.). CAB International.
- Bueno, I.C., S.L. Cabral Filho, S.P. Gobbo, H. Louvandini, D.M. Vitti, and A.L. Abdalla. 2005. Influence of inoculum source in a gas production method. *Anim. Feed Sci. Technol.* 123: 95-105.
- Buxton, D. 1996. Quality related characteristics of forages as influenced by plant environment and agronomic factors. *Anim. Feed Sci. Technol.* 59: 37-49.
- CABI. 2017. *Urochloa mutica* (para grass). In: *Invasive Species Compendium*. CAB International, Wallingford. Available at www.cabi.org/isc. Diakses 11 Juli 2017.
- Campbell, B., and M. Ulyatt. 1996. Nutritive value of subtropical grasses invading North Island pastures. In: *Proceedings of the New Zealand Grassland Association* (57): 203-206.
- Cecava, M.J., N.R. Merchen, L.C. Gay, and L.L. Berger. 1990. Composition of ruminal bacteria harvested from steers as influenced by dietary energy level, feeding frequency, and isolation techniques. *J. Dairy Sci.* 73: 2480-2488.
- Chen, X.B. 1995. *Fitcurve Macro*. International Feed Resources Unit, The Macaulay Institute, Aberdeen.
- Chenost, M., J. Aufrère, and D. Macheboeuf. 2001. The gas-test technique as a tool for predicting the energetic value of forage plants. *Anim. Res.* 50(5): 349-364.
- Chumpavadee, S., K. Sommart, T. Vongpralub, and V. Pattarajinda. 2005. Nutritional evaluation of non forage high fibrous tropical feeds for ruminant using *in vitro* gas production technique. *Pakistan J. Nutr.* 4(5): 298-303.
- Cook, B.G., B.C. Pengelly, S.D. Brown, J.L. Donnelly, D.A. Eagles, M.A. Franco, J. Hanson, B.F. Mullen, I.J. Partridge, M. Peters, and R. Schultze-Kraft. 2005. *Tropical Forages: An Interactive Selection Tool*. CSIRO, DPI&F(Qld), CIAT and ILRI, Brisbane, Australia.
- Craig, W.M., D.R. Brown, G.A. Broderick, and D.B. Ricker. 1987. Post-prandial compositional changes of fluid and particle-associated ruminal microorganisms. *J. Anim. Sci.* 65: 1042-1048.

- Daryatmo, J., K. Kustantinah, and E.R. Orskov. 2014. The chemical composition and various samples preparation methods for *in vitro* gas test of two tropical feeds. *J. Indonesian Trop. Anim. Agric.* 39(2): 98-103.
- De Carvalho, G.G.P., A.J.V. Pires, C.M. Veloso, F.F. da Silva, and R.R. Silva. 2014. Degradabilidade ruminal do feno de forrageiras tropicais. *Current Agric. Sci. Technol.* 12(1): 81-85.
- Deaville, E.R. and P.C. Flinn. 2000. Near-infrared (NIR) spectroscopy: An alternative approach for the estimation of forage quality and voluntary intake. In: *Forage Evaluation in Ruminant Nutrition*. D.I. Givens, E. Owen, R.F.E. Axford, and H.M. Omed (eds.). CAB International, Wallingford.
- Debela, E., A. Tolera, A., L.O. Eik, and R. Salte, R. 2011. Valor nutritivo de las fracciones morfológicas de *Sesbania sesban* Y *Desmodium intortum*. *Tropical and subtropical agroecosystems*. 14(3): 793-805.
- Dewhurst, R.J., R.T. Evans, N.D. Scollan, J.M. Moorby, R.J. Merry, and R.J. Wilkins. 2003. Comparison of grass and legume silages for milk production. 2. *In vivo* and *in sacco* evaluations of rumen function. *J. Dairy Sci.*, 86(8): 2612-2621.
- Dhanao, M.S., S. Lopez, and J. France. 2008. Linear models for determining digestibility. In: *Mathematical Modelling In Animal Nutrition*. J. France and E. Kebreab (eds.). CAB International, Wallingford.
- DiCostanzo, A. and N. DiLorenzo, 2006. Strategic manipulation of RDP and RUP supply to meet the protein needs of beef cows. In: *Florida Ruminant Symposium*. Babatounde, S. (ed.). Best Western Gateway Grand, Gainesville, Florida.
- Ecocrop. 2017. *Brachiaria decumbens*. Food and Agriculture Organization of the United Nations, Ecocrop online database. Available at <http://ecocrop.fao.org/ecocrop/srv/en/cropView?id=537>. Diakses 11 Juli 2017.
- Ecocrop. 2017. *Panicum maximum*. Food and Agriculture Organization of the United Nations, Ecocrop online database. Available at <http://ecocrop.fao.org/ecocrop/srv/en/cropView?id=1605>. Diakses 11 Juli 2017.
- Ecocrop. 2017. *Panicum muticum*. Food and Agriculture Organization of the United Nations, Ecocrop online database. Available at <http://ecocrop.fao.org/ecocrop/srv/en/cropView?id=540>. Diakses 11 Juli 2017.
- Ecocrop. 2017. *Pennisetum purpureum*. Food and Agriculture Organization of the United Nations, Ecocrop online database.

Available at <http://ecocrop.fao.org/ecocrop/srv/en/cropView?id=1651>.
Diakses 11 Juli 2017.

Ecocrop. 2017. *Sesbania grandiflora*. Food and Agriculture Organization of the United Nations, Ecocrop online database. Available at <http://ecocrop.fao.org/ecocrop/srv/en/cropView?id=1938>. Diakses 11 Juli 2017.

Ecocrop. 2017. *Sesbania sesban*. Food and Agriculture Organization of the United Nations, Ecocrop online database. Available at <http://ecocrop.fao.org/ecocrop/srv/en/cropView?id=9722>. Diakses 11 Juli 2017.

Fanindi, A. dan E. Sutedi. 2014. Karakter morfologi rumput benggala (*Panicum maximum* cv Gatton) yang ditanam menggunakan jenis benih berbeda. Balai Penelitian Ternak, Bogor.

FAO. 2016. Grassland Index. A searchable catalogue of grass and forage legumes. FAO, Rome, Italy <http://www.fao.org/ag/AGP/AGPC/doc/GBASE/DATA/PF000187.HTM> Diakses 10 Oktober 2016 jam 20:30 WIB.

Forejtová, J., F. Lád, J. Třináctý, M. Richter, L. Gruber, P. Doležal, P. Homolka, and L. Pavelek. 2005. Comparison of organic matter digestibility determined by *in vivo* and *in vitro* methods. Czech J. Anim. Sci. 50(2): 47-53.

Francis, J.K. 2004. Wildland Shrubs of The United States and Its Territories: Thamnic Descriptions. Volume 1. Gen. Tech. Rep. IITF-GTR-26. San Juan, PR, U.S. Department of Agriculture, Forest Service, International Institute of Tropical Forestry, and Fort Collins, CO, U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.

Galis, A., C. Marcq, D. Marlier, D. Portetelle, I. Van, Y. Beckers, and A. Thewis. 2013. Comprehensive Reviews in Food Science and Food Safety. Wiley-Blackwell Publishing, Inc. Massachusetts.

Gerdes, L., J.C. Werner, M.T. Colozza, R.A. Possenti, and E.A. Schammas. 2000. Avaliação de características de valor nutritivo das gramíneas forrageiras Marandu, Setária e Tanzânia nas estações do ano. Revista Brasileira de Zootecnia, 29(4): 955-963.

Getachew, G., E. DePeters, and P. Robinson. 2004. *In vitro* gas production provides effective method for assessing ruminant feeds. California Agric. 58(1): 54-58.

Getachew, G., G.M. Crovetto, M. Fondevila, U. Krishnamoorthy, B. Singh, M. Spanghero, H. Steingass, P.H. Robinson, and M.M. Kailas. 2002. Laboratory variation of 24 h *in vitro* gas production and estimated metabolizable energy values of ruminant feeds. Anim. Feed Sci. Technol. 102(1): 169-180.

- Getachew, G., H.P.S. Makkar, and K. Becker. 2002. Tropical browses: contents of phenolic compounds, *in vitro* gas production and stoichiometric relationship between short chain fatty acid and *in vitro* gas production. *J. Agric. Sci.* 139(3): 341-352.
- Getachew, G., M. Blümmel, H.P.S. Makkar, and K. Becker. 1998. *In vitro* gas measuring techniques for assessment of nutritional quality of feeds: A review. *Anim. Feed Sci. Technol.* 72: 261-281.
- GISD. 2015. Species profile *Urochloa maxima*. Global Invasive Species Database .Available at <http://www.iucngisd.org/gisd/species.php?sc=398>. Diakses 11 Juli 2017.
- González, A.T. and C.M. Morton. 2005. Molecular and morphological phylogenetic analysis of *Brachiaria* and *Urochloa* (*Poaceae*). *Molecular phylogenetics and evolution* 37(1): 36-44.
- Hadi, R.F., Kustantinah, dan H. Hartadi. 2011. Kecernaan *in sacco* hijauan leguminosa dan hijauan non-leguminosa dalam rumen sapi peranakan ongole. *Buletin Peternakan* 35(2): 79-85.
- Halim, R.A., S. Shampazuraini, and A.B. Idris. 2013. Yield and nutritive quality of nine Napier grass varieties in Malaysia. *Malaysian J. Anim. Sci.* 16(2): 37-44.
- Hariadi, B.T. and B. Santoso. 2010. Evaluation of tropical plants containing tannin on *in vitro* methanogenesis and fermentation parameters using rumen fluid. *J. Sci. Food Agric.* 90(3): 456-461.
- Hassen, A., N.F.G. Rethman, Z. Apostolides, and W.V. Niekerk. 2008. Forage production and potential nutritive value of 24 shrubby Indigofera accessions under field conditions in South Africa. *Tropical Grasslands.* 42(2): 96-103.
- Heuzé V., G. Tran, M. Boval, and F. Lebas. 2016. Signal grass (*Brachiaria decumbens*). Feedipedia, a programme by INRA, CIRAD, AFZ and FAO. <http://www.feedipedia.org/node/489> (diunduh pada tanggal 7 Juli 2015).
- Heuzé V., G. Tran, S. Giger-Reverdin, D. Bastianelli, and F. Lebas. 2015. Phasey bean (*Macroptilium lathyroides*). Feedipedia, a programme by INRA, CIRAD, AFZ and FAO. <http://www.feedipedia.org/node/627> (diunduh pada tanggal 7 Juli 2015).
- Heuzé, V. And G. Tran. 2015. Giant setaria (*Setaria sphacelata var. splendida*). Feedipedia, a programme by INRA, CIRAD, AFZ and FAO. <http://www.feedipedia.org/node/380> (diunduh pada tanggal 7 Juli 2015).

- Humphreys, L.R. and I.J. Partridge. 1995. A Guide to Better Pastures for the Tropics and Subtropics. Revised 5th ed. NSW Agriculture. New South Wales.
- Hvelplund, T. and M.R. Weisbjerg. 2000. *In situ* techniques for the estimation of protein degradability and postrumen availability. In: Forage Evaluation in Ruminant Nutrition. D. I. Givens, E. Owen, R. F. E. Axford, and H. M. Omed (eds.). CAB International, Wallingford.
- Iriani, N. 2004. Perubahan kandungan oksalat selama proses silase rumput setaria. Prosiding Temu Teknis Nasional Tenaga Fungsional Pertanian. Pusat Penelitian dan Pengembangan Peternakan Hal: 104-109.
- Jung, H.G. and M.S. Allen. 1995. Characteristics of plant cell walls affecting intake and digestibility of forages by ruminants. J. Anim. Sci. 73(9): 2774-2790.
- Jung, H.J.G. 2012. Forage digestibility: The intersection of cell wall lignification and plant tissue anatomy. In Proceedings of the 23rd Annual Florida Ruminant Nutrition Symposium. Pp. 162-174.
- Kaitho, R.J., I.V. Nsahlai, B.A. Williams, N.N. Umunna, S. Tamminga, and J. Van Bruchem. 1997. Relationships between preference, rumen degradability, gas production and chemical composition of browses. Agroforestry Systems 39(2): 129-144.
- Kamalak, A., O. Canbolat, and Y. Gurbuz. 2004. Comparison between *in situ* dry matter degradation and *in vitro* gas production of tannin-containing leaves from four tree species. South Africa J. Anim. Sci. 34(4): 233-240.
- Kamalak, A., O. Canbolat, Y. Gurbuz, A. Erol, and O. Ozay. 2005. Effect of maturity stage on chemical composition, *in vitro* and *in situ* dry matter degradation of tumbleweed hay (*Gundelia tournefortii* L.). Small Ruminant Res. 58(2): 149-156.
- Kamalak, A., O. Canbolat, Y. Gurbuz, and O. Ozay. 2005. Comparison of *in vitro* gas production technique with *in situ* nylon bag technique to estimate dry matter degradation. Czech J. Anim. Sci. 50: 60-67.
- Kartesz, J.T. 1999. A synonymized checklist and atlas with biological attributes for the vascular flora of the United States, Canada, and Greenland, 1st ed. In: Synthesis of the North American flora, version 1.0. J.T. Kartesz and C.A. Meacham (eds), North Carolina Botanical Garden, Chapel Hill, North Carolina.
- Kazemi, M., A.M. Tahmasbi, A.A. Naserian, R.E.Z.A. Valizadeh, and M.M. Moheghi. 2012. Potential nutritive value of some forage species used as ruminants feed in Iran. African J. Biotechnol. 11(57): 12110-12117.

- Khazaal, K.A., J. Boza, and E.R. Ørskov. 1994. Assessment of phenolics-related anti-nutritive effects in Mediterranean browse: A comparison between the use of the *in vitro* gas production technique with or without polyvinylpolypyrrolidone or nylon bag. *Anim. Feed Sci. Technol.* 49:133-149.
- Kiranadi, B. and D. Sastradipradja. 2002. Glucose kinetics for milk synthesis in Etawah crossbred goats fed king grass silage prepared with manure. *Asian-Aust J. Anim. Sci.* 15(7): 982-985.
- Kitessa, S., G.G. Irish, and P.C. Flinn. 1999. Comparison of methods used to predict the *in vivo* digestibility of feeds in ruminants. *Crop and Pasture Sci.* 50(5): 825-842.
- Kondo, M., M. Yoshida, M. Loresco, R.M. Lapitan, J.R.V Herrera, A.N. Del Barrio, Y. Uyeno, H. Matsui, and T. Fujihara. 2015. Nutrient contents and *in vitro* ruminal fermentation of tropical grasses harvested in wet season in the Philippines. *Adv. Anim. Vet. Sci.* 3(12): 694-699.
- Krishna, G., and K.D. Günther. 1987. The usability of Hohenheim gas test for evaluating *in vitro* organic matter digestibility and protein degradability at rumen level of some agro-industrial by-products. *Landwirtschaftliche Forshung* 40: 281-286.
- Krishnamoorthy, U., H. Soller, H. Steingass, and K.H. Menke. 1995. Energy and protein evaluation of tropical feedstuffs for whole tract and ruminal digestion by chemical analysis and rumen inoculum studies *in vitro*. *Anim. Feed Sci. Technol.* 52: 177-188.
- Krueger, N.A., A.T. Adesogan, C.R. Staples, W.K. Krueger, D.B. Dean, and R.C. Littell. 2008. The potential to increase digestibility of tropical grasses with a fungal, ferulic acid esterase enzyme preparation. *Anim. Feed Sci. Technol.* 145(1): 95-108.
- Kumar, P. and J.P.F. D'Mello. 1995. Anti-nutritional factors in forage legumes. In: *Tropical Legumes in Animal Nutrition*. J.P.F. D'Mello and C. Devendra (ed). CAB International, pp. 95- 133.
- Kustantinah, Z. Bachrudin, dan H. Hartadi. 1993. Evaluasi pakan berserat pada ruminansia. Forum Komunikasi Hasil Penelitian Bidang Peternakan. Bidang Pakan dan Nutrisi. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.
- Licker, M.D. 2003. *Dictionary of Bioscience 2nd*. The McGraw-Hill Companies, Inc. New York.
- López, S., J. Dijkstra, and J. France. 2000. Prediction of energy supply in ruminants, with ephasis on forages. In: *Forage Evaluation in Ruminant Nutrition*. D. I. Givens, E. Owen, R. F. E. Axford, and H. M. Omed (eds.). CAB International, Wallingford.

- López, S., M.D. Carro, J.S. González, and F.J. Ovejero. 1998. Comparison of different *in vitro* and *in situ* methods to estimate the extent and rate of degradation of hays in the rumen. *Anim. Feed Sci. Technol.* 73(1): 99-113.
- Makkar, H.P.S., E.M. Aregheore, and K. Becker. 1999. Effect of saponins and plant extracts containing saponins on the recovery of ammonia during urea-ammoniation of wheat straw and fermentation kinetics of the treated straw. *J. Agric. Sci. Cambridge* 132: 313-321.
- Makkar, H.P.S., M. Blummel, and K. Becker. 1995. In vitro effects of and interaction between tannins and saponins and fate of tannins in the rumen. *J. Sci. Food Agric.* 69: 481-493.
- Mathius, I.W. 1993. Tanaman lamtoro sebagai bank pakan hijauan yang berkualitas untuk kambing-domba. *Wartazoa* 3(1): 24-29.
- McDonald, P., R.A. Edwards, J.F.D. Greenhalgh, C.A. Morgan, L.A. Sinclair, and R.G. Wilkinson. 2010. *Animal Nutrition*. 7th ed. Prentice Hall Pearson, Harlow, England.
- Melaku, S., K.J. Peters, and A. Tegegne. 2003. *In vitro* and *in situ* evaluation of selected multipurpose trees, wheat bran and *Lablab purpureus* as potential feed supplements to tef (*Eragrostis tef*) straw. *Anim. Feed Sci. Technol.* 108(1): 159-179.
- Menke, K.H., and H. Steingass. 1988. Estimation of the energetic feed value obtained from chemical analysis and *in vitro* gas production using rumen fluid. *Anim. Res. Dev.* 28: 7-55.
- Menke, K.H., L. Raab, A. Salewski, H. Steingass, D. Fritz, and W. Schneider. 1979. The estimation of the digestibility and metabolizable energy content of ruminant feedingstuffs from the gas production when they are incubated with rumen liquor *in vitro*. *J. Agric. Sci.* 93(1): 217-222.
- Mertens, D.R. 2005. Rate and extent of digestion. In: *Quantitative Aspects of Ruminant Digestion and Metabolism*. 2nd ed. J. Dijkstra, J.M. Forbes, and J. France (eds). CAB International, Wallingford.
- Minson, D.J. 1990. *Forage In Ruminant Nutrition*. Academic Press. New York.
- Mlay, P.S., A. Pereka, E. Chikula Phiri, S. Balthazary, J. Igusti, T. Hvelplund, M. Riis Weisbjerg, and J. Madsen. 2006. Feed value of selected tropical grasses, legumes and concentrates. *Veterinarski Archiv.* 76(1): 53-63.
- Nagashiro, C.W., and F. Shibata. 1995. Influence of flooding and drought conditions on herbage yield and quality of phasey bean (*Macroptilium lathyroides* (L.) Urb.). *Grassl. Sci.* 41:218-225.

- Nakanishi, Y., K. Tsuru, T. Bungo, M. Shimojo, Y. Masuda, and I. Goto, 1993. Effects of growth stage and sward structure of *Macroptilium lathyroides* and *Macroptilium atropurpureum* on selective grazing and bite size in goats. *Trop. Grass.* 27(2): 108-113.
- Nasrullah, M. Niimi, R. Akashi, and O. Kawamura, 2003. Nutritive evaluation of forage plants grown in South Sulawesi, Indonesia. *Asian-Aust. J. Anim.Sci.* 16(5): 693-701.
- Noviandi, C. T. 2005. The effect of chemical treatments on the chemical composition and *in vitro* digestibility of tropical forages. Master Thesis. The University of Queensland. Queensland.
- Nozière, P. and B. Michalet-Doreau. 2000. *In sacco* methods. In: Farm Animal Metabolism and Nutrition. J.P.F. D'Mello (ed). CAB International, Wallingford.
- Orwa, C., A. Mutua, R. Kindt, R. Jamnadass, and A. Simons. 2009. Agroforestry database: a tree species reference and selection guide version 4.0. World Agroforestry Centre, International Centre for Research in Agroforestry, Nairobi.
- Ørskov, E.R., and I. McDonald. 1979. The estimate of protein degradability in the rumen from incubation measurement weight according to rate of passage. *J. Anim. Sci.* 92: 429-503.
- Ørskov, E.R., F.D. DeB Hovell, and F. Mould. 1980. The use of the nylon bag technique for the evaluation of feedstuffs. *Trop. Anim. Prod.* 5: 195-213.
- Ozkan, C.O. and M. Sahin. 2006. Comparison of *in situ* dry matter degradation with *in vitro* gas production of oak leaves supplemented with or without polyethylene glycol (PEG). *Asian-Aust. J. Anim. Sci.* 19(8): 1120-1126.
- Patra, J.K., R.R. Mishra, S.D. Rout, and H.N. Tatoi. 2011. Assessment of nutrient content of different grass species of Similipal Tiger reserve orissa. *J. Agri. Sci.* 7: 37-41.
- Promkot, C., M. Wanapat, and P. Rowlinson. 2007. Estimation of ruminal degradation and intestinal digestion of tropical protein resources using the nylon bag technique and the three-step *in vitro* procedure in dairy cattle on rice straw diets. *Asian-Austr. J. Anim. Sci.* 20(12): 1849-1857.
- Raab, L., B. Cafantaris, T. Jilg, and K.H. Menke. 1983. Rumen protein degradation and biosynthesis. *Brit. J. Nutr.* 50(3): 569-582.
- Robinson, P.H., M.C. Mathews, and J.G. Fadel. 1999. Influence of storage time and temperature on *in vitro* digestion of neutral detergent fibre at 48 h, and comparison to 48 h *in sacco* neutral detergent fibre digestion. *Anim. Feed Sci. Technol.* 80: 257-266.

- Rymer, C., J.A. Huntington, B.A. Williams, and D.I. Givens. 2005. *In vitro* cumulative gas production techniques: History, methodological considerations and challenges. *Anim. Feed Sci. Technol.* 123: 9-30.
- Sandoval-Castro, C.A., H.L. Lizarraga-Sanchez, and F.J. Solorio-Sanchez. 2005. Assessment of tree fodder preference by cattle using chemical composition, *in vitro* gas production and *in situ* degradability. *Anim. Feed Sci. Technol.* 123: 277-289.
- Sath, K. 2012. Nutrient utilisation in growing Cambodian cattle. PhD Thesis. Swedish University of Agricultural Science. Uppsala.
- Seal, T. 2012. Evaluation of nutritional potential of wild edible plants, traditionally used by the tribal people of Meghalaya state in India. *Amer. J. Plant Nutr. Fertil. Tech.* 2: 19-26.
- Serra, A.B., S.D. Serra, E.A. Orden, L.C. Cruz, K. Nakamura, and T. Fujihara, 1997. Variability in ash, crude protein, detergent fiber and mineral content of some minor plant species collected from pastures grazed by goats. *Asian-Austr. J. Anim. Sci.* 10(1): 28-34.
- Shem, M.N., E.R. Ørskov, and A.E. Kimambo. 1995. Prediction of voluntary dry-matter intake, digestible dry-matter intake and growth rate of cattle from the degradation characteristics of tropical foods. *Anim. Sci.* 60(1): 65-74.
- Shen, C., X. Shang, X. Chen, Z. Dong, and J. Zhang. 2012. Growth, chemical components and ensiling characteristics of king grass at different cuttings. *African J. Biotechnol.* 11(64): 12749-12755.
- Sileshi, Z., E. Owen, M.S. Dhanoa, and M.K. Theodorou. 1996. Prediction of *in situ* rumen dry matter disappearance of Ethiopian forages from an *in vitro* gas production technique using a pressure transducer, chemical analyses or *in vitro* digestibility. *Anim. Feed Sci. Technol.* 61(1-4): 73-87.
- Simanihuruk, K.J., dan J. Sirait. 2009. Pemanfaatan leguminosa pohon *Indigofera* sp. sebagai pakan basal kambing boerka fase pertumbuhan. *Jurnal Ilmu Ternak Veteriner* 19(3): 449-455.
- Sofyan, A. and H. Herdian. 2012. Differences in drying method of king grass (*Pennisetum hybrid*) silage samples prepared for *in vitro* digestibility analysis. *Proceeding of the 2nd International Seminar on Animal Industry.* 181-187.
- Sofyan, A., A.A. Sakti, H. Herdian, G. Khairulli, A.E. Suryani, P.D.M.H. Karti, and A. Jayanegara. 2016. *In vitro* gas production kinetics and digestibility of king grass (*Pennisetum hybrid*) added by organic mineral and natural crude tannin. *J. Appl. Anim. Res.* 45(1): 122-125.
- Sudirman, S., S. Suhubdy, S.D. Hasan, S.H. Dilaga, dan I.W. Karda. 2015. Kandungan neutral detergent fibre (NDF) dan acid detergent

- fibres (ADF) bahan pakan lokal ternak sapi yang dipelihara pada kandang kelompok. *Jurnal Ilmu dan Teknologi Peternakan Indonesia* 1(1): 66-70.
- Sultan, J.I., M.N. Manzoor, M.A. Shahzad, and M. Nisa. 2011. Nutritional profile and *in situ* digestion kinetics of some irrigated grasses at pre-bloom stage. *Int. Conf. Biol. Env. Chem.* 24: 455-463.
- Tan, H.Y., C.C. Sieo, N. Abdullah, J.B. Liang, X.D. Huang, and Y.W. Ho. 2011. Effects of condensed tannins from *Leucaena* on methane production, rumen fermentation and populations of methanogens and protozoa *in vitro*. *Anim. Feed Sci. Technol.* 169(3): 185-193.
- Tarigan, A., J. Sirait, dan S.P. Ginting. 2013. Produksi dan komposisi nutrisi *Indigofera* sp. pada intensitas pemotongan dan jarak tanam yang berbeda di dataran tinggi dengan curah hujan sedang. *Seminar Nasional Teknologi Peternakan dan Veteriner.* 441-448.
- Theodorou, M.K., B.A. Williams, M.S. Dhanoa, A.B. McAllan, and J. France. 1994. A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds. *Anim. Feed Sci. Technol.* 48(3): 185-197.
- Thomson, D.J. and D.E. Beever. 1980. The effect of conservation and processing on the digestion of forages by ruminants. In: *Digestive Physiology and Metabolism in Ruminants. Proceedings of the 5th International Symposium on Ruminant Physiology.* Y. Ruckebusch and P. Thivend (ed). Published by MTP Press Limited Falcon House Lancaster. pp. 291-308.
- Tjelele, T.J. 2006. Dry matter production, intake and nutritive value of certain *Indigofera* species. Master Thesis. University of Pretoria. Pretoria.
- Tobisa, M., Y. Nakano, J. Paek, T. Mochizuki, M. Shimojo, and Y. Masuda. 2005. Fermentation quality and palatability of rice (*Oryza sativa*) plant silages as affected by mixing with phasey bean (*Macroptilium lathyroides* (L.) Urb.). *Japanese J. Grass. Sci.* 51(3): 274-280.
- Tokita, N., H. Karaama, M. Nekooki, Y. Yamasato, M. Shimojo, and Y. Masuda. 2005. Effect of steam treatment on chemical composition, *in vitro* dry matter digestibility, and *in situ* degradability of tropical legumes in the rumen of sheep. *Anim. Sci. J.* 76(3): 303-305.
- USDA. 2017. *Indigofera arrecta* Hochst. ex A. Rich. Available at <https://plants.usda.gov/core/profile?symbol=INAR2>. Diakses 12 Juli 2017.
- USDA. 2017. *Leucaena leucocephala* (Lam.) de Wit. Available at <https://plants.usda.gov/core/profile?symbol=LELE10>. Diakses 12 Juli 2017.

- USDA. 2017. *Macroptilium lathyroides* (L.) Urb. var. *lathyroides*. Available at <https://plants.usda.gov/core/profile?symbol=MALAL2>. Diakses 12 Juli 2017.
- USDA. 2017. *Pennisetum purpureum* Schumach. Available at <https://plants.usda.gov/core/profile?symbol=PEPU2>. Diakses 12 Juli 2017.
- USDA. 2017. *Sesbania grandiflora* (L.) Poir. Available at <https://plants.usda.gov/core/profile?symbol=SEGR5>. Diakses 12 Juli 2017.
- USDA. 2017. *Sesbania sesban* (L.) Merr. Available at <https://plants.usda.gov/core/profile?symbol=SESE8>. Diakses 12 Juli 2017.
- USDA. 2017. *Setaria sphacelata* (Schumach.) Stapf & C.E. Hubb. ex M.B. Moss var. *splendida* (Stapf) Clayton. Available at <https://plants.usda.gov/core/profile?symbol=SESP5>. Diakses 12 Juli 2017.
- USDA. 2017. *Setaria sphacelata* (Schumach.) Stapf & C.E. Hubb. ex M.B. Moss. Available at <https://plants.usda.gov/core/profile?symbol=SESP5>. Diakses 12 Juli 2017.
- USDA. 2017. *Urochloa decumbens* (Stapf) R. Webster. Available at <https://plants.usda.gov/core/profile?symbol=URDE>. Diakses 12 Juli 2017.
- USDA. 2017. *Urochloa maxima* (Jacq.) R. Webster. Available at <https://plants.usda.gov/core/profile?symbol=URMA3>. Diakses 12 Juli 2017.
- USDA. 2017. *Urochloa mutica* (Forssk.) T.Q. Nguyena grass. Available at <https://plants.usda.gov/core/profile?symbol=URMU>. Diakses 12 Juli 2017.
- Utomo, R. 2012. Evaluasi Pakan dengan Metode Noninvasif. PT Citra Aji Parama. Yogyakarta.
- Valadares-Filho, S.D.C., D.D.S. Pina, M.L. Chizzotti, R.F.D. Valadares, C. Valadares-Filho, M.I. Marcondes, and P.V. Rodrigues Paulino. 2010. Ruminant feed protein degradation and microbial protein synthesis. Nutrient Requirements of Zebu Beef Cattle-BR-Corte. 2nd ed.
- Valentin, S.F., P.E.V. Williams, J.M. Forbes, and D. Sauvant. 1999. Comparison of the *in vitro* gas production technique and the nylon bag degradability technique to measure short-and long-term processes of degradation of maize silage in dairy cows. Anim. Feed Sci. Technol. 78(1): 81-99.

- Van Soest, P.J. 1994. Nutritional Ecology of the Ruminant. Second Edition. Comstock Publishing Associates. A. Division of Cornell University Press. Ithaca.
- Vo Lam and L. Inger. 2004. Effect of feeding different proportions of sweet potato vines (*Ipomoea batatas* L.(Lam.)) and *Sesbania grandiflora* foliage in the diet on feed intake and growth of goats. Livest. Res. Rural Dev. 16(10): 77.
- Wilkins, J.R. 1974. Pressure transducer method for measuring gas production by microorganisms. Appl. Microbiol. 27(1): 135-140.
- Williams, B.A. 2000. Cumulative gas-production techniques for forage evaluation. In: Forage Evaluation in Ruminant Nutrition. D.I. Givens, E. Owen. R.F.E. Axford, and H.M. Omed (eds.). CABI Publishing. Wallingford.
- Wilman, D., G.R. Foulkes, and D.I. Givens. 1996. A comparison of four methods of estimating the rate and extent of cell wall degradation in grass silages. Anim. Feed Sci. Technol. 63(1-4): 99-109.
- Wood, C.D., P.J. Thome, D.L. Romney, and M. Rosales. 1997. Laboratory Techniques Appropriate for Evaluating Ruminant Feeds for Less Developed Countries, With Particular Reference to the Potential Use of *In Vitro* Gas Production Methods. Natural Resources Institute, University of Greenwich. London.
- Zhao, J.Y., M. Shimojo, and I. Goto. 1993. The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique. Anim. Feed Sci. Technol. 41(4): 261-269.
- Zhong, S., Z. Zhou, J. Wen, and S. Yang. 2001. A study on adaptability of elephant grass and king grass in the sub-tropical region of Yunnan Province, China. Canye Kexue. 19(5): 23-25.