Hubungan Antara Tingkat Kecemasan dan Depresi Terhadap Derajat Bromhidrosis Aksila pada Dewasa di
Kabupaten Sleman
KARINA UMMA, dr. Fajar Waskito, M.Kes., Sp.KK(K); dr. Irwan Supriyanto, Ph.D; dr. Dwi Retno Adi Winarni, Sp.KK(
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Akhtar-Danesh, N. & Landeen, J., 2007. Relation between depression and sociodemographic factors. *International journal of mental health systems*, 1(1), p.4.

Bjelland, I., Krokstad, S., Mykletun, A., Dahl, A., Tell, G. and Tambs, K., 2008. Does a higher educational level protect against anxiety and depression? The HUNT study.Social Science & Medicine, 66(6), pp.1334-1345.

Bocerean, C. and Dupret, E. 2014. A Validation A validation Study of the Hospital Anxiety and Depression Scale (HADS) in a Large Sample of French Smployees. *BMC Psychiatry*.14(1).

Braganca, G.M.G. *et. al*., 2014. Evaluation of anxiety and depression prevalence in patients with primary severe hyperhidrosis. *Anais Brasileiros de Dermatologia*, 89(2), pp.230–235.

Dahlan, M. S., 2008. *Statistik untuk Kedokteran dan Kesehatan* 5th ed. Jakarta: Salemba Medika. p:66.

Deuschle, M., Schweiger, U., Weber, B., Gotthardt, U., Körner, A., Schmider, J., Standhardt, H., Lammers, C. and Heuser, I. (1997). Diurnal Activity and Pulsatility of the Hypothalamus-Pituitary-Adrenal System in Male Depressed Patients and Healthy Controls. The Journal of Clinical Endocrinology & Metabolism, 82(1), pp.234-238.

Gilbertson, M., Shenton, M., Ciszewski, A., Kasai, K., Lasko, N., Orr, S. and Pitman, R. (2002). Smaller hippocampal volume predicts pathologic vulnerability to psychological trauma. Nature Neuroscience, 5(11), pp.1242-1247.

Haider, A. & Solish, N., 2005. Focal hyperhidrosis: Diagnosis and management. *CMAJ*, 172(1), pp.69–75.

Jacobi, F., Klose, M. and Wittchen, H., 2004. Mental disorders in the community: healthcare utilization and disability days. *Bundesgesundheitsblatt-Gesundheitsforschung - Gesundheitsschutz*, 47(8).

Kaplan, H.I., Sadock, B.J. & Grebb, J.A., 2010. *Sinopsis Psikiatri: Ilmu Pengetahuan Perilaku Psikiatri Klinis* 7th ed. I. M. Wiguna S, ed., Tangerang: Binarupa Aksara. pp: 17-27, 791-203.

Kessler, R., Chiu, W., Demler, O. and Walters, E. (2005). Prevalence, Severity, and Comorbidity of 12-Month DSM-IV Disorders in the National Comorbidity Survey Replication. Arch Gen Psychiatry, 62(6), p.617.

Kirschbaum, C., Prussner, J., Stone, A., Federenko, I., Gaab, J., Lintz, D., Schommer, N. and Hellhammer, D., 1995. Persistent High Cortisol Responses to Repeated Psychological Stress in a Subpopulation of Healthy Men.Psychosomatic Medicine, 57(5), pp.468-474.

Labows, J., Reilly, J., Leyden, J., Preti, G., 1999. Axillary Odor: Determination, Formation and Control. *Antiperspirants and Deodorants, 2*, 20(9), pp.1–18.

Hubungan Antara Tingkat Kecemasan dan Depresi Terhadap Derajat Bromhidrosis Aksila pada Dewasa di
Kabupaten Sleman
KARINA UMMA, dr. Fajar Waskito, M.Kes., Sp.KK(K); dr. Irwan Supriyanto, Ph.D; dr. Dwi Retno Adi Winarni, Sp.KK(
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Likhtik, E., 2005. Prefrontal Control of the Amygdala. *Journal of Neuroscience*, 25(32), pp.7429-7437.

Mao, G., Yang, S. and Zheng, J., 2008. Etiology and management of axillary bromidrosis: a brief review. International Journal of Dermatology, 47(10), pp.1063-1068.

Maramis, W.F., 1994. *Catatan Ilmu Kedokteran Jiwa* 6th ed., Surabaya: Airlangga University Press. pp:254-261.

Martin, A., Hellhammer, J., Hero, T., Max, H., Schult, J. and Terstegen, L., 2011. Effective prevention of stress-induced sweating and axillary malodour formation in teenagers. International Journal of Cosmetic Science, 33(1), pp.90-97.

Miller JL., 2012. Disease of the eccrine and apocrine sewat gland.3rd ed. Bolognia JL, Jorizzo JL, Schaffer JV, editor. *Dermatology*. China: Elsevier Inc; 587-602

Noel F, Franchimont CP, Pierard GE, Quatresooz P. 2012. Sweaty skin, background and assessments. *International Journal of Dermatology*. 51; 647-655.

Park, Y. and Shin, M., 2001. What Is the Best Method for Treating Osmidrosis?. *Annals of Plastic Surgery*, 47(3), pp.303-309.

Perera, E., Sinclair, R. 2013. Hyperhidrosis and Bromhidrosis: A Guide to Assessment and Management. *Australian Family Physician*.42(5). pp:266-269.

Rudy, M., Widyadharma, P. E., Oka Adnyana, I.M., n.d. *Reliability Indonesian Version of The Hospital Anxiety And Depression Scale (HADS) Of Stroke Patients in Sanglah General Hospital Denpasar*. Denpasar, Udayana University. Thesis.

Semkova, K., Gergovska, M., Kazandjieva, J. and Tsankov, N. (2015). Hyperhidrosis, bromhidrosis, and chromhidrosis: Fold (intertriginous) dermatoses. Clinics in Dermatology, 33(4), pp.483-491.

Snaith, R. and Zigmond, A. (1986). The hospital anxiety and depression scale. BMJ, 292(6516), pp.344-344.

Taylor, D., Daulby, A., Grimshaw, S., James, G., Mercer, J. and Vaziri, S. (2003). Characterization of the microflora of the human axilla. International Journal of Cosmetic Science, 25(3), pp.137-145.

Videbech, P., 2004. Hippocampal Volume and Depression: A Meta-Analysis of MRI Studies. *American Journal of Psychiatry*, 161(11), pp.1957-1966.

Wilke, K., Martin, A., Terstegen, L. and Biel, S. (2007). A short history of sweat gland biology. *International Journal of Cosmetic Science*, 29(3), pp.169-179.

Zeng, X. et. al., 1991. Analysis of characteristic odors from human male axillae. *J Chem Ecol*, 17(7), pp.1469-1492.