DAFTAR PUSTAKA

Abayomi, Y.A. 1987. Effect of soil type and crop cycle on root development and distribution pattern of a commercial sugarcane cultivar under normal irrigation and field conditions at Bacita Estate, Nigeria. Turrialba 39(1): 78-84.

Abbas, S.R., Ahmad, S.D., Sabir, S.M., and Shah, A.H. 2014. Detection of drought tolerant sugarcane genotypes (Saccharum officinarum) using lipid peroxidation, antioxidant activity, glycine-betaine and proline contents. Journal of Soil Science and Plant Nutrition (1): 1-15.

Abdel-Wahab, D.A.M. 2004. Evaluation of dificit schedulling based on sugarcane growth stages. Kananga Sugar Company. Sudan. [13-03-2013].

Abdelrahman, M., Hamid, A., Yassin, M., and Dagash, I.B. 2014. Effect of sulfur on sugarcane yield and quality at the heavy clay soil 'vertisol" of Sudan. Universital Journal of Aplied Science 2 (3): 68-71.

Abdul Fatah, S., Tunio, S., Chand O.A.D., Inatullah R., Iqbal Khuhro, M., and Arain, Y.M. 2012. Effect of suplemental inorganic NPK and residual organic nutrients on sugarcane ratoon crop. International Journal of Science & Engineering Research 3(10):1-11.

Abdel-Fattah, G.M., Asrar, A.A., Al-Amri, S.M., and Abdel-Salam, E.M. 2014. Influence of arbuscular mycorrhiza and phosphorus fertilization on the gas exchange, growth and phosphatase activity of soybean (*Glycine max* L.) plants. Photosynthetica 52 (4): 581-588.

Aboagye, I.M., Terauchi, T., and Matsouka, M. 2003. Characterization and preliminary evaluation of factors for early growth in sugarcane. Ghana Jnl Agric.Sci 36: 121-131.

Adinurani, P.G., Mataburu, M., and Hendroko, R. 2010. Pengaruh cendawan mikoriza arbuskular (CMA) pada tebu di tanah mineral masam PG Tolangohula Gorontalo. http://www.oocities.org/p3gi/CMA.html. [1-05-2013].

Al-Askar, and Rasyed, Y.M. 2010. Arbuscular mycorrhizal fungi: A biocontrol against common bean Fusarium root rot disease. Plant Pathology Journal 9 (1):31-38.

Allison, J.C.S., Williams, H.T., and Pammenter, N.W. 1997. Effect of specific leaf nitrogent on photosynthesis of sugarcane, Annals of Applied Biology 63: 135-144.

Aliasgharzad, N., Sirmohamadi, E., and Ouston, S. 2009. Siderophore production by mycorrhizal sorghum roots under micronutrient deficient condition. Soil & Environ 28 (2): 119-123.

Almeida, C.M.A., Donato, V.M.T.S., Amaral., D.O.J., Lima, G.S.A., Brito, G.G., Lima, M.M.A., Correia, M.T.S., and Silva, M.J. 2013. Differential gene expression in

sugarcane induced by salicylic acid and under water deficit conditions. Agricultural Science Research Journal 3 (1): 36-44.

Amolo, R.A., and Abayo, G.O. 2003. Effect of plant population and planting patterns on sugarcane productivity in western Kenya. Kenya Sugar Research Foundation. http://www.kari.or.ke. [3 April 2014].

Aquino, G.S., and Medina, C. T. 2014. Productivity and biometric and physiological indices of sugarcane grown under different amounts of straw. Pesq. agropec. bras., Brasília, 49 (3):173-180.

Artachwager, E., and Brandes, E.W. 1958. Sugarcane (*Saccharum officinarum* L.). Origin, Classification, Characteristics, and Descriptions of Representative Clones. Crops Research Division Agricultural Research Service. Agriculture handbook no. 122. United States Department of Agriculture. Wonsington, D.C.

Ayre, B.G. 2011. Membrane-transport system for sucrose in relation to whole-plant carbon partitioning. Molecular Plant 4 (3): 377-394.

Ayale, N., and Tegene, S. 2014. Effect of number of buds per sett and inter-row spacing of sett and yield and yield components of sugarcane. International Journal of Agricultural Science and Natural Resources 1 (5): 115-121.

Bachi, Q.S. 1977. Minimum threshold for sugarcane growth. Proc. Int. Soc. Sugarcane Technol 16: 1733-1744.

Bakker, H. 1999. Sugarcane Cultivation and Management: The Development of Sugar Cane Plant. Kluwer Academic/Plenum Publishers. New York, Boston, Dordrecht, London, Moscow.

Baon, J.B., Smith, S.E., and Alston, A.M. 1993. Mycorrhizal responses of barley cultivars differing in P efficiency. Plant Soil 157: 97-105.

Barber, S.A., and Silverbush, M. 1984. Plant root morphology and nutrient uptake. In Roots, Nutrient and Water Influx, and Plan Growth. pp. 65-88. ASA special publication 49, ASA, Madison, WI.

Bashir, S.H., Saeed, M., Ghaffar, A., Ali, Z., and Khan, M.Z. 2000. Analysis of economic aspects of raising autumn sugarcane at different planting paterns and seeding densities. International Journal of Agriculture & Biology 2 (4): 322-325.

Basuki. 2013. Pengaruh cendawan mikoriza arbuskula (CMA) terhadap kharakteristik agronomi tanam tebu sistim tanam bagal satu. Menara Perkebunan 01(2): 50-54. Pusat Penelitian Sukosari PTPN XI.

Barrera-Figueroa, B.E., Gao, L., Diop, N.N., Wu, Z.G., Ehlers, J.D., Roberts, P.A., Close, T.J., Zhu, J.K., Liu, R. 2011. Identification and comperative analysis of drought-associated microRNAs in two compea genotypes. BBM Plant Biology 11: 127.

Bates, L.S., Waldren, R.P., and Teare, I.D. 1973. Rapid deterioration of free proline for water stress studies. Plant Physiol 39: 205-207.

Bellone, C.H., and Silvia, C.B. 2012. Interaction of *Azospirillum brasilense* and *Glomus intrarrasix* in sugarcane roots. Indian J Microbiol 52 (1): 70-75.

Bihmidine, S., Hunter, C.T., Johns, C.E., Koch, K.E., and Braun, D.M. 2013. Regulation of assimilate import into sink organs: update on molecular drivers of sink strength. Plant Science 4 (177): 1-15.

Blackman, V.H. 1919. The compound interest law and plant growth. Annals of Botany 33: 353-360

Budiarto, 2013. Mendulang gula dengan bud chips. Penelitian gula PTPN X (persero). www.pusatpenelitiangula.blogspot.com. [30-04-2013].

BPS. 2013. Publikasi BPS. Pertanian dan Pertambangan. www.bps.go.id/hasil_publikasi. [3.03.2014].

Booth, D.T., and Sowa, S. 2001. Respiration in dormant and non-dormant bitterbrush seed. Journal of Arid Environment 48: 35-39.

Borse, M.K., Patil, M.R., Patil, S.P., and Deshmane, K.C. 2009. Economics of strip vs conventional method of sugarcane planting in western Maharasthtra. International Journal of Agricultural Sciences 5 (1): 24-28.

Botha, F. C., and Black, K.G. 2000. Sucrose phosphate synthase and sucrose synthase activity during maturation of internodal tissue in sugarcane. *Funct. Plant Biol.* 27: 81–85.

Brattacharga, P.M., Paul, A.K., Saha, J., and Chaundhuri, S. 2002. Change in the root development patern in bamboo and sweet orange plants upon arbuscular mycorrhization. Mycorrhiza News 14 (1): 15-18.

Braunack, M.V., McGarry, D., and Halpin, N.V. 1998. The economic advantage of reduce tillage planting of sugarcane in Australia. International Soil Tillage Research Organisation Conferenc.http://www.sugarresearch.com.au/icms. [3.03.2013].

Brechenmacher, L., Weidmann, S., vanTuinen, D., Chatagnier, O., Gianinazzi, S., Franken, P., and Pearson, V.G. 2004. Expression profiling of up-regulated plant and fungal genes in early and late stages of *Medicago truncatula-Glomus mosseae* interactions. Mycorrhiza 14:253–262.

Brian, J.A., Kriedemann, P.E., and Colin, G.N. 1999. Plants in action. Adaptation in nature performance in cultivation. Edition I. Macmillan Education Ausralia Pty Ltd, Melbourne. http://plantinaction.science.ug.edu.au. [3.03.2013].

Brundrett, M. 1991. Mycorrhizas in natural ecosystem. Advances in Ecological Research Bagon, M., Fitter, A.H., and Macfadyan, A. (Eds). 21:171-313.

Brunner, I., Herzog, C., Dawes, M.A., Arend, M., and Sperisen, C. 2015. How tree roots respond to drought. Frontiers in Plant Science 6(547): 1-16.

Canuto, E.L., Oliveira, A.L.M., Reis, V.M., and Baldani, J.I. 2003. Evaluation of the biological nitrogen fixation contribution in sugarcane plants originated from seeds and inoculated with nitrogen-fixing endophytes. Brazilian Journal of Microbiology 34 (1):62-64.

Cardoso, I.M., and Kuyper, T.W. 2006. Mycorrhizal and tropical soil vertility. Agriculture, Ecosystems, and Invironment 116: 72-84.

Celebi, S.Z., Demir, S., Celebi, R., Durak, E.D., Yilmaz, I.H. 2010. The effect of Arbuscular Mycorrhizal Fungi (AMF) applications on the silage maize (*Zea mays* L.) yield in different irrigation regimes. European Journal of Soil Biology 46:302-305.

Chandra, A., Jain, R., Rai, R.K., and Solomon, S. 2011. Revisiting the source-sink paradigm in sugarcane. Current Science 100 (7): 978-980.

Chandra, A., Jain, R., and Solomon, S. 2012. Complexities of invertases controlling sucrose accumulation and retention in sugarcane. Current Science 102 (6): 857-866.

Chattha, M.U. 2007. Studies on growth, yield and quality of sugarcane (*Saccharum officinarum* L.) under different planting techniques, irrigation, method, water levels and mulch types. Thesis. Faculty of agriculture university of agriculture. Faisalabad. 172 P.

Chu, Q., Wang, X., Yang, Y., Chen, F., Zhang, F., and Feng, G. 2013. Mycorrhizal responsiveness of maize (*Zea mays* L.) genotypes as related to releasing date and available P content in soil. Mycorrhiza 23 (6): 497-505.

Civiero, J.C., Daros, E., Oliveira, R.A., Weber, H., Filho, J.C.B., and Fiqueiredo, G.G.O. 2014. Stalk and root development of sugarcane treated with nitrogen, filter, and inoculation of diazotropis. Journal of Agronomy 13 (2): 49-57.

Cock, L.S., Garcia, L.A., and Hernandez, L.J.V. 2011. Effect of biofertilization of the growth of potted sugarcane plants. Biotechnologia en el Sector Agropecuario y Agroindustrial 9 (2): 85-95.

Corradi, N., and Bonfante, P. 2012. The arbuscular mycorrhizal symbiosis: origin and evaluation of a beneficial plant infection. PLoS Pathogent 8 (4). www.plospatogent.org. [2-1-2014].

Datta, P., and Kulkarni, M. 2012. Arbuskular mycorrhizal fungal diversity in sugarcane rhizosphere in relation with soil properties. Not. Sci. Biol 4 (1): 66-74.

Daniel, P.S., Reid, R.J., and Ayling, S.M. 1998. Phosphorus uptake by plants: from soil to cell. Plant physiol 116: 447-453.

Dev1, C.M., Singh, R.K., Meena, R.N., Kumar A., and Singh, K. 2013. Production potential and soil fertility status of ratoon sugarcane (*Saccharum officinarum* L.) as

influenced by time and level of earthing up and nitrogen levels in north-eastern Uttar Pradesh, India. Sustainable Agriculture Research 2 (1): 143-148.

Dedemo, G.C., Rodrigues, F.A., Roberto, P.G., Neto, C.B., França, Z.C., and Zingaretti, S.M. 2013. Osmoprotection in sugarcane under water deficit conditions. Plant Stress 7 (1): 1-7.

Ding, Y., Tao, Y., and Zhu, C. 2013. Emerging roles of microRNAs in the mediation of drought stress response in plants. Journal of Experimental Botany. pp: 1-10

Ditjenbun. 2012. Komoditas Tebu. www.ditjenbun.deptan.go.id. [3-01-2013].

Eavis, B.W. 1972. Effects of flooding on sugarcane growth 2. Benefits during subsequent drought. Proc. Int. Soc. Sugar Cane Technol 14: 715-721.

Eckardt, N.A. 2011. A symbiotic sugar transporter in the arbuscular mycorrhizal fungus Glomus sp. Plant Cells 10:3561.

Ehsanullah, Jabran1. K., Jamil M., and Ghafar, A. 2012. Optimizing the row spacing and seeding density to improve yield and quality of sugarcane. Crop & Environment 2 (1): 1-5.

Elshami, O., Ahmed, H., Eltaib, H., Eltilib, A., Saeed, A., and Steffen, D. 2000. Effects of sugarcane (*Saccharum officinarum*) cultivation on soil quality in the semi-arid tropics of Sudan. International Journal of Natural and Applied Sciences 4 (4). Abstract. http://www.ajol.info. [3-01-2013].

Erdei, L., and Taleisnik, E. 1993. Changes in water relation parameters under osmotic and salt stresses in maize and sorghum. Physiologia Plantarum 89 (2): 381–387.

Errabii, T., Gandonou, C.B., Essalmani, H., Abrini, M.I., and Senhaji, N.S. 2006. Growth, proline and ion accumulation in sugarcane callus culture under drought-induced osmotic stress and its subsequent relieaf. African Journal of Biotechnology 5(16): 1488-1493.

Feng, G., Zang, F.S., Li, X.L., Tian, C.Y., Tang, L., and Rengel, Z. 2002. Improved tolerance of maize plants to salt stress by arbuscular mycorrhiza is related to higher accumulation of soluble sugars in roots. Mycorrhiza 12 (4): 185-190.

Ferreira, S., A., N., and Gentil, D., F., O. 2017. Seed germination at different stratification temperatures and development of *Phytelephas macrocarpa* Ruiz & Pavón seedlings. Journal of Seed Science (39)1: 020-026.

Foo, E., Ross, J.J., Jones, W.T., and Reid, J.B. 2013. Plant hormones in arbuscular mycorrhizal symbioses: an emerging role for gibberellins. Annals of Botany 111: 769–779.

Furlan, B.V., and Fortin, J.A. 1977. Effects of light intensity on the formation of vesicular – arbuscular endomycorrhizas on *Allium Cepa* by *Gigaspora calospora*. New Phytol 79: 335-340.

Filtter, A.H., Graves, J.D., Watkins N.K., Robinson, D., and Scrimgeour, C. 1998. Carbon transfer between plants and its control in networks of arbuscular mycorrhizas. Fungsional Ecology 12: 406-412.

Gana, A.K. 2011. Cowdung: Soil amendment agent for the sandy upland sugarcane ecology in Negeria. Journal of Agricultural Technologi 7 (2): 497-505.

Garside, A.L., and Bell, M.J. 2009. Row spacing and planting density effect on the growth and yield of sugarcane. Responses in fumigated and non-fumigated soil. Crop and Pasture Science 60 (6): 532-543.

Gascho, G.J., and Shih, S.H. 1983. Sugarcane in crop-water relations, Teare, I.D. and M.M. Peet (Eds). John Wiley and Sons, New York., ISBN: 0471046302, pp:445-479.

Gentile, A., Dias, L.I., Mattos, R.S., Ferreire, T.H., and Menossi, M. 2015. MicroRNAs and drought response in sugarcane. Fronteirs in Planr Science 8(58):1-13

Ghaffar, A., Ehsanullah, Akbar, N., and Khan, S.H. 2011. Influence of zinc and irons on yield and quality of sugarcane planted under various trench spacings. Pak J Agric Sci 48 (1): 25-33.

Ghaffar, A., Ehsanullah, Akbar, N., Habibullah Khan, N., Jabran, K., Hashmi, R.Q., Iqbal, A., and Muhammad, A.A. 2012. Effect of tranch spacing and micronutrients on growth and yield of sugarcane (*Saccharum officinarum* L). Australian Journal of Crop Science 6 (1): 1-9.

Ghorbani, M., Khara, J., and Abbaspour, N. 2012. Effects of season and soil conditions on the mycorrhizal status and colonization of seven grass spesies. Iranian Journal of Plant Physiology 2 (2): 387-393.

Glassop, D., Roessner, U., Bacic, A., and Bonnett, G.D. 2007. Changes in sugarcane metabolome with stem development. Are they related to sucrose accumulation? Plant Cell Physiol 48 (4): 573-584.

Glover, J., 1967. The simultaneous growth of sugarcane roots and tops in relation to soil and climate. Proc S Afr. Sugar Technol.Ass 41: 143–159.

Goatly, M.B., Coombs, J. and Smith, H. 1975. Development of C4 photosynthesis in sugarcane: change in properties of phosphoenolpyruvate carboxylase during growing. Planta (Berl.) 125:15-24.

Goicoechea, N., Antolin, M.C., Strnad, M., and Sanchez-Diaz, M.1996. Root cytokinins, acid phosphatase and nodule activity in drought-stressed mycorrhizal or nitrogen-fixing alfalfa plants. Journal of Experimental Botany 47 (298): 683-686.

Goud, V.V. 2011. Sustainable sugarcane initiative, SSI-a methodology for improving yields. First National Seminar on Sustainable Sugarcane Initiative. Seminar Papers. AgSri, Sugarcane Breeding Institute (SBI) and NRMC. Tamil Nadu. India.

Graça, J.P., Rodigues, F.A., Farias, J.R.B., Oliveira, M.C.N., Campo, C.B.H., Zingaretti, S.M. 2010. Physiological parameters in sugarcane cultivars submitted to water deficit. Braz. J. Plant Physiol 22 (3): 187-197.

Greenland, D. 2005. Climate variability and sugarcane yield in Lousiana. Jounal of applied Meteorology 44:1655-1666.

Gujja, B., Loganandhan, N., Goud, V., Agarwal, M., and Dalai, S. 2009. Sustainable sugarcane initiative. Improving sugarcane cultivation in India. Training manual. INCRISAT-WWW Project. [20-3-2012].

Hakim, M. 2010. Potensi sumber daya lahan untuk tanaman tebu di Indonesia. Jurnal Agriculture 21(1): 5-12.

Hastuti, D.R., and Rahim, A. 2007. Ekonomika Pertanian (Pengantar, Teori, dan Kasus). Penebar Swadaya. Jakarta.

Helal, H.M., and Mengel, K. 1981. Interaction between light intensity and NaCl salinity and their effect on growth, CO2, assimilation, and photosynthate convertion in young broad beans. Plant Physiol 69: 999-1002.

Hemaprabha, G., Nagarajan, R., Alarmelu, S., and Natarajan, U.S. 2006. Parental potential of sugarcane clones for drought resistance breeding. Sugar Tech 8(l): 59-62.

Herley, P.C., and Tenhunen, J.D. 1991. Modeling in Photosynthetic response of C3 leave to environmental factor in “Modeling photosynthesis-from biochemestry to canopy. PP: 17-39. Am Soc. Agronomy, Madison. Wisconsin.

Hetrick, B.A.D., Wilson, G.W.T., and Todd, T.C. 2014. Mycorrhizal response in wheat cultivars:relationship to phosphorus. Canadian Journal of Botany 92(4): 241-25.

Holden, J.R., and McGuire, P.J. 2010. Irrigation of Sugarcane Manual. soil, water and Sugarcane. BSES Limited Technical Publication MN10004. 68 pp. www.sugarcane.com.au/icms-docs/163250_irrigation . [2-05-2017]

Hunsigi, G. 2001. Sugarcane in agriculture and industry. Prism. Books Pot Ltd. Calcutta. India

Hussain, A., Khan, Z.I., Ghafoor, M.Y., Ashraf, M., Parveen, R., and Rashid, M.H. 2004. Sugarcane, sugar metabolism and some abiotic stresses. International Journal of Agriculture & Biology 6(4): 732-742.

Hindumathi, A., and Reddy, B.N. 2011. Occurrence and distribution of arbuscular mycorrhizal fungi and microbial flora in the rhizosphere soils of mungbean [*Vigna radiata* (L.) wilezek] and soybean [*Glycine maz* (L.) Merr.] from Adilabad, Nizamabad and Karimnagar districts of Andhra Pradesh state, India. Advance in Bioscience and Biotechnology 2: 275-286.

Indradewa, D. 2002. Gatra agronomis dan fisiologis pengaruh genangan dalam parit pada tanaman kedelai. Disertasi. Universitas Gadjah Mada. Yogyakarta.

Inman-Bamber, N.G., Bonnett, G.D., Spillman, M.F., Hewitt, M.L,, and Jackson, J. 2008. Increasing sucrose accumulation in sugarcane by manipulating leaf extension and photosynthesis with irrigation. Australian Journal of Agricultural Research 59:13–26.

Irvine, J.E. 1983. Sugarcane. *In*: Potential productivity of field crops under different environment. International Rice Research Institute. Los Banos, Phillipines, pp: 361-382.

Iskandar, H.M., Casu, R.E., Fletcher, A.T., Schmidt, S., Xu, J., Maclean, D.J., Manners, J.M., and Bonnett, G.D. 2011. Expression of abiotic stress-response genes differ during sucrose accumulation and water deficit in sugarcane culms. BioMed Central Biol 11:12

Jain, R., Solomon, S., Shrivastara, A.K., and Chandra, A. 2010. Sugarcane budchips: A promising seed materials. SugarTech12: 67 – 69.

Jain, R. 2011. Bud chip nurseries-history, method of raising, results of germination studies. First National Seminar on Sustainable Sugarcane Initiative. Seminar Papers. AgSri, Sugarcane Breeding Institute (SBI) and NRMC. Tamil Nadu. India.

Jain, R.S., Solomon, Srivastava, A.K., and Chandra, A. 2011. Effect of ethephon and calcium chloride on growth and biochemical attributes of sugarcane bud chips. Acta Physiologiae Plantarum 33: 905-910.

Jangpromma, N., Kitthaisong, S., Lomthaisong, K. 2010. A Proteomics Analysis of Drought Stress-Responsive Proteins as Biomarker for Drought-Tolerant Sugarcane Cultivars. American Journal of Biochemistry and Biotechnology 6 (2): 89-102

Jamal, S.F., Cadet, P., Rutherford, R.S., and Straker, C.J. 2004. Effect of mycorrhiza on the nutrient uptake of sugarcane. Proc S Afr Sug Technol Ass 78: 343-348.

Janos, D.P. 2007. Plant responsiveness to mycorrhizas differs from dependence upon mycorrhizas. Mycorrhiza 17: 75-91.

Javot, H., Pumplin, N., and Harrison, M.J. 2007. Phosphate in the arbuscular mycorrhizal symbiosis: transport properties and regulatory roles. Plant Cell And Environment 30(3): 310-322.

Jensen, A. 1982. Influence of four vesicular-arbuscular mycorrhizal fungi on nutrient uptake and growth in barley (*Hordeum vulgare*). New Phytol 90: 45-50.

Jeny, H. 1994. Factors of Soil Formation. A System of Quantitative Pedology. Dover Publications, Inc. New York.,31 East 2nd Street, Mineola, N.Y 11501. www.soilandhealth.org/ep-contentupland/o1aglibary. [27-04-2016].

Jeypore Sugar. 2013. A report on single bud seed nursery program. http://jeyporesugars.com/sub_seeds.htm. [27-04-2016].

Joarder, N., Roy, A., Sima, S., and Parvin, K. 2005. Leaf blade and midrib anatomy of two sugarcane cultivars of Bangladesh. Journal of Bio-Science 18:1-8.

Jonathan, M.P., Kemppainen, M., Kale, S., Kohler, A., Leque, V., and Martin. 2011. A secreted effector protein of *Laccaria bicolor* is required for symbiosis development. Current Biology 21 (14): 1-7.

Juan, N. 2009. Benefits of mychorriza with sugarcane. Sugarcane. www.publish.csiro.au/paper/CP11128.htm. [20-04-2013].

Kacar, Y.A., Akpinar, C., Agar, A., Mendi, Y.Y., Serce, S.S., and Ortas, 1. 2010. The effect of mycorrhiza in nutrient uptake and biomass of cherry rootstock during acclimatization. Rumanian Biotechnological Letters 15 (3): 5246-5252.

Karanan, P.V. 2011. Innovation sugarcane cultivation: exciting farmer experiences on sustainable sugarcane initiative, SSI in Medak, Andraprades, India. First National Seminar on Sustainable Sugarcane Initiative. Seminar Papers. AgSri, Sugarcane Breeding Institute (SBI) and NRMC. Tamil Nadu. India.

Keinan, O.S., Gadker, V., Ginzberg, I., Grunzwig, J.N., Chet, I., Elad, Y., Winiger, S., Bllausov, E., Eshad, Y., Atzmon, N., Tal, Y., and Kapulnik, Y. 2002. Hormone concentrations in tobacco roots change during arbuscular mycorrhizal colonisation with *Glomus intraradices*. New Phytologist 154: 501-507.

Kelly, R.M., Edwadrs, D.G., Thompson, J.P., and Magarey, R.C. 2005. Growth responses of sugarcane to mycorrhizal spore density and phosphorus rate. Australian journal of agriculture research 56:1405-1413.

Khakpor, O., and Khara, J. 2012. Spore density and root colonization by arbuscular mycorrhizal fungi in some species in the northwest of Iran. Inti.Res.J. Appli. Basic.Sci 3 (5): 977-982.

Khan, E.A., Dahot, M.U., Yasmin, S., Khatri, A., Seema, N., and Naqvi, M.H. 2006. Effect of sucrose and growth regulators on the micropropagation of sugarcane clones. Pak. J. Bot. 38(4): 961-967.

Khan, M.H., Meghvansi, M.K., Panwar, V., Gogoi, H.K., and Sink, L. 2010. Arbuscular mycorrhizal fungi-induced signalling in plant defence against phytopathogens. Journal of Phytology 2 (7): 53-69.

Khan, E.A., Sagoo, A.G., and Hassan, G. 2011. Physiological response of autumn planted sugarcane to soil moisture depletion and planting geometry on different soils under arid conditions. Pak. J. Bot. 43(4): 1965-1969.

Kortschak, H.P., Hartt, C.E., and Burr, G.O. 1965. Carbon dioxide fixation in sugarcane leaves. Plant Physiology 40.2: 209-213.

Kraak, H.L. 1992. Physiological aspect of storage of recalcitrant seeds. Centre for Plant Breeding and Reproduction. 239-253. http://www.iufro.org/download/file. Wageningen. The Netherlands [08-12-2013].

Krisnamurthi, B. 2012. Mimpi Manis Gula Indonesia. Ekonomi Gula. Perhimpunan Ekonomi Gula Indonesia. Gramedia Pustaka Utama. Jakarta

Kumar,V.M., and Suresh, K. 2011. Studies on physiological aspect of growth, quality and yield of bud chip technology in sugarcane. First National Seminar on Sustainable Sugarcane Initiative. Seminar Papers. AgSri, Sugarcane Breeding Institute (SBI) and NRMC. Tamil Nadu. India.

Kuiper, D., Sommarin, M., and Kylin, A. 1991. The effects of mineral nutrition and benyladine on the plasmalema ATPase activity from roots of wheat and *Plantago major* ssp. *Pleiosperma*, Physiologia Plantarum 81: 169-174.

Kusaka, M., Lalusin, A.G., and Fujimura, T. 2003. The maintenance of growth and turgor in pearl millet (*Pennisetum glaucum* [L.] Leeke) cultivars with different root structures and osmo-regulator under drought stress. Planr Science 168: 1-14.

Kusmana, C., Kalingga, M.F., dan Syamsuwida, D. 2011. Pengaruh media simpan, ruang simpan, dan lama penyimpanan terhadap viabilitas benih *Rhizosphora stylosa* Griff. Jurnal Silvikultur Tropika 03 (01): 82-87.

Langdale, J.A. 2011. C4 cycles: Past, present, and future research on C4 photosynthesis. The Plant Cell 23: 3879–389.

Lehninger, A.L. 1967. Biochemestry. The Mollecular Basic of Cell Structure and Function (Second edition). Worth Publishers. Inc. pp: 249-277.

Liu, D.L., and Bull, T.A. 2001. Simulation of biomass and sugar accumulation in sugarcane using a process-based model. Ecological Modelling 144:181 – 211.

Lu, C. and Zhang, J. 1999. Effects of water stress on photosystem II photochemistry and its thermostability in wheat plants. Journal of Experimental Botany 50 (336): 1199–1206.

Luhuky, E.M. 2000. Uji media simpan dan lama penyimpanan terhadap vigor benih kakao (*Theobroma cocoa* L). www.ditjenbun.pertanian.go.id/bbpttambon [08-12-2013].

Marchiori, P.E.R., Ribeiro, R.V., Silva, L., Machado, R.S., Machado, E.C., and Scarpari, M.S. 2010. Plant growth, canopy photosynthesis and light availability in three sugarcane varieties. Sugar Tech, 12(2): 160–166

Magarey, R.C., Bull, J.I. and Reghenzani, J.R. 2005. The influence of vesicular arbuscular mycorrhizae (VAM) on sugarcane growth in the field. Proc.Aust.Soc.Sugar cane. Technol 27: 282-290.

Makarian, H., Poozesh, V., and Asghari, H.R. 2013. Effect of arbuscular mycorrhizal fungi on plant growth under soil applied herbicide. International Journal of Agronomy and Plant Production 4 (9): 2158-2165.

Malathi, P., and Viswanatan, R. 2013. Role of microbial chitinase in the biocontrol of sugarcane red rot caused by *colletotrichum falcatum* went. EJBS 6 (1): 17-23.

Mayer, J., and Clowers, M. 2011. Sugarcane and its Environment. Sugarcane Agriculture. Good Management Prantices Manual For The Cane Sugar Industry. PGBI Sugar and Bioenergy. Johannesburg. South Africa.

McCormick, A.J. 2004. Seed processing and storage: Principles and practices of seed harvesting, processing, and storage: an organic seed production manual for seed growers in the mid-atlantic and southern u.s. Copyright © 2004 by Jeff McCormack. Version 1.3. pp: 9-15.

McCormick, A.J., Cramer, M.D., and Watt, D.A. 2006. Sink strength regulates photosynthesis in sugarcane. New Phytologist 171: 759-770.

McCormick, A.J., Cramer, M.D., and Watt, D.A. 2007. Photosynthesis and the regulatory role of sucrose and hexose in sugarcane leaves. South African Journal of Botany 73. 301.

McCormick, A.J., Cramer, M.D., and Watt, D.A. 2008. Regulation of photosynthesis by sugar in sugarcane leaves. Journal of Plant Physiology 165: 1817-1829.

Medeiros, V.B., Silva, E.C., Nogueira, R.J.M.C., Teixeira, M.M., and Buckeridge, M.S. 2013. Physiological limitations in two sugarcane varieties under water suppression and after recovering. Theoretical and Experimental Plant Physiology 25(3): 213-222.

Meenakshisundaram, M. and Santhaguru, K. 2011. Studies on association of arbuscular mycorrhizal fungi with *Gluconacetobacter diazotrophicus* and its effect on improvement of *Sorghum bicolor* (L.). Int.J.Cur. Sci. Res. 1(2): 23-30.

Mdel, A.M., Kohler, J., Caravaca, F., and Roldan, A. 2009. Differential effects of *Pseudomonas mendocina* and *Glamus intraradicus* on lecttuce plans physiological response and aquapine P1P2 gene expression under elevated atmospheric CO_2 and drought. Microb.Ecol 58 (4):42-51. www.ncbi.nih.gov/pubmed/22370879. [14-04-2013].

Mengel, K., 1985. Dynamics and availability of major nutrients in soils. Advances in Soil Science 2: 65-131.

Mengel, K., and Kirekby, E.A. 1987. Principles of Plant Nutrition 4 th ed. Principles Potash Institute. Bern. Switcherland. pp: 559-572.

Meyer, J., and Clowes, M. 2011. Sugarcane and Its Environment. In: Good Management Practices Manual for The Cane Sugar Industry. (Edited by Meyer, J). The International Finance Corporation (IFC). Johannesburg. South Africa. 14-51 pp.

Mira dan Rosana, F. 2010. Pengaruh cendawan mikoriza arbuskular dan teknik aplikasi terhadap pertumbuhan tanaman tebu (*Saccharum officinarum* L). http://www.lab.brainmatics,com/opac. [1-05-2013].

Morgan, J.A.W., Bending, G.D., and White, P.J. 2005. Biological costs and benefits to plant–microbe interactions in the rhizosphere. Journal of Experimental Botany 56 (417): 1729–1739.

Morris, D.R., and Tai, P.Y.P. 2004. Water table effects on sugarcane root and shoot development. J. Am. Soc. Sugar Cane Technol 24:41–59.

Mulyono, D. 2012. Analisis usahatani tebu di lahan tegalan kasus di kabupaten Bondowoso. Pusat Teknologi dan Produksi Pertanian-BPPT. www.ejurnal.bppt.go.id 8 (1): 1-6. [3-01-2013].

Muniyamma, M., Barti, B.K., and Reddy, C.N. 2000. Effect of VAM on root induction in vitro sugarcane (*Saccharumofficinarum* L.) seedlings-a new technologue. Mycorrhiza New 12(1): 13-16.

Murdiyatmo, U. 2012. Usulan Penelitian Tebu 2013. Riset tebu jangka pendek dan pentingnya penataan varietas. www.ballitas.go.id. [20-3-2012].

Miranda, D., Fischer G., and Ulrichs, C. 2011. The influence of arbuscular mycorrhizal colonization on the growth parameters of cape gooseberry *(Physalis peruviana* l.) plants grown in a saline soil. J. Soil Sci. Plant Nutr 11 (2)*:* 18 – 30.

Naik, R., Amamalai, S.J.K., Nair, N.V., and Prasad, N.R. 2012. Studies on mechanization of planting of sugarcane bud chip settlings raised in pottrays. Sugertech 15 (1). Abstract. www.researchgate.net/publication. [28-02-2014].

Natarajan, U.S. 2011. Tillering in SSI-emergence, faktor affecting, constraints, and solution. Bud chip nurseries-history, method of raising, results of germination studies. First National Seminar on Sustainable Sugarcane Initiative. Seminar Papers. AgSri, Sugarcane Breeding Institute (SBI) and NRMC. Tamil Nadu. India.

Nasim, G., Ali, A., Munawar, A., and Bajwa, R. 2008. Seasonal dynamics of AM fungi in sugarcane (*Saccharum officinarum* L. CV. SPF-213) in relation to red rot (*Colletotricum falcatum*) disease from Punjab, Pakistan. Pak.J. Bot 40(6): 2587-2600.

Nallusamy, S. 2013. Effect of edaphic factors and seasonal variation on spore density and root colonization of arbuscular mycorrhizal fungi in sugarcane fields. Annals of Microbiology 63(1):151-160.

Nurhalisyah, dan Rahmad, D. 2012. Identifikasi fungi mikoriza arbuskular di lahan tebu PTPN XIV serta efektivitasnya untuk meningkatkan serapan fosfat dalam menunjang produksi tebu. Jurnal Agrisistem 8 (2): 62-69.

Ndor, E., Dauda, N. S., and Chammang, H.B. 2012. Effect of germination media and seed size on germination and seedling vigour of fluted pumpkin (*Telferia occidentalis*) Hook.F. International Journal of Agricultural Sciences 2(3):113-115

Ohashi, A.Y.P., Pires, R.C.M., Ribeiro, R.V., and Silva, A.L.B. 2014. Root growth and distribution in sugarcane cultivars fertigated by a subsurface drip system. Bragantia. Campinas 74 (2):131-138.

Omoto, G., Abayo, G.O., and Jamoza, J.E. 2007. Effect of delayed planting of seedcane on sugarcane germination, growth rate and yield. Kenya Sugar Research Foundation. Kisumu-Kenya. [14.04-2013].

Omoto, G., and Abayo, G.O. 2012. The effect of seed rate on sugarcane yield in Nyando zone. Kenya Sugar Research Institute. Technical Bulletin 2.

Otto, R., Franco, H.C.J., Faroni, C.E., Vitti, A.C., Oliveira, E.C.A., Sermarini, R.A., and Trivelin, R.C.O. 2014 The role of nitrogen fertilizers in sugarcane root biomass under field conditions. Agricultural Sciences 5: 1527-1538.

Onoleo, F., Vidaurre, M., Torrecilla, Y., Ríos, C., and Löbermann, B.E. 2008. Fertilizing effects of combined application of sugar cane ash with mycorrhiza fungi and compost in different cuban soils. Universidad Central de Las Villas, Facultad Ciencias Agropecuarias, Carretera Camajuaní, Cu 54830 Santa Clara, Cuba. [14.04-2013].

Pammenter, N, W., and Berjak, A. 2000. Aspect of recalcitrant seed physiology. R. Bras.Fisiol. Veg. 12: 56-69.

Pandian, B.J. 2011. SSI plant by TNAU tamil nadu government. Bud chip nurseries-history, method of raising, results of germination studies. First National Seminar on Sustainable Sugarcane Initiative. Seminar Papers. AgSri, Sugarcane Breeding Institute (SBI) and Natural Resource Management Center (NRMC), Tamil Nadu. http:// www.agsri.com/.../SSI%20Seminar%20Papers%20-%20Draft.p....

Patil, R.P. 2008. Physiological approaches for drought tolerance in sugarcane (*Saccharum officinarum* L.). Thesis Doctor of Philosophy in Crop Physiology. Departemant of Crop Physiology College of Agriculture Dharwad. University of Agriculture Sciences. Dharwad

Prasad, N.R. 2007. Sugarcane bud chips for multiplication. Sugarcane breeding institute. Indian Council of Agricultural Research. www.sugarcane.res.in/.../79-bud-chips. [13-09-2012].

Pratiwi, R.D., Rabaniyah, R., dan Purwantoro, A. 2011. Pengaruh jenis dan kadar air media simpan terhadap viabilitas benih lengkeng (*Dimocarpus longan* Lour.). http://journal.ugm.ac.id/jbn/article. [10-07-2014].

Preffer, P.E., Douds, D.D., Becard, G., and Shachar-Hill, Y. 2002. Carbon uptake and the metabolisme and transport of lipids in and arbuscular mycorrhiza. Plant Physiol 120: 587-598.

Pusdatin Setjen Kementerian Pertanian, 2016. Outlook Tebu. Komoditas pertanian sub sektor perkebunan. Jakarta. 84 Hal.

P3GI. 2004. Diskripsi Beberapa Varietas Tebu. www.sugarresearch.org. [9-11-2012].

P3GI. 2008. Konsep peningkatan rendemen untuk mendukung program akselerasi industrai gula nasional. www.sugarresearch.org. [9-11-2012].

Radford, P.J. 1967. Growth analysis formulae-their use and abuse. Crop Sci. 7: 171-178.

Rae, A.L., Christopher, P.L.G., Case, R.E., and Bonnet, G.D. 2005. Sucrose accumulation in the sugarcane stem: pathways and control point for transport and compartmentation.. Field Crops Research. 92: 159-168.

Rani,U.T., Balaguravaiah, D., Rao,K.V., Laxmi, M.B., and Reddy, D.V.V. 2013. Effect of different levels of phosphorus on yield and quality of sugarcane as influenced by cane trash and mycorrhizae. Ind.J.Sci.Res. and Tech 1 (1): 61-65.

Rakshit, A., and Bhadoria, P.S. 2010. Role of VAM on growth and phosphorus nutrition of maize with low soluble phosphate fertilization. Acta Agronomica 59 (1).

Ray, J.D., and Sinclair, T.R. 1999. Sugarcane transpiration response to drying soil. Sugar Cane International Aug: 5-8.

Raymond, M.J., and Smirnoff, N. 2002. Proline metabolism and transport in maize seedlings at low water potential. Annals of Botany 89: 813-823.

Reece, P., and Bonham, C.D. 1978. Frequency of endomycorrhizal infection in grazed and ungrazed blue grama plants. Journal of Range Management 31: 149-151.

Rokni, N., and Goltapeh, M.E. 2011. Diversity of arbuscular mycorrhizal fungi associated with common sugarcane varieties in Iran. Journal of Agricultural Technology 7 (4): 1017-1022.

Sadjad, S. 1975. Dasar-dasar teknologi benih. Capica Selecta. Departemen Agronomi IPB. Bogor.

Saini, S.P., Sidhu, A.S., and Singh, P. 2012. Economics and yield potential of single bud planted autum and spring sugarcane (*Shaccharum spp*.hybrid) intercropped with pulses. Indian Journal of Sugarcane Technology 27 (1): 7-10.

Saliendra, N.Z., and Meinzer, F.C. 1992. Genotypic, developmental and drought-induced differences in root hydraulic conductance of contrasting sugarcane cultivars. Journal of Experimental Botany 43 (9): 1209-1217.

Samui, R.P., John, G., and Kulkarni, M.B. 2003. Impact of weather on yield of sugarcane at different growth stages. Jour. Agric. Physics 3 (1-2): 119-125.

Sawers, R.J.H., Gutjahr, C., and Paszkowski, U. 2008. Cereal mycorrhiza: an ancient symbiosis in modern agriculture. Trends Plant Sci. 13:93–97.

Seguel, A., Cumming, J.R., Klugh-Stewart, K., Cornejo, P., and Borie, F. 2013. The role of arbuscular mycorrhizas in decreasing aluminium phytotoxicity in acidic soils: a review. Mycorrhiza 23:167–183.

Scheepers, J.S., Francis, D.D., Vigil, M., and Below, F.M. 1992. Comparison of corn leaf-nitrogen concentration and chlorophyll meter readings. Commun. Soil Sci. Plant Anal 23: 2173-2187.

Sebuliba, E., Majaliwa, J.G.M., Suresh, R., Kizza, C.L., and Kibirango, S.O. 2012. Determination of sugarcane yield advantages of mycorrhiza inoculants on Ferralsols. Third RUFORUM Biennial Meeting 24-28 September 2012. Entable. Uganda.

Seddas, P.M.A., Arias, C.M., Arnould, C., vanTuinen, D., Godfroy, O., Benhassou, H.A., Gouzy, J., Morandi, D., Dessaint, F., and Pearson, V.G. 2009. Symbiosis-related plant genes modulate molecular responses in an arbuscular mycorrhizal fungus during early root interactions. MPMI, 22 (3): 341–351.

Sengar, K., Sengar, R.S., and Garg, S.K. 2011. The effect of in-vitro environmental condition on some sugarcane varieties for micropropagation. African Journal of Biotecnology 10 (75): 17122-17126.

Sgrott, A.S., Booz, M.R., Pescador, R., Heck, C.T. and Stürmer, L.S. 2012. Arbuscular mycorrhizal inoculation increases biomass of *Euterpe edulis* and *Archontophoenix alexandrae* after two years under field conditions. R. Bras. Ci. Solo 36:1103-1112.

Sieverding, E. 1991. Vesicular-arbuscular mycorrhiza management in tropical agrosystem. Deutsche Gesellschaft für Technische Zusammenarbeit (GTZ) GmbH. Technical Cooperation-Federal Republic of Germany.

Silva, M.A., Jifon, J.L., Santos, C.M., Jadoski, C.J., and Silva, A.G. 2013. Photosynthetic capacity and water use efficiency in sugarcane genotypes subject to water deficit during early growth phase. Braz.Arch.Biol. Technol 56 (5): 735-748.

Silva, M.A., Silva, J.A.G., Enciso, J., Sharma, V., and Jifon, J. 2008. Yield components as indicators of drought tolerance of sugarcane. Sci. Agric. (Piracicaba, Braz.) 65 (6): 620-627.

Sink, A. 2010. How ro produce healthy seed material and improve planting for increasing the productivity of sugarcane in Punjab state. www.sri.ciifad.cornell.edu/../sugarcane/.. [13-09-2012]

Siswoyo, T.A., Oktavianawati, I., Djenal, Murdiyanto, D., and Sugiharto, B. 2007. Changes of sucrose content and invertase activity during sugarcane stem storage. Indonesian Journal of agriculture Science 8 (2): 75-81.

Simões, M.S., Racha, J.V., Augusto, R., and Lamparelli, C. 2005. Spectral variables, growth analysis and yield of sugarcane. Scientia Agricola 62 (3): 199-207.

Singels, A., and Donaldson, R.A. 2000. The effect of row spacing on an irrigated plant crop of sugarcane variety Nco376. Proc S Afr Sug Technol. 74: 151-154.

Singles, A., and Smith, M.A. 2002. The effect of row spacing on an irrigated plant crops of sugarcane variety NCO376. Proc S Afr Sug Technol Ass. 76. South African Sugar Association Expreriment Station. http://citeseerx.ist.psu.ud. [3 April 2014].

Singles, A, and Smith, M.A. 2009. Sugarcane response to row spacing-induced competition for light. Field Crops Research 113(2): 149–155.

Singels, A., Smith, M.A., Redshaw, K.A., Donalson, R.A, 2005. The effect of crop start date, crop class and cultivar on sugarcane canopy development and radiation interception. Field Crops Research 92 (2-3): 249–260.

Smith, G.S., and Roncadori, R.W. 1986. Response of three vesicular-arbuscular mycorrhizal fungi at four soil temperature and their effects on cotton growth. New Phytol 104: 89-95.

Smith, S.E., and Read, D.J. 1997. Mycorrhizal symbiosis.Acedemic Press. San Diego. CA.

Smith, J.P., Lawn, R.J., and Nable, R.O. 1999. Investigations into the root:shoot ralationships of sugarcane, and some implications for crop productions in the presence of sub-optimal soil conditions. Proc Aus Soc Sugar Cane Technol, 21: 108-113.

Smith, D.M., Inman-Bamber, N.G., and Thorburn, P.J. 2005. Growth and function of the sugarcane root system. Field Crops Research 92: 169–183.

Smith, F.A., and Smith, S.E. 2011. What is the significance of the arbuscular mycorrhizal colonisation of many economically important crop plants? Plant Soil 348:63- 79.

Smith, S.A., and Smith, F.A. 2012. Fresh perspective on the roles of arbuscular mycorrhizal fungi in plant nutrition and growth. Mycology 104 (1): 1-13.

Smith, A.M., and Harrison, M.J. 2014. Signaling events during initiation of arbuscular mycorrhizal symbiosis. Journal of Intergrative Plant Biology 56 (3): 250-261.

Soemarno, 2010. Bagaimana Meningkatkan Rendemen Tebu. www.marno.lecture.ub.ac.id.[5-11-2012].

Sonnewald, U., and Willmitzer, L. 1992. Moleculer approaches to sink-source interactions. Plant Physiol 92: 1267-1270.

Soomro, A.F., Tunio, S., Oad, F.C., Rafper, I., Khuhro, M.I., and Arain, M.Y. 2012. Effect of supplemental inorganic NPK and residual organic nutrients on sugarcane ratoon crop. International Journal of Scientific & Engineering Research 3(10): 1-11.

Souza, A.P., Gaspar, M., Silva, E.A., Ulian, E.C., Waclawovsky, A.J., Nishiyama, M.Y., Santos, R.V., Teixeira, M.M., Souza, G.M., and Buckeridge, M.S. 2008. Elevated CO_2 increases photosynthesis, biomass and productivity, and modifies gene expression in sugarcane. Plant, Cell and Environment 31: 1116–1127.

Srikumar, R., Murugaian, P., and Thangaraj, R. 2009. Survey of arbuscular mycorrhizal fungi-associated with sugarcane in of South India. Agric. Sci. Digest 29 (2): 1-4.

Srinuryanti. 2004. Usahatani tebu pada lahan sawah dan tegalan di Yogyakarta dan Jawa Tengah. Pusat Analisis Sosial Ekonomi dan Kebijakan Pertanian, Bogor http://referensiagribisnis.files.wordpress.com. [2-03-2014].

Srivastava, A.K., and Mahendra, K.R. 2012. Sugarcane production: Impact of climate change and its mitigation. Review. Biodiversitas 13 (4): 214-227.

Statistik Perkebunan Indonesia 2014-2016, 2015. Tebu Sugarcane. Direktoral Jenderal Perkebunan, Jakarta.

Sudirman, A.T., Nurmaslahah, dan Gusmaini. 2010. Pengaruh herbisida dan fungi mikoriza arbuskula terhadap pertumbuhan dan produksi tanaman artemisia. Bul.Littro 21 (2): 103-116.

Suguitani, C. 2006. Understanding sugarcane growth and yield: Evaluation of MOSICAS MODEL [abstract in English]. Ph.D. thesis. College of Agri-culture "Luiz de Queiroz", Univ. of Sao Paulo, Piracicaba, Brazil

Sudarmadji, S., Haryono, B., dan Suhardi. 1989. Analisa bahan makanan dan pertanian. Liberty. Yogyakarta.

Sundaram, S., Brand, J.H., Hymes, M.J., Hiremath, S., and Podila, G.P. 2003. Isolation and analysis of a symbiosis-regulated and Ras-interacting vesicular assembly protein gene from the ectomycorrhizal fungus *Laccaria bicolor*. New Phytologist 161: 529 –538.

Sungkar, R., and Zhu, J.K. 2004. Novel and stress-regulated microRNAs and other small RNAs from *Arabidopsis*. The Plant Cell 16: 2001-2019.

Supriyadi. 2007. Kesuburan tanah di lahan kering. EMBRYO 4 (2): 124-131.

Surendran, U., and Vani, D. 2013. Influence of arbuscular mycorrhizal fungi in sugarcane productivity under semiarid tropical agro ecosystem in India. International Journal of Plant Production 7 (2): 269-277.

Susilowati, S.H., dan Tinaprilla.2012. Analisa efisiensi usahatani tebu di Jawa Timur. Jurnal Littri 18 (4): 162-172.

Tarpley, L., and Vietor, D.M. 2007. Compartementation of sucrose during radial transfer in mature sorghum culm. BMC Plant Biology 7 (33): 1-10.

Tianco, A. P. 1995. Preliminary observations on using single eye transplants and hole planting to reduce cost of conventional planting. Proceedings of 11th International Society of Sugarcane Technology 21: 136 – 142.

Tathiana , T.S., and Filho, J.M. 2012. Seed performance of different corn genotypes during storage. Journal of Seed Science 35 (2): 207-215.

Tatipata, A. 2009. Effect of seed moisture content packaging and storage period on mitochondria inner membrane of soybean seed. Journal of Agricultural Technology 5 (1): 51-64.

Teruel, D.A., Baarbieri, V., and Ferraro, L.A. 1997. Sugarcane leaf area index modeling under different soil water conditions. Sci. Agric. Piracicaba 54:39-44.

Tirta, I.G., 2006. Pengaruh kalium dan mikoriza terhadap pertumbuhan bibit panili (*Vanilla planifolia andrew*). Biodiversitas 7 (2): 171-174.

Thoburn, P.J., Webster, A.J., Bigys, J.S., Bigg, I.M. 2009. Nitrogent needs of sugarcane crops: Lessons from testing the N replacement concept. Proc. Aust Sugar Cane Technol 31: 104-115.

Trappe, J.M. 1987. Phylogenetic and ecologic aspects of mycotrophy in the angiosperms from an evolutionary standpoint. *In* Ecophysiology of VA Mycorrhizal Plants. Ed. GR Safir. pp 5–25. CRC Press, Boca Ratón, Florida, USA.

Valley, C.H., Esqueda, M., Soto, E.M.V., and Castellanos, A.E. 2009. Water stress tolerance in plant arbuscular mycorrhizal fungi interaction: Energy metabolism and physiology. Rev. Fitotec. Mex 32 (4): 265-271.

Van Dellewijn.1952. Botani of sugarcane. Wattham. Massashussets. USA.

Viswanathan, R., Malathi, P., and Krishnan, M.B. 2007. Recent approaches in sugarcane planting vis-à-vis disease management. Sugarcane Breeding Institute. Indian Council of Agricultural Research. Coimbatora.

Vu, J.C.V., and Allen, L.H. 2009. Stem juice production of the C4 sugarcane (*Saccharum officinarum*) is enhanced by growth at double-ambient CO_2 and high temperature. Journal of Plant Physiology 166: 1141-1151.

Wahid, A. 2007. Physiological implications of metabolite biosynthesis for net assimilation and heat-stress tolerance of sugarcane (*Saccharum officinarum* L) sprouts. J Plant Res. 120:219–228.

Wang, J., Nayak, S., Koch, K., and Ming, R. 2013. Carbon partitioning in sugarcane (*Saccharum species*). Plant Science 4 (201):1-6.

Watson, D.J. 1952. The physiological basis of variations in the yield. Adv.Agron 4: 101-145.

Webster, P.W.D., Eavis, B.M. 1972. Effects of flooding on sugarcane growth.1. Stage of growth and duration of flooding. Proc. Int. Sugar Cane Technol. 14: 708-714.

Whittaker, A., and Botha, F.C. 1997. Carbon partitioning during sucrose accumulation in sugarcane intermodal tissue. Plant Physiol 115: 1651-1659.

Windauer, L.B., Martinez, J., Rapoport, D., Wassner D., and Arnold, R.B. 2012. Germination responses to temperature and water potential in *Jatrophacurcas* seeds: a

hydrotime model explains the difference between dormancy expression and dormancy induction at different incubation temperatures. Annals of Botany 109: 265 – 273.

Windler, R., Veith, R., Dancer, J., Stitt, M., and Komor, E. 1990. Sucrose storage in cell suspencion culture of *Saccharum* sp. (sugarcane) is regulated by a cycle of synthesis and degradation. Planta Physiol. 183: 31-39.

Weidmann, S., Sanchez, L., Descombin, J., Chatagnier, O., Gianinazzi, S., and Pearson, V.G. 2004. Fungal elicitation of signal transduction-related plant genes precedes mycorrhiza establishment and requires the *dmi3* gene in *Medicago truncatula.* Molecular Plant-Microbe Interactions 17 (12): 1385-1393.

Wintermants, J.F.G.M., and De Monts, A. 1965. Spectrophotometric characteristics of chlorophylls a and b their pheophytins in etanol. Biochim. Biophys. Acta (Amst.) 109: 448-453.

Wingler, A., Purdy, S., Maclean, J.A., and Pourtau, N. 2006. The role of sugar in intergrating environmental signals during the regulation of leaf senescance. Journal of Experimental Botany 57(2): 391-399.

Woodstock, L.W., and Grabe, D.F. 1967. Relationships between seed respiration during imbibition and subsequent seedling growth in *Zea mays* L. Plant Physiol. 42: 1071-1076.

Wu, Q.S., and Xia, R.X. 2006. Arbuscular mycorrhizal fungi influence growth, osmotic adjustment and photosynthesis of citrus under well-watered and water stress conditions. Journal of Plant Physiology 163: 417—425.

Xu, F., Tan X., and Wang, Z. 2010. Effects of sucrose on germination and seedling development of *Brassica napus*. International Journal of Biology 2 (1): 150-154.

Yadav, R.L., Kumar, R., and Verma, R.S. 1991. Effect of planting technique and planting density on yield of late planted sugarcane in north central India. Experimental Agriculture 27 (3): 281-286.

Yuan, L., Yangun, Z.,Yongmei, H., Haiyan,C., Jianjun, C., Qin Li, Fushing, L., and Lilian, H. 2008. Variations in growth responses of 23 wild sugarcane (*Saccharum spontaneum* L.*)* clones to enhanced ultraviolet-B radiation under field conditions in Kunming, China. Journal of Tropical Agriculture 46 (1-2): 85–88.

Yousefi, A.A., Khavaci, K., Maezi, A.A., Rejali, F., and Habib, A.N. 2011. Phosphate solubilizing bacteria and arbuscular mychorrizal fungi impact on organic phosphorus fraction and wheat growth. World Applied Science Journal 15 (9):1310-1318.

Zhang, B., Pan, X., Cobb, G.P., and Anderson, T.A. 2006. Plant microRNA: A small regulatory molecule with big impact. Developmental Biology 289: 3–16.

Zhang, F.J., Zhang, K.K., Du, C.Z., Li, J., Xing, Y.X., Yang, L.T., Li, Y.R. 2015. Effect of drought stress on anatomical structure and chloroplast ultrastructure in leaves of sugarcane. Sugar Tech 17(1):41–48.

Zhao, D., Reddy, K.R., Kakani, V.G., Read, J.J., and Carter G.A. 2003. Corn (*Zea mays* L.) growth, leaf pigment concentration, photosynthesis and leaf hyperspectral reflectance properties as affected by nitrogen supply. Plant Soil 257: 205-218.

Zhao, D., Glaz, B., and Comstock, J.C. 2010. Sugarcane response to water-deficit stress during early growth on organic and sand soils. American Journal of Agriculture and Biological Science 5 (3): 403-414.

Zhou, M.M., Singels, A., and Savage, M.J. 2003. Physiological parameters for modelling differences in canopy development between sugarcane cultivars. Proc S Afr Sug Technol Ass (7): 610-621.