

DAFTAR PUSTAKA

- Allen, L. V., 2002, *The Art, Science, and Technology of Pharmaceutical Compounding*, 301-302, American Pharmaceutical Assosiation, Washington DC.
- Anonim, 1995, *Farmakope Indonesia* Edisi IV, 7-8, 175, Departemen Kesehatan Republik Indonesia, Jakarta.
- Anonim, 2008, *Farmakope Herbal Indonesia*, Edisi I, 171, 174-175, Kementrian Kesehatan RI, Jakarta.
- Ansel, H.C., Popovich, N.G., & Allen, L.V., 1999, *Pharmaceutical Dosage Form and Drug Delivery System*, 7th Ed., 92-97, 164-177, 152, 228, Lippincot Williams and Wilkins, Philadelphia.
- Armstrong, N.A. dan James, K.C., 1996, *Pharmaceutical Experimental Design and Interpretation*, 205-222, Taylor and Francis, London.
- Bolton, S., 1997, *Pharmaceutical Statistics Practical and Clinical Application*, 3rd Edition, 610-618, Marcel Dekker Inc, New York.
- Buhse, L., Kolinski, R., Westenberger, B., Wokovich, A., Spencer, J., Chen, C.W., Turujman, S., Gautaman-Basak, M., Kang, G.J., Kibbe, A., Heintzelman, B., & Wolfgang, E., 2005, Topical Drug Classification, *Int. J. Pharm.* 295, 101-112.
- Cui, J., Yu, B., Zhao, Y., Zhu, W., Li, H., Lou, H. & Zhai, G., 2009. Enhancement of oral absorption of curcumin by self-microemulsifying drug delivery systems. *International journal of pharmaceutics*, 371(1), 148-155.
- Donovan, M.D., & Flanagan, D.R., 1996, Bioavailability of Disperse Dosage Forms, dalam Lieberman H.A., Lachman, L., Schwartz, J.B., (Eds.), *Pharmaceutical Dosage Forms : Disperse System*, 2nd Ed., 2, 316, Marcell Dekker Inc., New York.
- Draelos, Z.D., & Lauren, A.T., 2006, *Cosmetic Formulation os Skin Care Products*, 326, Taylor and Francis Group, New York.
- Fauziah, R., 2016, Formulasi Gel Ekstrak Daun Jambu Biji (*Psidium guajava L.*) dengan Kombinasi Karbopol dan CMC-Na Menggunakan Metode *Simplex Lattice Design*, *Skripsi*, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Garg, A., Deepika, A., Sanjay, G., Anil, K.S., 2002, *Spreading of Semisolid Formulations An Update*, 90, Pharmaceutical Technology, USA.

- Islam, M.T., Rodríguez-Hornedo, N., Ciotti, S. & Ackermann, C., 2004. Rheological characterization of topical carbomer gels neutralized to different pH. *Pharmaceutical research*, 21(7), 1192-1199.
- Kaur, C., & Kapoor, H.C., 2001, Antioxidants In Fruits and Vegetables-The Millennium's Health, *International Journal of Food Science Technology*, 36, 703-725.
- Kuncari, E.S., Iskandarsyah, I. and Praptiwi, P., 2014, *Evaluasi, Uji Stabilitas Fisik Dan Sinerisis Sediaan Gel Yang Mengandung Minoksidil, Apigenin Dan Perasan Herba Seledri (Apium graveolens L.)*, 213-222, Buletin Penelitian Kesehatan, Cibinong.
- Materska, M., 2008, Quercetin and Its Derivatives : Chemical Structure and Bioactivity-A Review, *Polish Journal of Food and Nutrition Sciences*, 58 (4): 407-413.
- Paye, M., Andre, O.B., & Howard., I.M., 2001, *Handbook of Cosmetic Science and Technology*, 220-226, Marcell dekker Inc., New York cit Anggasta, W.G., 2016, Optimasi Formula Gel Ekstrak Etanolik Daun Sirih Merah (*Piper Crocatum Ruiz. & Pav.*) Dengan Kombinasi Basis Karbopol Dan CMC-Na Menggunakan Metode Simplex Lattice Design, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Remon, J. P., 2007, Absorption Enhancers, in *Encyclopedia of Pharmaceutical Technology*, 3rd edition, Swarbrick. J (ed), 13, Informa, London.
- Rowe, R.C., Shesky, P.J., & Owe, S.J., 2006, *Handbook of Pharmaceutical Excipient*, 5th Ed., 111-115, 120-123, Pharmaceuticals Press. Inc., London.
- Rusdiana, T., Soebagio, B., & Kurniawati, A.S., 2007, Formulasi Gel Antioksidan dari Ekstrak Daun jambu Biji (*Psidium guajava* L) dengan Menggunakan Aqupec HV-505, dalam Makalah Kongres Seminar ISFI XV, 1-10, Fakultas Farmasi UNPAD, Jatinangor.
- Sudarsono, Gunawan, D., Wahyono, S., Donatus, I.A., Purnomo, 2002, *Tumbuhan Obat II (Hasil Penelitian, Sifat-Sifat dan Penggunaan)*, Yogyakarta: Pusat Studi Obat Tradisional-Universitas Gadjah Mada.
- Syamsuhidayat, S.S., & Hutapea, J.R., 1991, *Inventaris Tanaman Obat Indonesia*, Jilid I, Departemen Kesehatan Republik Indonesia, Jakarta.
- Voigt, R., 1984, *Buku Pelajaran Teknologi Sediaan Farmasi*, diterjemahkan oleh Soendani, N.S., dan Mahtilda, B.N., 336-337, Yogyakarta, Gadjah Mada University Press.

- Wagner, H., & Bladt, S., 1996, *Plant Drug Analysis: A Thin Layer Chromatography Atlas*, 2nd Ed, 197, The McGraw-Hill Companies, New York.
- Wardani, A.R. & Leviana, F., 2010, Pengaruh Cairan Penyari terhadap Rendemen dan Kadar Tanin Ekstrak Daun Jambu Biji (*Psidium guajava L.*), Vol.7, No.2: 57-60, Fakultas Farmasi, Universitas Setia Budi, Surakarta.
- Yogesthinaga, Y.W., 2016, Optimasi *Gelling Agent* Carbopol dan Humektan Propilen Glikol dalam Sediaan Gel Ekstrak Etanol Daun Binahong (*Anredera Cordifolia* (Ten.) Seenis) dengan Desain Faktorial, *Skripsi*, Fakultas Farmasi, Universitas Sanata Dharma, Yogyakarta.
- Zatz, J. I., & Kushla, G. P., 1996, Gels, dalam Lieberman, H. A., Lachman, L., Schwatz, J. B., *Pharmaceutical Dosage Form: Dysperse System Vol.2*. 2nd Ed., 399-418, Marcell Dekker Inc., New York.
- Zhu, W., Yu, A., Wang, W., Dong, R., Wu, J. & Zhai, G., 2008. Formulation design of microemulsion for dermal delivery of penciclovir. *International journal of pharmaceutics*, 360(1), 184-190.