

DAFTAR PUSTAKA

- Almatsier, S. 2005. *Prinsip Dasar Gizi*. Jakarta: Gramedia Pustaka Utama.
- Anonim^a. 2005. Daftar Zat Pewarna yang Dilarang. <http://agribisnis.deptan.go.id/pustaka/teknopro/leaflet.html>. Diakses pada tanggal 17 Agustus 2016
- Apriliyanti, T. (2010). *Kajian Sifat Fisikokimia dan Sensori Tepung Ubi Jalar Ungu (*Ipomoea batatas blackie*) dengan Variasi Proses Pengeringan*. Universitas Sebelas Maret. Skripsi.
- Arja, F.S., Darwis, D. & Santoni, A. 2013. Isolasi, Identifikasi, Dan Uji Antioksidan Senyawa Antosianin Dari Buah Sikaduduk (*Melastoma malabathricum* L.) Serta Aplikasinya sebagai Pewarna Alami. *Jurnal Kimia Unand (ISSN No. 2303-3401)*, Volume 2 (1).
- Arshust, P.R. 1998. *Chemistry and Technology of Soft Drinks and Fruit Juices*. CRC Press, Canada.
- Arthey, D. & P.R. Ashurst. 2001. *Fruit Processing, Nutrition Product, and Quality Management*. 2nd Edition Maryland: An Aspen Publication.
- Brouillard, R. 1982. Chemical Structure of Anthocyanins. In :Markakis, P. Anthocyanin As Food Colorants p 1-37. Academic Press, New York.
- Budiarto, H. 1991. Stabilitas Antosianin Manggis (*Garcinia mangostana*) dalam Minuman Berkarbonat. Skripsi. Jurusan Teknologi Pangan dan Gizi, Fateta, IPB, Bogor.
- Cai, Y. dan H. Corke. 2000. Amaranthus Betacyanin Pigments Applied in Model Food System. *J. Food. Sci.* 64 (5) :869-873.
- Calvi, J.P. dan F.J. Francis. 1978. Stability of Concord Grape (*V. labrusca*) Anthocyanins in Model System. *J. Food Sci.* 43(5) : 1448-1456.
- Chisté RC, Lopes AS, de Faria LJG. 2010. Thermal and light degradation kinetics of anthocyanin extracts from mangosteen peel (*Garcinia mangostana* L.). *Int J Food Sci Tech* 45: 1902–1908. DOI: 10.1111/j.1365-2621.2010.02351.x.
- Cho, S.B., H.S. Chun, J.I. Yoon dan H.J. Kim. 2001. Degradation Kinetics of Red Color and Anthocyanins in *Schizandra fructus*. http://ift.confex.com/ift/2001/technoprogram/paper_8415.html. Diakses pada tanggal 20 Desember 2016
- Choi JH, Hwang YP, Choi CY, Chung YC, Jeong HG. 2010. Anti-fibrotic effects of the anthocyanins isolated from the purple-fleshed sweet potato on hepatic fibrosis induced by dimethylnitrosamine administration in rats. *Food Chem Toxicol* 48: 3137–3143. DOI: 10.1016/j.fct.2010.08.009
- DeMan, J.M. 1997. *Kimia Makanan*. Edisi Kedua. Terjemahan K. Padmawinata. Penerbit ITB, Bandung.

- Eskin, N.A.M. 1990. *Plant Pigments Flavours and Texture*. Academic Press, New York.
- Fellow, P. 1992. *Food Processing Technology : Principles and Practices*. Ellis Harword Publ., New York.
- Francis, F.J. 2002. *Food Colorings*. Di dalam D.B., MacDougall (ed). 2002. *Colour in Food : Improving Quality*. CRC Press, Washington
- Gardjito, M., Murdiati, A., dan Aini, N. 2006. Mikroenkapsulasi β -karoten Buah Labu Kuning dengan Enkapsulan Whey dan Karbohidrat. Jurusan TPHP Fakultas Teknologi Pertanian UGM. Yogyakarta.
- George NA, Pecota KV, Bowen BD, Schultheis JR, Yencho GC.2011. Root pieceplanting in sweetpotato—a synthesis of previous research and directions for the future. *Hort Technology* 21: 703–711.
- Giusti, M. and R.E. Wrolstad. 2003. Acylated anthocyanin from edible source and their application in food system. *Journal of Biochemical Engineering* 14 : 217-225.
- Hanum, T., 2000. Ekstraksi dan Stabilitas Zat Pewarna Alam dari Katul Beras Ketan Hitam (*Oryza sativa glutinosa*). *Bul. Teknol. Dan Industri Pangan*, Vol. XI, No.1. Jurusan Teknologi Hasil Pertanian Fakultas Pertanian Universitas Lampung. Bandar Lampung
- Harbone, J.B. 1987. *Distribution Anthocyanins in Higher Plants*. Di dalam T. Swain. *Chemical Plant Taxonomy*. Academic Press, New York.
- Hardoko, Hendarto L, & Siregar, T.M . 2010. Pemanfaatan Ubi Jalar Ungu (*Ipomoea batata* L. *Poir*) Sebagai Pengganti Sebagian Tepung Terigu Dan Sumber Antioksidan Pada Roti Tawa. *Jurnal Teknologi dan Industri Pangan*, Vol XXI No.1 Tahun 2010
- Hart, H. 1990. *Kimia Organik*. Terjemahan Suminar Achmadi. Penerbit Erlangga, Jakarta.
- Hendry, B.S. 1996. *Natural Food Colours*. *In* : Hendry, G.A.F. and J.D. Houghton *Natural Food Colorants Second Edition* p 53-60. Chapman and Hall, London.
- Hutchings, J.B. 1999. *Food Color and Appereance*. Second Edition. Chapman and Hall Food Science, Maryland.
- Ina, PT.,GAKD Puspawati, GA Ekawati.2013. Efek waktu ekstraksi terhadap aktivitas antioksidan, total fenol, dan kadar antosianin Ekstrak Ubi Ungu. *Jurnal Teknologi Pertanian Universitas Udayana*
- Jackman, R.L. dan J.L. Smith. 1996. *Anthocyanins and Betalains*. Di dalam G.A.F Hendry dan J.D. Houghton (ed). 1996. *Natural Foods Colourants*. Second Edition. Blackie Academic and Professionals, London.

- Jamriyanti (2007) Jamriyanti, Ririn. 2007. *Ubi Jalar Saatnya Menjadi Pilihan*.
- Jie, L., Xiao-ding, L., Yun, Z., Zheng-dong, Z., Zhi-ya, O., Meng, L., Shao-hua, Z., Shuo, L., Meng, W., dan Lu, O. (2013). Identification and thermal stability of purple-fleshed sweet potato anthocyanins in aqueous solutions with various pH values and fruit juices. *Food Chemistry* 136:1429-1434
- Joshi, P. dan C.J.B. Brimelow. 2002. Colour Measurement of Foods by Colour Reflectance. Di dalam D.B. MacDougall (ed). 2002. *Colour in Food : Improving Quality*. CRC Press, Washington (Markakis, 1982).
- Kabara, J.J. dan T. Eklund. 1991. Organic Acids and Esters. Di dalam N.J. Russel dan G.W. Gould. *Food Preservatives*. Van Nostrand Reinhold, new York.
- Krishnan, J.G., Padmaja. G., Moorthy. S.N., Suja, G. dan Sajeev, M.S. (2010). Effect of pre-soaking treatments on the nutritional profile and browning index of sweet potato and yam flours. *Innovative Food Science and Emerging Technologies* 11: 387-393.
- Kristie, A. 2008. Efek Pencampuran Ekstrak Zat Warna Kayu Secang dengan Beberapa Sumebr Antosianin terhadap Kualitas Warna dan Sifat Antimikrobia. [Skripsi]. Bogor : Fakultas Teknologi Pertanian, Institut Pertanian Bogor.
- Kumalaningsih S. 2008. *Antioksidan, Sumber & Manfaatnya*. *Antioxidant Centre Online*. Home page on-line. Tersedia http://antioxidant-centre.com/index.php/Antioksidan/3.-Antioksidan-Sumber_Sumber-Manfaatnya.html. Diakses pada 12 Agustus 2016
- Lamberti, M., Geiselman, A., Conde-Petit, B. dan Escher, F. (2004). Starch transformation and structure development in production and reconstitution of potato. *Lebensmittel-Wissenschaft und-Technologie* 37: 417-427
- Lim S. 2012. Anthocyanin-enriched Purple Sweet Potato for Colon Cancer Prevention [Disertasi]. Kansas: Department of Human Nutrition, Kansas State University Manhattan.
- Madhavi, D.L., S.S. Deshpande dan D.K. Salunkhe. 1996. *Food Antioxidant*. Marcell Dekker, Inc., New York.
- Março PH, Poppi RJ, Scarminio IS, Tauler R. 2011. Investigation of the pH effect and UV radiation on kinetic degradation of anthocyanin mixtures extracted from *Hibiscus acetosella*. *Food Chem* 125: 1020–1027. DOI: 10.1016/j.foodchem.2010.10.005.

- Mardhiah. 2010. *Ekstraksi Kelopak Bunga Rosella dan Batang Bunga Rosella (Hibiscus sabdariffa L.) sebagai Pewarna Merah Alami*. Fakultas Agribisnis dan Teknologi Pangan Jurusan Teknologi Pangan dan Gizi Universitas Djuanda.
- Markakis, P. 1982. *Anthocyanin as Food Colors*. Academic Press, New York.
- Miksusanti, Elfita, & Hotdelina. 2012. Aktivitas Antioksidan dan Sifat Kestabilan Warna Campuran Ekstrak Etil Asetat Kulit Buah Manggis (*Garcinia mangostana L.*) dan Kayu Secang (*Caesalpinia sappan L.*). *Jurnal Penelitian Sains*. Volume 15 (2).
- Natalia, D. 2005. Pengaruh Penggunaan Berbagai Jenis Pelarut Organik Terhadap Total Antosianin dari Ekstrak Pigmen Alami Buah Arben (*Rubusidaeus (Linn.)*). Skripsi. Universitas Padjadjaran, Jatinangor.
- Nielsen, S.R., S. Holst dan C. Hansen. 1998. *Development in Natural Colorings*. Di dalam D.B. MacDougall (ed). 1998. *Colour in Food : Improving Quality*. CRC Press, Washington.
- Ningrum A. 2005. Stabilitas zat pewarna alami dari daun erpa (*Aerva sp.*) dalam model minuman ringan dan pudding agar. [Skripsi]. Bogor (ID): Institut Pertanian Bogor
- Nur, M.A. dan H. Adjuwana. 1989. *Teknologi Pemisahan dalam Analisis Biologis*. PAU Ilmu Hayat, IPB, Bogor
- Nurlela. 2011. *Ekstraksi Dan Uji Stabilitas Zat Warna Alami Dari Bunga Kembang Sepatu (Hibiscus rosa-sinensis L.) Dan Bunga Rosella (Hibiscus sabdariffa L.)*. Skripsi. Jakarta: Fakultas Sains dan Teknologi Universitas Islam Negeri Syarif Hidayatullah.
- Oktavia. Devi. 2007. *Kajian SNI 01-2886-2000 Makanan Ringan Ekstrudat*. Jurnal Standarisasi Vol 9 No.1
- Ozkan, M., A. Yemenicioglu, N. Asefi dan B. Cemeroglu. 2002. Degradation Kinetic of Anthocyanins from Sour Cherry, Pomegranate, and Strawberry Juices by Hydrogen Peroxide. *J. Food Sci.* 67(2) : 525-529.
- Pakorny J, Yanishlieva N, Gordon M. 2001. *Antioxidant in Food : Practical and Application*. CRC Press. New York
- Phillips, G.F. dan J.G. Woodroof. 1981. *Beverages : Carbonated and Non Carbonated*. AVI Publishing Company, Connecticut
- Poei-Langston, M.S. dan R.E. Wrolstad. 1981. Color Degradation in an Ascorbic Acid Anthocyanin-Flavonol Model System. *J. Food Sci.* 46 : 1218-1222.
- Raharja, S. dan E. Dianawati. 2001. Mempelajari Ekstraksi Antosianin dari Daun Erpa (*Aerva sp.*) dengan Pelarut yang Diasamkan. *Bul. Teknol. dan Industri Pangan*, 11 (2) : 49-52.

- Rein, M. J. 2005. Copigments Reaction and Color Stability of Berry Anthocyanins. www.copigments.pdf.com.html. Diakses pada tanggal 20 Desember 2016
- Saati, E.A. & Hidayat, N. 2006. Membuat Pewarna Alami. Trubus Agrisarana: Surabaya.
- Sancho RAS, Pastore GM. 2012. Evaluation of the effects of anthocyanins in type 2 diabetes. *Food Res Int* 46: 378–386. DOI: 10.1016/j.foodres.2011.11.021.
- Santoni, A., Darwis, D. & Syahri, S. 2013. Isolasi Antosianin dari Buah Pucuk Merah (*Syzygium campanulatum* korth) Serta Pengujian Antioksidan dan Aplikasi sebagai Pewarna Alam. *Prosiding Semirata FMIPA Universitas Lampung*.
- Saona, L.E.R., M.M Giusti dan R.E. Wrolstad. 1999. Color and Pigment Stability of Red Radish and Red-Fleshed Potato Anthocyanins in Juice Model System. *J. Food Sci.* 64(3) : 451-456.
- Shewfelt, R.L. dan M. Ahmed. 1978. Enhancement of Powdered Soft Drink Mixes With Anthocyanin Extracts. *J. Food Sci.* 42 :435-438.
- Singh, R.P. 1994. Scientific Principles of Shelf Life Evaluation. Di dalam C.M.D. Man (ed). *Shelf Life evaluation of Foods*. Blackie Academic and Professionals, London.
- Spayd, S.E., C.W. Nagel, L.D. Hayrynen dan S.R. Drake. 1984. Color Stability of Apple and Pear Juices Blended with Fruit Juices Containing Anthocyanins. *J. Food Sci.* 49 : 411-414.
- Splittoesser, D.F.S. 1981. Fruits and Fruit Product. Di dalam L.R. Beuchat (ed). *Food and Beverage Mycology*. Second Edition. Van Nostrand Reinhold, New York
- Suda I, Oki T, Masuda M, Kobayashi M, Nishiba Y, Furuta S. 2003. Physiological functionality of purple-fleshed sweet potatoes containing anthocyanins and their utilization in foods. *Review. JARQ* 37 (3): 167 – 173.
- Sullivan, J. 2005. Anthocyanins. [http:// www. charliesweb.com/special-topics/anthocyanins](http://www.charliesweb.com/special-topics/anthocyanins). Diakses pada tanggal 18 Agustus 2016
- Takahata Y, Kai Y, Tanaka M, Nakayama H, Yoshinaga M. 2011. Enlargement of the variances in amount and composition of anthocyanin pigments in sweetpotato storage roots and their effect on the differences in DPPH radical-scavenging activity. *Hortic-Amsterdam* 127: 469–474. DOI: 10.1016/j.scienta.2010.10.010.
- Thompson, D.P. (1981). Chlorogenic acid and other phenolic compounds in fourteen sweet potato cultivars. *Journal of Food Science* 46: 738-740.

- Timberlake CF, Bridle P. 1982. *The Chemistry of Anthocyanins. Dalam: Markakis, P (Ed), Anthocyanins as Food Colors*. Harcourt Brace Jovanovich, New York.
- Tonon RV, Catherine B, and Miriam DH. 2010. Anthocyanin stability and antioxidant activity of spray-dried acai (*Euterpe oleracea* Mart) juice produced with different carrier agents. *Food Res Int*. 43:907-914.
- Truong VD, Hua Z, Thompson RL, Yencho GC, Pecota KV. 2012. Pressurized liquid extraction and quantification of anthocyanins in purple-fleshed sweet potato genotypes. *J Food*
- Varnam, A.H. dan Sutherland, J.P. 1994. *Beverages : Technology, Chemistry and Microbiology*. Chapman and Hall, London.
- Viguera, C.G. dan P. Bridle. 1999. Influence of Structure on Colour Stability of Anthocyanins and Flavylum Salts with Ascorbic Acid. *J. of. Food. Chem*. 64 : 21-26.
- Walford, J. 1980. *Developments in Food Colours 1*. Applied Science Publ. Ltd., London.
- Water, W.M. dan Purcell, A.E. (1980). Effect of substrate levels and polyphenol oxidase activities on darkening in sweet potato cultivars. *Journal of Agricultural and Food Chemistry* 28: 941-944.
- Wijaya, L.S., S.B. Widjanarko dan T. Susanto. 2001. Ekstraksi dan Karakterisasi Pigmen dari Kulit Buah Rambutan (*Nephelium lappaceum*) var. Binjai. *Jurnal Universitas Brawijaya, Malang*.
- Winarno, F.G. 1997. *Kimia Pangan*. Gramedia Pustaka Utama, Jakarta.
- Winarno, F.G. (2004). *Kimia Pangan dan Gizi*. PT. Gramedia Pustaka Utama, Jakarta
- Winarti, S., Sorafa, U. & Anggraini, D. 2008. Ekstraksi dan Stabilitas Warna Ubi Jalar Ungu (*Ipomoea batatas* L.) Sebagai Pewarna Alami. *Jurnal Teknik Kimia*, Volume.3 (1).
- Wrolstad, R.E., G. Skrede, P. Lea dan G. Enersen. 1990. Influence of Sugar on Anthocyanin Pigments in Frozen Strawberries. *J. Food Sci*. 55 : 1064-1065.
- Yang J, Gadi RL. 2008. *Effects of dehydration on anthocyanins, antioxidant activities, total phenols and color characteristics of purple-fleshed sweet potatoes (Ipomea batatas)*, *American Journal of Food Technology*. e-journal. Tersedia <http://www.academicjournals.net/fultext.html>. Diakses pada 11 Agustus 2016.
- Yoshinaga, M. 1995. New Cultivar “Ayamurasaki” for Colorant Production Sweet Potato. *Research Front No.1* : 2