UNIVERSITAS GADJAH MADA
PERUBAHAN SIFAT FISIK DAN KIMIA BUBUK KLUWAK (Pangium edule Reinw.) SELAMA PENGERINGAN MENGGUNAKAN CABINET DRYER
SITI HANUM INDAH LESTARI, Dr. Ir. Supriyadi, M.Sc ; Prof. Dr. Ir. Umar Santoso, M.Sc
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdullah, Moh. A. B. *Phyochemical Composition of Fresh and Cooked of Chesnut (Castanopsis argentea), Pangium (Pangium edule), and Pra (Elateriospermum tapos) Seeds*. Final Year Project, Food Science and Technology, in the Faculty of Applied Sciences, Universiti Teknologi Mara, Malaysia: January, 2012. Retrieved on July 4, 2012 from: http://eprints.ptar.uitm.edu.my/4940/1/MOHD_ASRUL_BIN_ABDULLAH_12_24.pdf

Afoakwa, E.O., A. Payterson; M. Fowler, A. Ryan. 2008. Flavor formation and character in cocoa and chocolate: a critical review. *Critical Reviews in Food Science and Nutrition*, 48 : 840-857.

Anese, M., Manzocco, L., Nicoli, M. C., Lerici, C. R. 1999a. Antioxidant properties of tomato juice as affected by heating. *Journal of the Science of Food and Agriculture*, 79 : 750–754

Andarwulan, N., Fardiaz, S., Apriyantono, A., Hariyadi, P., Shetty, K. 1999 a. Mobilization of primary metabolites and phenolics during natural fermentation in seeds of *Pangium edule Reinw*. *Process Biochemistry* 35 : 197 – 204

Andarwulan, N., D. Fardiaz, G. A. Wattimena,K. Shetty. 1999 b. Antioxidant activity associated with lipid and phenolic mobilization during seed germination of *Pangium edule* Reinw. J. Agric. *Food Chemistry* 47(8): 3158-3163

Andarwulan, N., D. Fardiaz, G. A. Wattimena, S. Fardiaz, A. Apriantono dan P. Hariyadi. 1997. Biosintesis Senyawa Antioksidan Picung (*Pangium edule* Reinw). *Hibah Bersaing* VI. Jurusan Teknologi Pangan dan Gizi, Institut Pertanian Bogor. Bogor

Andlauer, W., P. Furst. 1998. Antioxidative Power of Phytochemicals With Special Reference to Cereals. in: Rajeshwar, Y., G. P. S. Kumar, M. Gupta, U. K. Mazumder. 2005. *Studies on in Vitro Antioxidant Activities of Methanol Extract of Mucuna pruriens (Fabaceae) Seeds. European Bulletin of Drug Research* :13(1).

AOAC.1995. Official Methods of Analysis of The Association of Analytical Chemists, Washington D.C

Astawan, M. 2009. *Kluwak Kaya Antioksidan*. Jakarta: PT. Gramedia.

Badan Standarisasi Nasional. 2009. SNI 01-3709-1995: Rempah-rempah Bubuk

Belitz, H-D., Grosch, W., Schieberle, P. 2009. Food Chemistry. Springer-Verlag. Berlin Heidelberg.

Botterweek, A.A.M., H. Verhagen, R.A. Goldbohm, J.Kleinjans, P.A.Van-den-Brandt, 2000. Intake of butylated hydroxyamisole and butylated bydroxytoluene and stomach cancer risk : Result from analyses in the Netherlands cohort study. *Food Chem. Toxicol* (38) : 599-605

Charisma, Nandya. 2013. Pengaruh Suhu dan Lama Pengeringan Terhadap Kadar Kafein dan Tingkat Keasaman Kopi Varietas Arabika(Coffee arabica), *digilib.unpas.ac.id.* Diakses tanggal 1 Februari 2016.

PERUBAHAN SIFAT FISIK DAN KIMIA BUBUK KLUWAK (Pangium edule Reinw.) SELAMA PENGERINGAN MENGGUNAKAN CABINET DRYER
SITI HANUM INDAH LESTARI, Dr. Ir. Supriyadi, M.Sc ; Prof. Dr. Ir. Umar Santoso, M.Sc
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Cheigh, H. S., Um, S. H., Lee, C. Y. 1995. *Antioxidant Characteristics of Melanin-Related Products from Enzymatic Browning Reaction of Catechin in a Model System*. ACS Symposium Series 600 (38) : 200-208.

Chen, D.-W., Zhang, M., 2007. Non-volatile taste active compounds in the meat of Chinese mitten crab (Eriocheir sinensis). *Food Chemistry* 104:1200–1205

Chye, F.Y., Sim, K.Y. 2009. Antioxidative and Antibacterial Activities of *Pangium edule* Seed Extracts. *International Journal of Pharmacology*5: 285-297.

Cheong, B. E., Waslimb, M.Z., Lema, F.F., Teoh, P.L. 2013. Antioxidant and Anti-Proliferative Activities of Sabah *Ruellia tuberose*. *Journal of Applied Pharmaceutical Science*, 3: 020-024

Dedin, F.R., Dedi, F., Anton, A., Nuri, A. 2006. *Isolasi dan Karakteristik Melanoidin Kecap Manis dan Peranannya Sebagai Antioksidan*. JTIP.Bandung : IPB. 17 (3) :204-213.

Dewanto, V., Wu, X., Liu, R. H. (2002). Processed sweet corn has higher antioxidant activity. *Journal of Agricultural and Food Chemistry*, 50, 4959–4964.

Dewi, Alfian M.P. 2016. Pengaruh Suhu dan Lama Pengeringan Bekatul Beras Hitam Kultivar *Cempo ireng* terhadap Warna, Gula Reduksi, Total Fenolik, dan Aktivitas Antioksidan. *Skripsi*. Fakultas Teknolgi Pertanian. Universitas Gadjah Mada.

Elizalde, B. E.; Bressa, F.; Dalla Rosa, M.1992. Antioxidative actionof Maillard reaction volatiles: influence of Maillard solution browning level. *J. Am. Oil Chem. Soc*., *69* : 331-334.

Estiasih, T., Sofia, E. 2009. Stabilitas Antioksidan Bubuk Keluwak (Pangium Edule Reinw.) Selama Pengeringan dan Pemasakan. Jurnal. Teknologi Pertanian Vol. 10 No. (2) : 115-122.

Fardiaz, D., Romlah, S. 1992.Antioxidant Activity of Picung (*Pangium edule Reinw*.) Seed. In *Development of Food Science and Technology in ASEAN; Proceedings of the 4th ASEAN Food Conference, Feb 17-21*; ASEAN: Jakarta, Indonesia.

Fennema, Owen. 1996. Food Chemistry. 3rd edition. New York: Marcell Dekker Inc.

Fitch, C.A., Platzer, G., Okon, Mark., Moreno, E.B.G., McIntosh, L.P. 2015. Arginine : Its pKa Value Revisited. *Protein Science.*Vol 24(5):752-761.

Gad, Mohamed Z., 2010. Anti-aging Effects of L-Arginine. *Journal of Advanced Research.* Vol 1(3):169-177.

Gan, C.Y dan Latiff, A.A. 2011. Optimisation of the Solvent Extraction of Bioactive Compounds from *Parkia speciosa* Pod Using Response Surface Methodology. *Food Chem* 124 : 1277-1283

Goldberg, D.E. 2003. *Kimia Untuk Pemula*. Terjemahan oleh Sherly Affandy. 2004. Jakarta: Erlangga.

Goncalves, B., Olga, B., Eduardo, R., Joao, C., Ana, P. S. 2012. Effect of cooking on free amino acid and mineral profiles of sweet chestnut *(Castanea sativa* Mill.). *Fruits* 67 3 : 201-214.

PERUBAHAN SIFAT FISIK DAN KIMIA BUBUK KLUWAK (Pangium edule Reinw.) SELAMA PENGERINGAN MENGGUNAKAN CABINET DRYER
SITI HANUM INDAH LESTARI, Dr. Ir. Supriyadi, M.Sc ; Prof. Dr. Ir. Umar Santoso, M.Sc
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Gordon, M.H. 1990. *The Mechanism of Antioxidants Action In Vitro*. In B.J.F. Hudson, editor. Food Antioxidants. Elvesier Applied Science. London

Granvogl, M.; S. Bugan, P. Schieberle. 2006. Formation of amines and aldehydes from parent amino acids during thermal processing of cocoa and model systems: New insights into pathways of the strecker reaction. *Journal of Agricultural and Food Chemistry* (54) : 1730-1739.

Hardiana, R., Rudiyansyah, Anita, T. 2012. *Aktivitas Antioksidan Senyawa Golongan Fenol dari Beberapa Jenis Tumbuhan Famili Malvaceae.* JKK. Program Studi Kimia, Fakultas MIPA, Universitas Tanjungpura. 1(1) : 8-13

Hariyadi, P. 2007. Ekstraksi Rempah-Rempah Dengan CO2 Superkritis. *Food Review.Referensi Industri dan Teknologi Pangan.* Vol. II. No.1

Haryati. 2013. *Rempah-rempah dan Bahan Penyegar*. Bandung. Fakultas Pendidikan Teknologi Agroindustri. Universitas Pendidikan Indonesia

Hashiba, H. 1972. Non-Enzymatic Browning of Soy Sauce Comparison of the Browning of Soy Sauce with That of a Sugar-Amino Acid Model System. *Agric.Biol. Chem.* 36(3):390-397

Hoffman, G. 1961. 3-cM-Hexenal, the "Green" Reversion Flavor of Soybean Oil, 7. Am. Of/ C&em. Soc. 1-3.

Holt, L.E., Albanese, A.A. (1944). Observation on Amino Acid Deficiencies in Man. *Trans Assoc Am Physician* (58) :143-156

Homma, S., Terasawa, N., Kubo, T., Yoneyama-Ishi., Aida, K. 1997. Changes in Chemical Properties of Melanoidin by Oxidatiton and Reduction. *Biosci. Biotech. Biochem*. 61 (3): 533-535

Indonesia, Departemen Kesehatan Republik. Direktorat Jenderal Pembinaan Kesehatan Masyarakat. 1995. *Daftar Komposisi Zat Gizi Pangan Indonesia Edisi 1995*. Jakarta : Departemen Kesehatan.

Izli, Gokcen. 2016. Total Phenolics, Antioxidant Capacity, Colour and Drying Characteristics of Date Fruit Dried with Different Methods. *Food Science and Technology*.

Jimenez-Monreal, A.M., L., Garcia-Diz, M. Martinez-Tome, M. Mariscal, M.A Murcia. 2009. Influence of Cooking Methods on Antioxidant Activity of Vegetables. *Journal of Food Science* vol 74.

Kha, T. C., Nguyen M. H., Roach, P. D. 2010. Effects of Spray Drying Conditions on the Physicochemical and Antioxidant Properties of the Gac (*Momordica cochinchinensis*)Fruit Aril Powder. *J.Food.Eng.* 98(3): 385–392.

Kim, Su-Yeon, Bo-Min Kim, Jung-Bong Kim, Poovan Shanmugavelan, Heon- Woong Kim, So-Young Kim, Se-Na Kim, Young-Sook Cho, Han-Seok Choi, Ki-Moon Park. 2014. Effect of Steaming, Blanching, and High Temperature/High Pressure Processing on the Amino Acid Contents of Commonly Consumed Korean Vegetables and Pulses. *Prev. Nutr. Food Sci.* 3:220-226.

PERUBAHAN SIFAT FISIK DAN KIMIA BUBUK KLUWAK (Pangium edule Reinw.) SELAMA PENGERINGAN MENGGUNAKAN CABINET DRYER
SITI HANUM INDAH LESTARI, Dr. Ir. Supriyadi, M.Sc ; Prof. Dr. Ir. Umar Santoso, M.Sc
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Kubo, I. N. Mastuda, P. Xiao, H. Haraguchi. 2002. Antioxidant Activity of Deodecyl Gallate. *J. Agr Food Chem*. 50: 3533-353

Kusuma, H.R., Tita, I., Nani, I., Martina. 2007. *Pengaruh Pasteurisasi Terhadap Kualitas Jus Jeruk Pacitan*. Fakultas Teknik Jurusan Teknik Kimia. Universitas Katolik Widya Mandala. 6(2):142-151

Lee, H.S. dan Widmer, B.W. 1996. Phenolic compounds. *Di dalam*: Nollet, L.M.L. 1996. Handbook of Food analysis Volume I. Marcel Dekker, Inc, New York.

Maxwell, A.J, Anderson, *B.E.*, Cooke, J.P. 2000. Nutritional Therapy for Peripheral Arterial Disease : A Double Blind, Placebo-Control, Randomized Trial of HeartBarReg. *Vasc Medical*. Vol. 5(1) : 11 -19

Meskin, M. S., W. R. Bidlack, A. J. Davies, S. T. Omaye. 2002. *Phytochemicals in Nutrition and Health*. CRC Press, London-New York.

Miller, H. E., F. Rigelholf, L. Marquart, A. Prakash, M. Kanter. 2000. Antioxidant Content of Whole Grain Breakfast Cereals, Fruits and Vegetables. *Journal of The American College of Nutrition*. Vol. 19. No. 3. 312S-319S

Misnawi dan B.T.S. Ariza. 2011. Use of Gas Chromatography-Olfactometry in Combination with Solid Phase Micro Extraction for Cocoa Liquor Aroma Analysis. *International Food Research Journal*, Vol. 18 : 829-835.

Mokgope,L. B. 2006. *Cowpea Seed Coats and Their Extracts: Phenolic Composition and Use as Antioxidants in Sunflower Oil.* Department of Food Science, University of Pretoria. Afrika Selatan

Molyneux, P. 2004. The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity. *Journal of Science and Technology* Vol. 26 (2): 211-219.

Mongkolsilp, S., Pongbupakit, I., Sae-lee, N., Sitthithaworn, W. 2004. Radical Scavenging activity and total phenolic content of medical plants used in primary health care. *Journal of Pharmacy and Science*. Vol. 9(1) :32-35.

Morales, F.J. dan Babel, M.B. 2002. Antiradical Efficiency of Maillard Reaction Mixtures in a Hydrophilic Media. *J. Agric. and Food Chem* (50) : 2788 – 2792

Morris Jr, S.M. 2006. Arginine : beyond protein. *Am Journal Clin. Nutrifood.* Vol. 83(2) : 508-512.

Mujumdar, A.s. dan Devahastin, s. 2006. Fundamental principles of drying. In *: Handbook of Industrial Drying*, 3rd ed., Taylor & Francis Group, Boca Raton, FL.

Mukhopadhyay, M. 2000. *Natural Ekstracts Using Supercritical Carbon Dioxide*. CRC Press, London-New York.

Nicoli, M. C., Anese, M., Parpinel, M. T., Franceschi, S., Lerici, C. R. (1997). Loss and or formation of antioxidants during food processing andstorage. *Cancer Letters* (114):71–74.

PERUBAHAN SIFAT FISIK DAN KIMIA BUBUK KLUWAK (Pangium edule Reinw.) SELAMA PENGERINGAN MENGGUNAKAN CABINET DRYER
SITI HANUM INDAH LESTARI, Dr. Ir. Supriyadi, M.Sc ; Prof. Dr. Ir. Umar Santoso, M.Sc
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Nindo CI, Sun T, Wang SW, Tang J, Powers JR. 2003. Evaluation of drying technologies for retention of physical quality and antioxidants in asparagus (*Asparagus officinalis*, L.). *LWT* (36):507–516.

Onivogui, G., Letsididi, R., Diaby, M., Wang, L., Song, Y. 2019. Influence of Extraction Solvents on Antioxidant and Antimicrobial Activities of The Pulp and Seed of *Anisophyllea laurina* R. Br. Ex Sabine Fruits. *Asian Pacific Journal of Tropical Biomedicine.* Vol 6(1) : 20-25

Piga, Antonio., Caro, del Alessandra., Corda, Giampaola. 2003. From Plums to Prunes : Influence of Drying Parameters on Polyphenol and Antioxidant Activity. *Journal of Agricultural and Food Chemistry* 51 : 3675 - 3681

Pratamaningrum, Putri. 2010. *Fermentasi Kluwak (Pangium edule Reinw.)sebagai Alternatif Bahan Pengawet Ikan untuk Mencegah Pembusukan Ikan Hasil Tangkapan*. Laporan Penelitian PKM-P Dikti. Universitas Airlangga. Surabaya

Purnomo,H. 2007. Studi tentang Stabilitas Protein dan Dendeng Selama Penyimpanan. Laporan Penelitian. Fakulas Peternakan Universitas Brawijaya : Malang.

Purwandari, Fiametta A. 2016. *Seasoning and Condiment : Jenis dan Fungsinya*. Universitas Gadjah Mada, Yogyakarta.

Putri, Widelia I. 2009. Chemical and Physical Properties of Kluwak (*Pangium edule Reinw.*) Seed Oil. *Tesis*. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta

Queiroz, Yara S., Emilia Y. Ishimoto, Deborah H.M. Bastos, Geni R. Sampaio, Elizabeth A.F.S Torres. 2009. Garlic (*Allium sativum L.*) and ready-to-eat garlic products : *In vitro* antioxidant activity. *Food Chemistry* (115) : 371-374

Romeo, V. Flora., Piga, Antonio., Polana, Marco., Caro, del Alessandra., Sanguinetti, Anna M., Piscopo, Amalia., Madrau, Monica A. 2009. Effect of Drying Temperature on Polyphenolic Content and Antioxidant Activity of Apricots.*Eur Food Res Technology* 228 : 441 – 448.

Santoso, Umar. 2006. *Antioksidan*. Yogyakarta : Sekolah Pasca Sarjana Universitas Gadjah Mada.

Schwentker, A., Weller, Vodovotz R., Billiar, T.R. 2002. Nitric Oxide and Wound Repair : Role of Cytokines*Nitric Oxide* (7) : 1-10

Severini, C.; Lerici, C. R.1995.Interaction between the Maillard reaction and lipid oxidation in model sytems during high temperature treatment.*Ital. J. Food Sci*. *2* : 189-196.

Shahidi, F. and P. K. J. Wanasundara. 1992. Phenolik Antioxidants. in: Bidlack, W. R., W. Wang. 2000. *Designing Functional Foods to Enhance Health*. Technomic Publishing Co., Inc, Lancaster, Basel.

Sibuea, Fridaqua S.Y. 2015. Ekstraksi Tanin dari Kluwak (*Pangium edule Reinw.*) menggunakaan Pelarut Etanol dan Aquades dan Aplikasinya sebagai Pewarna Makanan.. *Skripsi*. Fakultas Teknik. Universitas Negeri Semarang. Semarang.

UNIVERSITAS GADJAH MADA
PERUBAHAN SIFAT FISIK DAN KIMIA BUBUK KLUWAK (Pangium edule Reinw.) SELAMA PENGERINGAN MENGGUNAKAN CABINET DRYER
SITI HANUM INDAH LESTARI, Dr. Ir. Supriyadi, M.Sc ; Prof. Dr. Ir. Umar Santoso, M.Sc
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Simanjuntak, P., T. Parwati, L. E. Lenny, S. Tamat, R. Murwani. 2004. Isolasi dan Identifikasi Senyawa Antioksidan dari Ekstrak Benalu Teh, *Scurrula oortiana* (Korth) Danser (Loranthaceae). *Jurnal Ilmu Kefarmasian Indonesia ISSN.*1693-1831 (2) : 1.

Stanković, Milan S. 2011. Total Phenolic Content, Flavonoid Concentration and Antioxidant Activity of *Marrubium peregrinum l.* Extracts.*Kragujevac J. Sci.* 33 (2011) 63-72. *Department of Biology and Ecology, Faculty of Science, University of Kragujevac, Radoja Domanovića 12, 34 000 Kragujevac, Republic of Serbia*

Su, Caiping. 2003. Fatty acid composition of oils, their oxidative, flavor and heat stabilities and the resultant quality in foods. *Retrospective Theses and Dissertasion*. Iowa State University. Paper 1466.

Su, K. P., Huang, S. Y., Chiu, C. C., Shen, W. W. 2003. Omega-3 fatty acids in major depressive disorder: A preliminary double-blind, placebo-controlled trial. *European Neuropsychopharmacology, 13*(4), 267-271. DOI: 10.1016/S0924-977X(03)00032-4

Sunanto, H. 1993. Budidaya Pucung ; *Usaha Produksi Kluwak dan Minyak Kepayang.* Kanisius, Yogyakarta.

Sunaryo, E., 1985. *Pengolahan Produk Serealia dan Biji-Bijian Jurusan Teknologi Pangan dan Gizi*. IPB, Bogor.

Susanti D, P. 2008. *Efek Suhu Pengeringan Terhadap Kandungan Fenolik dan Kandungan Katekin Ekstrak Daun kering Gambir*. Prosiding Seminar Nasianal Teknik Pertanian. Yogyakarta

Suyanto, P. 2012. The Antioxidant Activity of the Extract of *Pangium edule Reinw*. (Keluak) Seed in Cooked Ground Turkey. *Tesis*. Master of Science in Food Science and Human Nutrition in the Graduate College. University of Illinois. Urbana-Champaign.

Suyatma. 2009. Diagram Warna Hunter (Kajian Pustaka). *Jurnal Penelitian Ilmiah Teknologi Pertanian*, Institut Pertanian Bogor, Hlm 8-9.

Taher, A. 2003. Peran Fitoestrogen Kedelai sebagai Antioksidan dalam Penanggulangan Aterosklerosis. *Tesis*. Program Pascasarjana Institut Pertanian Bogor. Bogor

Tapsell, L. C., I. Heimphill, L. Cobiac, D.R. Sullivan, M. Fenech, C.S., Patch, K.E. Inge. 2006. Health benefits of herbs and spices: the past, the present, the future. Faculty of Health and Behavioural Science-Papers. *US National Library of Medicine National Institutes of Health*. 185(4 Suppl):S4-24.

Van Steenis, C. G. G. J. 1951. In Sardjono, and Kasmidjo, R, 1994. Teknologi Pengolahan Biji Kluwak (*Pangium edule*): Kajian Proses dan Produksi "Flavoring Agent". Research Report, FTP UGM, Yogyakarta.

Wang, M., N.S. Hettiarachchy, M. Qi, W. Burks, T. Siebenmorgen. 1999. Preparation and Functional Properties of Rice Bran Protein Isolate. *J. Agric. Food Chem (*47) : 411 - 416

Wang, W. R., W. 2000. *Designing Functional Foods to Enhance Health*. Technomic Publishing Co., Inc, Lancaster, Basel

PERUBAHAN SIFAT FISIK DAN KIMIA BUBUK KLUWAK (Pangium edule Reinw.) SELAMA PENGERINGAN MENGGUNAKAN CABINET DRYER
SITI HANUM INDAH LESTARI, Dr. Ir. Supriyadi, M.Sc ; Prof. Dr. Ir. Umar Santoso, M.Sc
Universitas Gadjah Mada, 2017 | Diunduh dari http://etd.repository.ugm.ac.id/

Wascher, T.C., Graier, W.F., Dittrich, P., Hussain, M.A., Bahadori, B.S., Wallner, S. 1997. Effect of Low Dose L-Arginine on Insuline Mediated Vasodilatation and Insulin Sensitivity. *Science Direct* (8) :690-695.

Widiyastuti, Setya A. 2016. Pengaruh Tahapan Proses Pengolahan Biji Kakao Segar menjadi Pasta Kakao terhadap Kandungan Total Polifenol dan Aktivitas Antioksidan. Skripsi. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Williams KJ, Tabas I. 1995. The Response to Retention Hypothesis of Early Atherogenesis. *Arterioscler Thromb Vasc Biol* (15) : 551 – 561

Winarno, F.G . 1997. Kimia Pangan dan Gizi. Jakarta: Gramedia Pustaka Utama

Winarno, F.G. 2008. Kimia Pangan dan Gizi. MBRIO Press, Cetakan 1. Bogor.

Yamaguchi T, Mizobuchi T, Kajikawa R, Kawashima H, Miyabe F, Terao J, Takamura H, Matoba T. 2001. Radical scavenging activity of vegetables and the effect of cooking on their activity. *Food Sci Technol Res* 7:250 - 257

Yen, G. C.; Hsieh, P.1995.Antioxidative activity and scavenging effects on active oxygen of xylose-lysine Maillard reaction products. *J. Sci. Food Agric*. *67* :415-420.

Yokotsuka. 1986. *Soy Sauce Biochemistry*. Adv. Food. Res. (30) : 195-329

You, X-Y., Yang Xu., Huang, Z-B., and Li, Y.-P. 2010. Nonvolatile Taste Compounds of *Jiangluobo* (A Traditional Chinese Fermented Food). *Journal of Food Quality* 33: 477-489.

Zhuang, Y., L. Sun. 2011. Antioxidant Activity of Maillard Reaction Products From Lysin-Glucose Model System as Realated to Optical Property and Copper (V) Binding Ability. *Journal of Biotechnology*. 10(35): 6874-6793