BIBLIOGRAPHY

Aarsland, D., Pahlhagen, S., Ballard, C. G., Ehrt, U. and Svenningsson, P. (2012) 'Depression in Parkinson Disease-Epidemiology, Mechanisms and Management', *Nature Review Neurology*, 8(1), 35–47. doi: 10.1038/nrneurol.2011.189.

Altunkaynak, B. Z., Onger, M. E., Altunkaynak, M. Eyup, Ayranci, E. and Canan, S. (2012) 'A Brief Introduction to Stereology and Sampling Strategies: Basic Concept of Stereology', *NeuroQuantology*, 10(1), 31–43.

Baddeley, A. and Jensen, E. B. V (2004) *Stereology for Statisticians*, Chapman and Hall/CRC, Boca Raton. Available at: https://books.google.co.id/books?id=il0fXb_GSowC.

Baquet, Z. C., Williams, D., Brody, J. and Smeyne, R. J. (2009) 'A Comparison of Model-based (2D) and Design-based (3D) Stereological Methods for Estimating Cell Number in the Substantia Nigra Pars Compacta (SNpc) of the C57BL/6J Mouse', *Neuroscience*, 161(4), 1082–1090. doi: 10.1016/j.neuroscience.2009.04.031.

Calhoun, M. E., Wiederhold, K.-H., Abramowski, D., Phinney, A. L., Probst, A., Sturchler-Pierrat, C., Staufenbiel, M., Sommer, B. and Jucker, M. (1998) 'Neuron Loss in APP Transgenic Mice',*Nature*, 395(6704),755–756. doi: 10.1038/27351.

Coban, A. and Filipov, N. M. (2007) 'Dopaminergic Toxicity Associated with Oral Exposure to the Herbicide Atrazine in Juvenile Male C57BL/6 mice', *Journal of Neurochemistry*, 100(5), 1177–1187. doi: 10.1111/j.1471-4159.2006.04294.x.

Cruz-Orive, L. M. (1999) 'Unbiased Stereology: Three-Dimensional Measurement in Microscopy', *Journal of Anatomy*, 194(Pt 1),153–157. doi: 10.1046/j.1469-7580.1999.194101536.x.

Daubner, S. C., Le, T. and Wang, S. (2011) 'Tyrosine Hydroxylase and Regulation of Dopamine Synthesis', *Archives of Biochemistry and Biophysics*, 508(1),1–12. doi: 10.1016/j.abb.2010.12.017.

Dorsey, E. R., Constantinescu, R., Thompson, J. P., Biglan, K. M., Holloway, R. G., Kieburtz, K., Marshall, F. J., Ravina, B. M., Schifitto, G., Siderowf, A. and Tanner, C. M. (2007) 'Projected Number of People with Parkinson Disease in the Most Populous Nations, 2005 through 2030', *Neurology*, 68(5),384–386. doi: 10.1212/01.wnl.0000247740.47667.03.

Feany, M. B. and Bender, W. W. (2000) 'A Drosophila Model of Parkinson's disease', *Nature*, 404(6776),394–398. doi: 10.1038/35006074.

Flood, D. G. and Coleman, P. D. (1988) 'Neuron Numbers and Sizes in Aging Brain: Comparisons of Human, Monkey, and Rodent data', *Neurobiology of*

Aging, 9,453–463. doi: 10.1016/S0197-4580(88)80098-8.

Gerfen, C. R. and Bolam, J. P. (2010) 'Neuroanatomical Organizations of Basal Ganglia', in Steiner, H. and Tseng, K. Y. (eds),. 2nd edition. Elsevier, San Diego.

Gómez-Isla, T., Hollister, R., West, H., Mui, S., Growdon, J. H., Petersen, R. C., Parisi, J. E. and Hyman, B. T. (1997) 'Neuronal Loss Correlates with but Exceeds Neurofibrillary Tangles in Alzheimer's disease', *Annals of Neurology*, 41(1),17–24. doi: 10.1002/ana.410410106.

Gundersen, H. J. G., Jensen, E. B. V, Kieu, K. and Nielsen, J. (1999) 'The Efficiency of Systematic Sampling in Stereology — Reconsidered', *Journal of Microscopy*, 193(3),199–211. doi: 10.1046/j.1365-2818.1999.00457.x.

Hamre, K., Tharp, R., Poon, K., Xiong, X. and Smeyne, R. J. (1999) 'Differential Strain Susceptibility Following 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) Administration Acts in an Autosomal Dominant Fashion: Quantitative Analysis in Seven Strains of Mus musculus.', *Brain research*, 828(1–2),91–103.

Harrison, I. F., Anis, H. K. and Dexter, D. T. (2016) 'Associated Degeneration of Ventral Tegmental Area Dopaminergic Neurons in the Rat Nigrostriatal Lactacystin Model of Parkinsonism and their Neuroprotection by Valproate', *Neuroscience Letters*, 614,16–23. doi: 10.1016/j.neulet.2015.12.052.

Hawrylycz, M.J. et al. (2012) An anatomically comprehensive atlas of the adult human transcriptome, *Nature*, 489: 391-399. doi: 10.1038/nature11405

Hillman, R., Sinani, J. and Pendleton, R. (2012) 'The Role of the GABA(B) Receptor and Calcium Channels in a Drosophila Model of Parkinson's Disease.', *Neuroscience letters*, 516(2),167–170. doi: 10.1016/j.neulet.2012.03.034.

Kawada, T., Anang, J. B. M. and Postuma, R. (2015) 'Predictors of Dementia in Parkinson Disease: a Prospective Cohort Study.', *Neurology*. doi: 10.1212/WNL.0000000000001408.

Masliah, E., Rockenstein, E., Veinbergs, I., Mallory, M., Hashimoto, M., Takeda, A., Sagara, Y., Sisk, A. and Mucke, L. (2000) 'Dopaminergic Loss and Inclusion Body Formation in α-Synuclein Mice: Implications for Neurodegenerative Disorders', *Science*, 287(5456), 1265 LP-1269. Available at: http://science.sciencemag.org/content/287/5456/1265.abstract.

McDonald, C., Newton, J. L. and Burn, D. J. (2016) 'Orthostatic hypotension and cognitive impairment in Parkinson's disease: Causation or association?', *Movement disorders*. 31(7),937-46. doi: 10.1002/mds.26632.

Meredith, G. E. and Rademacher, D. J. (2011) 'MPTP mouse models of Parkinson's disease: an update.', *Journal of Parkinson's disease*, 1(1),19–33. doi: 10.3233/JPD-2011-11023.

Minnema, D. J., Travis, K. Z., Breckenridge, C. B., Sturgess, N. C., Butt, M.,

Wolf, J. C., Zadory, D., Beck, M. J., Mathews, J. M., Tisdel, M. O., Cook, A. R., Botham, P. A. and Smith, L. L. (2014) 'Dietary Administration of Paraquat for 13 Weeks Does Not Result in a Loss of Dopaminergic Neurons in the Substantia Nigra of C57BL/6J Mice', *Regulatory Toxicology and Pharmacology*, 68(2),250–258. doi: 10.1016/j.yrtph.2013.12.010.

Morrison, J. H. and Hof, P. R. (1997) 'Life and Death of Neurons in the Aging Brain', *Science*, 278(5337), 412-419. doi: 10.1126/science.278.5337.412

Nair-Roberts, R. G., Chatelain-Badie, S. D., Benson, E., White-Cooper, H., Bolam, J. P. and Ungless, M. A. (2008) 'Stereological Estimates of Dopaminergic, GABAergic and Glutamatergic Neurons in the Ventral Tegmental Area, Substantia Nigra and Retrorubral field in the rat', *Neuroscience*, 152(4),1024–1031. doi: 10.1016/j.neuroscience.2008.01.046.

Nelson, E. L., Liang, C. L., Sinton, C. M. and German, D. C. (1996) 'Midbrain Dopaminergic Neurons in the Mouse: Computer-assisted Mapping.', *The Journal of Comparative Neurology*, 369(3),361–371. doi: 10.1002/(SICI)1096-9861(19960603)369:3<361::AID-CNE3>3.0.CO;2-3.

Oorschot, D. E. (1996) 'Total Number of Neurons in the Neostriatal, Pallidal, Subthalamic, and Substantia Nigral Nuclei of the Rat Basal Ganglia: A stereological Study Using the Cavalieri and Optical disector methods', *The Journal of Comparative Neurology*, 366(4),580–599. doi: 10.1002/(SICI)1096-9861(19960318)366:4<580::AID-CNE3>3.0.CO;2-0.

Oorschot, D. E. (2010) 'Cell Types in The Different Nuclei of the Basal Ganglia', in Steiner, H. and Tseng, K. Y. (eds) *Handbook of Basal Ganglia Structure and Function*. 2nd editio. Elsevier,San Diego. 63–72.

Paulsen, A. F. (2013) *Sobotta Atlas of Human Anatomy,* Vol 1, 15th ed., Elsevier Health Sciences, Germany.

Riise, J. and Pakkenberg, B. (2011) 'Stereological Estimation of the Total Number of Myelinated Callosal Fibers in Human Subjects', *Journal of Anatomy*. 218(3), 277–284. doi: 10.1111/j.1469-7580.2010.01333.x.

Russ, J. C. and Dehoff, R. T. (2012) *Practical Stereology*. Springer US, New York.

Santos, J. R., Cunha, J. a S., Dierschnabel, A. L., Campêlo, C. L. C., Leão, A. H. F. F., Silva, A. F., Engelberth, R. C. G. J., Izídio, G. S., Cavalcante, J. S., Abílio, V. C., Ribeiro, A. M. and Silva, R. H. (2013) 'Cognitive, Motor and Tyrosine Hydroxylase Temporal Impairment in a Model of Parkinsonism Induced by Reserpine', *Behavioural Brain Research*, 253,68–77. doi: 10.1016/j.bbr.2013.06.031.

Schapira, A. H. and Jenner, P. (2011) 'Etiology and Pathogenesis of Parkinson's disease', *Movement Disorders*, 26(6),1049–1055. doi: 10.1002/mds.23732.

Schmitz, C. and Hof, P. R. (2005) 'Design-based Stereology in Neuroscience',

Neuroscience, 130(4),813–831. doi: http://dx.doi.org/10.1016/j.neuroscience.2004.08.050.

Slomianka, L. and West, M. J. (2005) 'Estimators of the Precision of Stereological Estimates: An Example Based on the CA1 Pyramidal Cell Layer of Rats', *Neuroscience*, 136(3),757–767. doi: 10.1016/j.neuroscience.2005.06.086.

Smeyne, R. J., Breckenridge, C. B., Beck, M., Jiao, Y., Butt, M. T., Wolf, J. C., Zadory, D., Minnema, D. J., Sturgess, N. C., Travis, K. Z., Cook, A. R., Smith, L. L. and Botham, P. A. (2016) 'Assessment of the Effects of MPTP and Paraquat on Dopaminergic Neurons and Microglia in the Substantia Nigra Pars Compacta of C57BL/6 Mice', *PLoS ONE*. 11(10), e0164094. doi: 10.1371/journal.pone.0164094.

Somayajulu-Niţu, M., Sandhu, J. K., Cohen, J., Sikorska, M., Sridhar, T. S., Matei, A., Borowy-Borowski, H. and Pandey, S. (2009) 'Paraquat Induces Oxidative Stress, Neuronal Loss in Substantia Nigra Region and Parkinsonism in Adult Rats: Neuroprotection and Amelioration of Symptoms by Water-soluble Formulation of Coenzyme Q10', *BMC Neuroscience*, 10,88. doi: 10.1186/1471-2202-10-88.

Sun, Z. and Gitler, A. D. (2008) 'Discovery and Characterization of Three Novel Synuclein Genes in Zebrafish', *Developmental Dynamics*, 237(9),2490–2495. doi: 10.1002/dvdy.21569.

Tan, L. C. S. (2013) 'Epidemiology of Parkinson ' s disease', *Neurology Asia*, 18(3),231–238. Available at : https://www.neurology-asia.org/articles/neuroasia-2013-18(3)-231.pdf

Terry, R. D., Peck, A., Deteresa, R., Schechter, R. and Horoupian, D. S. (1981) 'Some Morphometric Aspects of the Brain in Senile Dementia of the Alzheimer Type', *Annals of Neurology*, 10(2),184–192. doi: 10.1002/ana.410100209.

West, M. J. (1993) 'New Stereological Methods for Counting Neurons.', *Neurobiology of aging*, 14(4),275–285.

West, M. J. and Gundersen, H. J. G. (1990) 'Unbiased Stereological Estimation of the Number of Neurons in the Human Hippocampus', *The Journal of Comparative Neurology*, 296(1),1–22. doi: 10.1002/cne.902960102.

Whiteford, H. A., Ferrari, A. J., Degenhardt, L., Feigin, V. and Vos, T. (2015) 'The Global Burden of Mental, Neurological and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010', *PLoS ONE*, 10(2), e0116820. doi: 10.1371/journal.pone.0116820.