



## DAFTAR PUSTAKA

- Arvind, G., Sood, S., Rahi, P., Thakur, R., Chauhan, S., Chadha, I.C.N. and Chawla, I., 2011. Diversity analysis of diazotrophic bacteria associated with the roots of tea (*Camellia sinensis* (L.) O. Kuntze). *Journal of microbiology and biotechnology*, 21(6), pp.545-555.
- Asis, C.A., ADACHI, K. and AKA03, S.H.O.I.C.H.I.R.O., 2004. N<sub>2</sub> fixation in sugarcane and population of N<sub>2</sub>-fixing endophytes in stem apoplast solution. *Philippine Journal of Crop Science*, 29(2), pp.45-58.
- Augstburger, F., J. Berger, U. Censkowsky, P. Heid, J. Milz, and C. Streit. 2000. Organic Farming in the Tropics and Subtropics. Exemplary Description of 20 Crops: Sugarcane. Naturland e.V., German.
- Baldani, J., Caruso, L., Baldani, V.L., Goi, S.R. and Döbereiner, J., 1997. Recent advances in BNF with non-legume plants. *Soil Biology and Biochemistry*, 29(5), pp.911-922.
- Baldani, J.I., Reis, V.M., Videira, S.S., Boddey, L.H. and Baldani, V.L.D., 2014. The art of isolating nitrogen-fixing bacteria from non-leguminous plants using N-free semi-solid media: a practical guide for microbiologists. *Plant and soil*, 384(1-2), pp.413-431.
- Burris, R.H. and Roberts, G.P., 1993. Biological nitrogen fixation. *Annual review of nutrition*, 13(1), pp.317-335.
- Christina, A., Christopher, V. and Bhore, S.J., 2013. Endophytic bacteria as a source of novel antibiotics: an overview. *Pharmacognosy reviews*, 7(13), p.11.
- Costa, L.E.D.O., Queiroz, M.V.D., Borges, A.C., Moraes, C.A.D. and Araújo, E.F.D., 2012. Isolation and characterization of endophytic bacteria isolated from the leaves of the common bean (*Phaseolus vulgaris*). *Brazilian Journal of Microbiology*, 43(4), pp.1562-1575.
- Dalton, H. and Postgate, J.R., 1968. Effect of oxygen on growth of *Azotobacter chroococcum* in batch and continuous cultures. *Microbiology*, 54(3), pp.463-473.
- Elawad, S.H., Gascho, G.J. and Street, J.J., 1982. Response of sugarcane to silicate source and rate. I. Growth and yield. *Agronomy journal*, 74(3), pp.481-484.
- Erturk, Y., Ercisli, S., Haznedar, A. and Cakmakci, R., 2010. Effects of plant growth promoting rhizobacteria (PGPR) on rooting and root growth of kiwifruit (*Actinidia deliciosa*) stem cuttings. *Biological Research*, 43(1), pp.91-98.
- Fang, Y., Lin, H., Wu, L., Ren, D., Ye, W., Dong, G., Zhu, L. and Guo, L., 2015. Genome sequence of *Xanthomonas sacchari* R1, a biocontrol bacterium isolated from the rice seed. *Journal of biotechnology*, 206, pp.77-78.FAO, 2000. Fertilizer and Their Use. IFA. Roma.



- Gillis, M., Kersters, K., Hoste, B., Janssens, D., Kroppenstedt, R.M., Stephan, M.P., Teixeira, K.D.S., Dobereiner, J. and De Ley, J., 1989. *Acetobacter diazotrophicus* sp. nov., a nitrogen-fixing acetic acid bacterium associated with sugarcane. *International journal of systematic and evolutionary microbiology*, 39(3), pp.361-364.
- Gosta, D.R. 2017. Produsen Dihadapkan Kenaikan Harga Gula. < <http://www.kemenperin.go.id/artikel/15125/Produsen-Dihadapkan-Kenaikan-Harga-Gula>> . Diakses Sabtu 27 Mei 2017.
- Han, J., Sun, L., Dong, X., Cai, Z., Sun, X., Yang, H., Wang, Y. and Song, W., 2005. Characterization of a novel plant growth-promoting bacteria strain *Delftia tsuruhatensis* HR4 both as a diazotroph and a potential biocontrol agent against various plant pathogens. *Systematic and Applied Microbiology*, 28(1), pp.66-76.
- Hartatik D., K.A. Wijaya, dan C. Bowo. 2015. Respon pertumbuhan tanaman tebu varietas bululawang dan hari widodo dengan pemberian silika. *Berkala Ilmiah Pertanian*, 1(1), pp.1-5.
- Hartono, H., Widada, J. and Kabirun, S., 2009. 16s rRNA Sequence Analysis and Ammonium Excretion Ability of Nitrogen Fixing Bacteria Isolated from Mineral Acid Soil. *Indonesian Journal of Biotechnology*, 14(2).
- Hartono, Nurfitriani, F. Asnawati, H. Citra, N. I. Handayani, M. Junda, A.Ali, Y. Hala and O. Jumadi. Ability of ammonium excretion, indol acetic acid production, and phosphate solubilization of nitrogen-fixing bacteria isolated from crop rhizosphere and their effect on plant growth. *ARPN Journal of engineering and Applied Sciences*, 11(19), pp. 11735-11741.
- Hassan, M.N., Afghan, S. and Hafeez, F.Y., 2012. Biological suppression of sugarcane red rot by *Bacillus* spp. under field conditions. *Journal of Plant Pathology*, 94(2), pp.325-329.
- James, E.K. and Olivares, F.L., 1998. Infection and colonization of sugar cane and other graminaceous plants by endophytic diazotrophs. *Critical Reviews in Plant Sciences*, 17(1), pp.77-119.
- Janahiraman, V., Anandham, R., Kwon, S.W., Sundaram, S., Pandi, V.K., Krishnamoorthy, R., Kim, K., Samaddar, S. and Sa, T., 2016. Control of Wilt and Rot Pathogens of Tomato by Antagonistic Pink Pigmented Facultative Methylophilic *Delftia lacustris* and *Bacillus* spp. *Frontiers in Plant Science*, 7.
- Kementerian Pertanian, 2017. Perkiraan Ketersediaan dan Kebutuhan Pangan Strategis Periode Hbkn Puasa dan Idul Fitri 2017. < <http://bkp.pertanian.go.id/berita-478-perkiraan-ketersediaan-dan-kebutuhan-pangan-strategis-periode-hbkn-puasa-dan-idul-fithri-2017-meijun.html>> . Diakses Sabtu 27 Mei 2017.
- Kirchhof, G., Eckert, B., Stoffels, M., Baldani, J.I., Reis, V.M. and Hartmann, A., 2001. *Herbaspirillum frisingense* sp. nov., a new nitrogen-fixing bacterial species that occurs in C4-fibre plants. *International journal of systematic and evolutionary microbiology*, 51(1), pp.157-168.



- Kneip, C., Lockhart, P., Voß, C. and Maier, U.G., 2007. Nitrogen fixation in eukaryotes—new models for symbiosis. *BMC Evolutionary Biology*, 7(1), p.55.
- Koomnok, C., Teumroong, N., Rerkasem, B. and Lumyong, S., 2007. Diazotroph endophytic bacteria in cultivated and wild rice in Thailand. *ScienceAsia*, 33, pp.429-435.
- Liu, X., Zhao, H. and Chen, S., 2006. Colonization of maize and rice plants by strain *Bacillus megaterium* C4. *Current microbiology*, 52(3), pp.186-190.
- Magnani, G.S., Didonet, C.M., Cruz, L.M., Picheth, C.F., Pedrosa, F.O. and Souza, E.M., 2010. Diversity of endophytic bacteria in Brazilian sugarcane. *Genet Mol Res*, 9(1), pp.250-258.
- Mahalakshmi, S. and Reetha, D., 2009. Assessment of plant growth promoting activities of bacterial isolates from the rhizosphere of tomato (*Lycopersicon esculentum*. L). *Recent Research in Science and Technology*, 1(1).
- Mano, H., Tanaka, F., Nakamura, C., Kaga, H. and Morisaki, H., 2007. Culturable endophytic bacterial flora of the maturing leaves and roots of rice plants (*Oryza sativa*) cultivated in a paddy field. *Microbes and Environments*, 22(2), pp.175-185.
- Mayer, J., Denger, K., Smits, T.H., Hollemeyer, K., Groth, U. and Cook, A.M., 2006. N-Acetyltaurine dissimilated via taurine by *Delftia acidovorans* NAT. *Archives of microbiology*, 186(1), pp.61-67.
- Mendes, R., Pizzirani-Kleiner, A.A., Araujo, W.L. and Raaijmakers, J.M., 2007. Diversity of cultivated endophytic bacteria from sugarcane: genetic and biochemical characterization of *Burkholderia cepacia* complex isolates. *Applied and environmental microbiology*, 73(22), pp.7259-7267.
- Mehnaz, S., Baig, D.N. and Lazarovits, G., 2010. Genetic and phenotypic diversity of plant growth promoting rhizobacteria isolated from sugarcane plants growing in Pakistan. *J Microbiol Biotechnol*, 20(12), pp.1614-1623.
- Muangthong, A., Youpensuk, S. and Rerkasem, B., 2015. Isolation and characterisation of endophytic nitrogen fixing bacteria in sugarcane. *Tropical life sciences research*, 26(1), p.41.
- Panday, D., Schumann, P. and Das, S.K., 2011. *Rhizobium pusense* sp. nov., isolated from the rhizosphere of chickpea (*Cicer arietinum* L.). *International journal of systematic and evolutionary microbiology*, 61(11), pp.2632-2639.
- Photita, W., Lumyong, S., Lumyong, P. and Hyde, K.D., 2001. Endophytic fungi of wild banana (*Musa acuminata*) at Doi Suthep Pui National Park, Thailand\*\* Paper presented at the Asian Mycological Congress 2000 (AMC 2000), incorporating the 2nd Asia-Pacific Mycological Congress on Biodiversity and Biotechnology, and held at the University of Hong Kong on 9-13 July 2000. *Mycological Research*, 105(12), pp.1508-1513.



- Pieretti, I., S. Bolot, S. Carrere, V. Barbe, S. Cociancich, P. Rott, dan M. Royer. 2015. Draft genome sequence of *Xanthomonas sacchari* strain LMG 476. *Journal ASM*. Vol. 3(2):1-2.
- Pirhadi, M., Enayatizamir, N., Motamedi, H. and Sorkheh, K., 2016. Screening of salt tolerant sugarcane endophytic bacteria with potassium and zinc for their solubilizing and antifungal activity. *Bioscience Biotechnology Research Communications*, 9(3), pp.530-538.
- Purnomo, J. dan D. A. Suriadikarta. 2008. Respon tanaman tebu varietas bulu lawang dan perubahan sifat kimia tanah sebagai akibat dari pemberian pupuk N, P, K di PG Jati Tujuh Jawa Barat. Badan Penelitian dan Pengembangan Pertanian, Departemen Pertanian.
- Ratón, T.D.L.M.O., Yano, R., Gámez, O.R., Floh, E.I.S., Díaz, M.D.J.S. and Barbosa, H.R., 2012. Isolation and characterisation of aerobic endospore forming Bacilli from sugarcane rhizosphere for the selection of strains with agriculture potentialities. *World Journal of Microbiology and Biotechnology*, 28(4), pp.1593-1603.
- Reis, V.M., S. Lee, dan C. Kennedy. 2007. Biological nitrogen fixation in sugarcane. P. 213-232. Emerich, and W. E. Newton (ed.), *Associative and Endophytic Nitrogen-Fixing Bacteria and Cyanobacterial Associations*. Springer, Dordrecht, The Netherlands.
- Ramadhan, I.C., Taryono, dan Rani Wulandari. 2014. Keragaan pertumbuhan dan rendemen lima klon tebu (*Saccharum officinarum* L.) di ultisol, vertisol, dan inceptisol. *Vegetalika*, 3(4), pp. 78-87.
- Rodrigues, K.F., 1994. The foliar fungal endophytes of the Amazonian palm *Euterpe oleracea*. *Mycologia*, pp.376-385.
- Setyamidjaja, D. dan H. Azharni. 1992. *Tebu Bercocok Tanam Dan Pascapanen*. Jakarta: CV.Yasaguna.
- Simanungkalit, R.D.M., R. Saraswati, R.D. Hastuti, E. Husen. 2006. *Bakteri Penambat Nitrogen, Pupuk Organik dan Pupuk Hayati*. Balai Penelitian Tanah, Badan Penelitian dan Pengembangan Pertanian. Bogor.
- Solanki, M.K., Wang, Z., Wang, F.Y., Li, C.N., Lan, T.J., Singh, R.K., Singh, P., Yang, L.T. and Li, Y.R., 2017. Intercropping in Sugarcane Cultivation Influenced the Soil Properties and Enhanced the Diversity of Vital Diazotrophic Bacteria. *Sugar Tech*, 19(2), pp.136-147.
- Sopandie, D. 2011. *Keragaan Varietas Tebu pada Beberapa Kadar Air Tanah*. Institut Pertanian Bogor. Skripsi.
- Stepniewska, Z. dan A. Kuzniar. 2014. Cultivation and detection of endophytic aerobic methanotrophs isolated from *Sphagnum* species as a perspective for environmental biotechnology. *AMB Express*. Vol 4(58):1-9.



- Strobel, G.A. dan B. Daisy. 2003. Bioprospecting for microbial endophytes and their natural products. *Microbiol. and Mol. Biology*. 67(4):63-68.
- Strobel, G.A., B. Daisy, U. Castillo, dan J. Harper 2004. Natural products from endophytic microorganisms. *J. Nat. Prod.* 67:257-268.
- Sun, L., F. Qiu, X. Zhang, X. Dai, X. Dong, dan W. Song. 2008. Endophytic bacterial diversity in rice (*Oryza sativa* L.) roots estimated by 16S rDNA sequence analysis. *Microb Ecol.* Vol.55:415-424.
- Sutton, S. 2010. The most probable number and its uses in enumeration, qualification, and validation. *Journal of Validation Technology*. Vol.16(3):35-38.
- Tamba, L.N., D. Gustomo, dan Y. Nuraini. 2016. Pengaruh aplikasi bakteri endofit penambat nitrogen dan pupuk nitrogen terhadap serapan nitrogen serta pertumbuhan tanaman tebu. *Jurnal Tanah dan Sumberdaya Lahan*. Vol 3 (2):339-344.
- Toyota, K. 2015. *Bacillus*-related spore formers: attractive agents for plant growth promotion. *Microbes Environ.* Vol. 30(3):205-207.
- Ding, Y., J. Wang, Y. Liu, dan S. Chen. 2005. Isolation and identification of nitrogen-fixing bacilli from plants rhizosphere in Beijing region. *Journal of Applied Microbiology*. Vol.99:1271-1281.
- Taule, C., C. Mareque, C. Barlocco, F. Hackembruch, V. M. Reis, M. Sicardi, dan F. Battistoni. 2012. The contribution of nitrogen fixation to sugarcane (*Saccharum officinarum* L.), and the identification and characterization of part of the associated diazotrophic bacterial community. *Plant and Soil*. 356:35-49.
- Urquiaga, S., K. H. S. Cruz and R. M. Boddey. 1992. Contribution of nitrogen fixation to sugarcane: nitrogen-15 and nitrogen balance estimates. *Soil Sci. Soc. Am. Proc.* 56, 105–114.
- Vessey, J.K. 2003. Plant growth promoting rhizobacteria as biofertilizers. *Plant and Soil*. Vol. 255:571-586.
- Yoon, J.H., Kim, I.G., Kang, K.H., Oh, T.K. and Park, Y.H., 2003. *Bacillus marisflavi* sp. nov. and *Bacillus aquimaris* sp. nov., isolated from sea water of a tidal flat of the Yellow Sea in Korea. *International journal of systematic and evolutionary microbiology*, 53(5), pp.1297-1303.
- Zhang, Y. P., R. H. Burris, P. Ludden, dan G. Roberts. 1996. Presence of a second mechanism for the posttranslational regulation of nitrogenase activity in *Azospirillum brasilense* in response to ammonium. *J. Bacteriol.* Vol. 178: 2948–2953.