

## BIBLIOGRAPHY

- Ali, A.A., Rayis, D.A., Abdallah, T.M., Elbashir, M.I. and Adam, I. (2011) Severe anaemia is associated with a higher risk for preeclampsia and poor perinatal outcomes in Kassala hospital, eastern Sudan. *BMC Research Notes* [online]. 4 (1), pp. 311. Available from: <http://www.biomedcentral.com/1756-0500/4/311>doi:10.1186/1756-0500-4-311.
- Arbor, A. (2001) NHBPEP Report on High Blood Pressure in Pregnancy: A Summary. *Aafp*. 64 (2), pp. 263–270.
- Barcelona, E., Bryan, London, J., Collins, Hamilton, K., Diedrich, Lubeck, R.G., Edwards, H., Evers, L. and Fraser (2000) Multiple gestation pregnancy The ESHRE Capri Workshop Group\* rates in most circumstances. Embryo reduction involves extremely difficult decisions for infertile couples and should be used only as a last resort. Assisted reproductive treat. *Human Reproduction*. 15 (7), pp. 1856–1864. doi:10.1093/humrep/15.8.1856.
- Bdolah, Y., Lam, C., Rajakumar, A., Shivalingappa, V., Mutter, W., Sachs, B.P., Lim, K.H., Bdolah-Abram, T., Epstein, F.H. and Karumanchi, S.A. (2008) Twin pregnancy and the risk of preeclampsia: bigger placenta or relative ischemia? *American Journal of Obstetrics and Gynecology*. 198 (4), . doi:10.1016/j.ajog.2007.10.783.
- Blondel, B., Kogan, M.D., Alexander, G.R., Dattani, N., Kramer, M.S., Macfarlane, A. and Wen, S.W. (2002) The impact of the increasing number of multiple births on the rates of preterm birth and low birthweight: An international study. *American Journal of Public Health*. 92 (8), pp. 1323–1330. doi:10.2105/AJPH.92.8.1323.
- Campbell, D.M. and Macgillivray, I. (1999) Preeclampsia in Twin Pregnancies: Incidence and Outcome. *Hypertension in Pregnancy* [online]. 18 (3), pp. 197–207. Available from: <http://dx.doi.org/10.3109/10641959909016193>doi:10.3109/10641959909016193.
- Chames, M.C., Livingston, J.C., Ivester, T.S., Barton, J.R. and Sibai, B.M. (2002) Late postpartum eclampsia: a preventable disease? *American journal of obstetrics and gynecology*. 186 (6), pp. 1174–1177.
- Cho, H.J., Shin, J.S., Yang, J.H., Ryu, H.M., Kim, M.Y., Han, J.Y., Kim, J.O., Ahn, H.K., Choi, J.S., Chung, J.H., Park, S.H., Kim, M.H. and Choi, K.H. (2006) Perinatal outcome in twin pregnancies complicated by gestational diabetes mellitus: a comparative study. *Journal of Korean medical science* [online]. 21 (3), pp. 457–459. Available from: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=med5&NEWS=N&AN=16778389>doi:10.3346/jkms.2006.21.3.457.
- Christopher, D., Robinson, B.K. and Peaceman, A.M. (2011) An evidence-based approach to determining route of delivery for twin gestations. *Rev Obstet Gynecol* [online]. 4 (3–4), pp. 109–116. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/22229063>doi:10.3909/riog0168.
- Cincotta, R.B., Gray, P.H., Phythian, G., Rogers, Y.M., Chan, F.Y., Terrace, R. and Brisbane, S. (2000) *Long term outcome of twin-twin transfusion syndrome*.

- Cohen, K., Rathod, M. and Ferriman, E. (2010) Twin pregnancy. *Obstetrics, Gynaecology & Reproductive Medicine* [online]. 20 (9), pp. 259–264. Available from: <http://www.sciencedirect.com/science/article/pii/S1751721410001132>doi:10.1016/j.ogrm.2010.07.001.
- Cunningham, F.G., Leveno, K.J., Bloom, S.L., Spong, C.Y., Dashe, J.S., Hoffman, B.L., Casey, B.M. and Sheffield, J.S. (2014) *Williams OBSTETRICS*. 24th edition. New York: McGraw Hill Education.
- Day, M.C., Barton, J.R., O'Brien, J.M., Istwan, N.B. and Sibai, B.M. (2005) The effect of fetal number on the development of hypertensive conditions of pregnancy. *Obstetrics and gynecology*. 106 (5 Pt 1), pp. 927–931. doi:10.1097/01.AOG.0000182578.82926.9c.
- Dolea, C. and Abouzahr, C. (2003) Global burden of hypertensive disorders of pregnancy in the year 2000. *Reproductive Health*. pp. 1–11.
- Donovan, E.F., Ehrenkranz, R.A., Shankaran, S., Stevenson, D.K., Wright, L.L., Younes, N., Fanaroff, A.A., Korones, S.B., Stoll, B.J., Tyson, J.E., Bauer, C.R., Lemons, J.A., Oh, W. and Papile, L.-A. (2017) Outcomes of very low birth weight twins cared for in the National Institute of Child Health and Human Development Neonatal Research Network's intensive care units. *American Journal of Obstetrics & Gynecology* [online]. 179 (3), pp. 742–749. Available from: [http://dx.doi.org/10.1016/S0002-9378\(98\)70075-4](http://dx.doi.org/10.1016/S0002-9378(98)70075-4)doi:10.1016/S0002-9378(98)70075-4.
- Draper, E.S., Manktelow, B., Field, D.J. and James, D. (1999) Prediction of survival for preterm births by weight and gestational age: retrospective population based study. *BMJ (Clinical research ed.)* [online]. 319 (7217), pp. 1093–1097. Available from: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=28258&tool=pmcentrez&rendertype=abstract>doi:10.1136/bmj.319.7217.1093.
- Driessen, M., Bouvier-Colle, M.-H., Dupont, C., Khoshnood, B., Rudigoz, R.-C. and Deneux-Tharoux, C. (2011) Postpartum hemorrhage resulting from uterine atony after vaginal delivery: factors associated with severity. *Obstetrics and Gynecology* [online]. 117 (1), pp. 21–31. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3319503/>doi:10.1097/AOG.0b013e318202c845.
- Duckitt, K. and Harrington, D. (2005) Risk factors for pre-eclampsia at antenatal booking: systematic review of controlled studies. *BMJ (Clinical research ed.)* [online]. 330 (7491), pp. 565. Available from: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=554027&tool=pmcentrez&rendertype=abstract>doi:10.1136/bmj.38380.674340.E0.
- Duley, L. (2009) The global impact of pre-eclampsia and eclampsia. *Seminars in perinatology* [online]. 33 (3), pp. 130–137. Available from: <http://www.sciencedirect.com/science/article/pii/S0146000509000214>doi:10.1053/j.semperi.2009.02.010 [Accessed 11 March 2015].
- Elliott, J.P. (2005) High-order multiple gestations. *Seminars in Perinatology*. 29 (5), pp. 305–311. doi:10.1053/j.semperi.2005.08.001.
- Fallis, A.. (2013) RCOG Multiple pregnancy: the management of twin and triplet

- pregnancies in the antenatal period. *Journal of Chemical Information and Modeling*. 53 (9), pp. 1689–1699. doi:10.1017/CBO9781107415324.004.
- Gillon, T.E.R., Pels, A., Von Dadelszen, P., MacDonell, K. and Magee, L.A. (2014) Hypertensive disorders of pregnancy: A systematic review of international clinical practice guidelines. *PLoS ONE*. 9 (12), pp. 1–20. doi:10.1371/journal.pone.0113715.
- Haig, D. (1993) Genetic conflicts in human pregnancy. *The Quarterly review of biology*. 68 (4), pp. 495–532.
- Huang, S.-T.J., Vo, K.C.T., Lyell, D.J., Faessen, G.H., Tulac, S., Tibshirani, R., Giaccia, A.J. and Giudice, L.C. (2004) Developmental response to hypoxia. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*. 18 (12), pp. 1348–1365. doi:10.1096/fj.03-1377com.
- Iliodromiti, S., Mackay, D.F., Smith, G.C.S., Pell, J.P. and Nelson, S.M. (2014) Apgar score and the risk of cause-specific infant mortality: a population-based cohort study. *Lancet (London, England)*. 384 (9956), pp. 1749–1755. doi:10.1016/S0140-6736(14)61135-1.
- Irene, Y.V. and Vaneet, K. (2007) *An analytical study of pregnancy outcome in multifetal gestation*. 57 (6), pp. 509–512.
- Katz, V.L., Farmer, R. and Kuller, J.A. (2000) Preeclampsia into eclampsia: toward a new paradigm. *American journal of obstetrics and gynecology*. 182 (6), pp. 1389–1396. doi:10.1067/mob.2000.106178.
- Khan, K.S., Wojdyla, D., Say, L., Gmezoglu, A.M. and Van Look, P.F. (2006) WHO analysis of causes of maternal death: a systematic review. *Lancet*. 367 (9516), pp. 1066–1074. doi:10.1016/S0140-6736(06)68397-9.
- Kuo, H.H., Yang, J.M. and Wang, K.G. (1995) Preeclampsia in multiple pregnancy. *Zhonghua yi xue za zhi = Chinese medical journal; Free China ed.* 55 (5), pp. 392–396.
- LA, S., HB, P., SF, M. and Al, E. (1999) Live-birth rates and multiple-birth risk using in vitro fertilization. *JAMA [online]*. 282 (19), pp. 1832–1838. Available from: <http://dx.doi.org/10.1001/jama.282.19.1832>.
- Lambalk, C.B., Boomsma, D.I., De Boer, L., De Koning, C.H., Schoute, E., Popp-Snijders, C. and Schoemaker, J. (1998) Increased levels and pulsatility of follicle-stimulating hormone in mothers of hereditary dizygotic twins. *Journal of Clinical Endocrinology and Metabolism*. 83 (2), pp. 481–486. doi:10.1210/jc.83.2.481.
- Little, C.M. (2010) One consequence of infertility treatment: multifetal pregnancy. *MCN. The American journal of maternal child nursing*. 35 (3), pp. 150–155. doi:10.1097/NMC.0b013e3181d765a8.
- Lopez-Llera, M. (1992) Main clinical types and subtypes of eclampsia. *American journal of obstetrics and gynecology*. 166 (1 Pt 1), pp. 4–9.
- MacKay, A.P., Berg, C.J., King, J.C., Duran, C. and Chang, J. (2006) Pregnancy-related mortality among women with multifetal pregnancies. *Obstetrics and gynecology*. 107 (3), pp. 563–568. doi:10.1097/01.AOG.0000200045.91015.c6.
- Martin, J.A., Hamilton, B.E., D, P., Sutton, P.D., Ventura, S.J., Menacker, F.,

- Kirmeyer, S., Mathews, T.J. and Statistics, V. (2015) National Vital Statistics Reports Births : Final Data for 2013. *Statistics*. 64 (1), pp. 1–104.
- Martin, N.G., Shanley, S., Butt, K., Osborne, J. and O'Brien, G. (1991) Excessive follicular recruitment and growth in mothers of spontaneous dizygotic twins. *Acta geneticae medicae et gemellologiae*. 40 (3–4), pp. 291–301.
- Mattar, F. and Sibai, B.M. (2000) Eclampsia. VIII. Risk factors for maternal morbidity. *American journal of obstetrics and gynecology*. 182 (2), pp. 307–312.
- Murray, S.R. and Norman, J.E. (2014) Multiple pregnancies following assisted reproductive technologies - A happy consequence or double trouble? *Seminars in Fetal and Neonatal Medicine* [online]. 19 (4), pp. 222–227. Available from: <http://dx.doi.org/10.1016/j.siny.2014.03.001>doi:10.1016/j.siny.2014.03.001.
- Mutchinick, O.M., Luna-muñoz, L., Amar, E., Feldkamp, M.L., Landau, D., Leoncini, E. and Li, Z.H.U. (2015) *Conjoined Twins: A Worldwide Collaborative Epidemiological Study of the International Clearinghouse for Birth Defects Surveillance and Research*. 0 (4), pp. 274–287. doi:10.1002/ajmg.c.30321.Conjoined.
- National Institute for Health and Care Excellence (2011) *Caesarean Section*. (November), pp. 1–22.
- Nylander, P.P. (1981) The factors that influence twinning rates. *Acta geneticae medicae et gemellologiae*. 30 (3), pp. 189–202.
- Pandey, M.R., Kshetri, B.J. and Dhakal, D. (2015) Maternal and Perinatal Outcome in Multifetal Pregnancy: A Study at a Teaching Hospital. *American Journal of Public Health Research*. 3 (5), pp. 135–138. doi:10.12691/ajphr-3-5A-29.
- Pusat Data dan Informasi Kementerian Kesehatan (2014) *Situasi Kesehatan Ibu Situasi Kesehatan Ibu* (angka kematian ibu) p.pp. 8.
- Qazi, G. (2011) Obstetric and perinatal outcome of multiple pregnancy. *Journal of the College of Physicians and Surgeons--Pakistan : JCPSP*. 21 (3), pp. 142–145. doi:03.2011/JCPSP.142145.
- Rizwan, N., Abbasi, R.M. and Mughal, R. (2010) Maternal morbidity and perinatal outcome with twin pregnancy. *Journal of Ayub Medical College, Abbottabad : JAMC*. 22 (2), pp. 105–107.
- Salihu, H.M., Aliyu, M.H., Rouse, D.J., Kirby, R.S. and Alexander, G.R. (2017) The association of parity with mortality outcomes among triplets. *American Journal of Obstetrics & Gynecology* [online]. 190 (3), pp. 784–789. Available from: <http://dx.doi.org/10.1016/j.ajog.2003.11.032>doi:10.1016/j.ajog.2003.11.032.
- Satija, M., Sharma, S., Soni, R.K., Sachar, R.K. and Singh, G.P.I. (2008) Twinning and Its Correlates: Community-Based Study in a Rural Area of India. *Human Biology* [online]. 80 (6), pp. 611–621. Available from: <http://dx.doi.org/10.3378/1534-6617-80.6.611>doi:10.3378/1534-6617-80.6.611.
- Schwartz, D.B., Daoud, Y., Zazula, P., Goyert, G., Bronsteen, R., Wright, D. and Copes, J. (1999) Gestational diabetes mellitus: metabolic and blood glucose

- parameters in singleton versus twin pregnancies. *American journal of obstetrics and gynecology*. 181 (4), pp. 912–914.
- Sela, H.Y. and Simpson, L.L. (2011) Preterm premature rupture of membranes complicating twin pregnancy: management considerations. *Clinical obstetrics and gynecology*. 54 (2), pp. 321–329. doi:10.1097/GRF.0b013e318217d60d.
- Sibai, B.M. (1990) Eclampsia. VI. Maternal-perinatal outcome in 254 consecutive cases. *American journal of obstetrics and gynecology*. 163 (3), pp. 1045–1049.
- Simpson, E.L., Lawrenson, R.A., Nightingale, A.L. and Farmer, R.D. (2001) Venous thromboembolism in pregnancy and the puerperium: incidence and additional risk factors from a London perinatal database. *BJOG: an international journal of obstetrics and gynaecology*. 108 (1), pp. 56–60.
- Simpson, L.L. (2016) Ultrasound in twins: Dichorionic and monochorionic. *Seminars in Perinatology* [online]. 37 (5), pp. 348–358. Available from: <http://dx.doi.org/10.1053/j.semperi.2013.06.013>doi:10.1053/j.semperi.2013.06.013.
- Strauss, A., Paek, B.W., Genzel-Boroviczeny, O., Schulze, A., Janssen, U. and Hepp, H. (2002) Multifetal gestation--maternal and perinatal outcome of 112 pregnancies. *Fetal diagnosis and therapy*. 17 (4), pp. 209–217. doi:59372.
- Svenvik, M., Brudin, L. and Blomberg, M. (2015) Preterm Birth: A Prominent Risk Factor for Low Apgar Scores. *BioMed research international* [online]. 2015 pp. 978079. Available from: <http://www.readcube.com/articles/10.1155/2015/978079>doi:10.1155/2015/978079.
- Tarter, J.G., Khoury, A., Barton, J.R., Jacques, D.L. and Sibai, B.M. (2017) Demographic and obstetric factors influencing pregnancy outcome in twin gestations. *American Journal of Obstetrics & Gynecology* [online]. 186 (5), pp. 910–912. Available from: <http://dx.doi.org/10.1067/mob.2002.123989>doi:10.1067/mob.2002.123989.
- Teresinha, S., Alexandra, Q., Lucia, C., Tiago, R., Elsa, D. and Isaac, B. (2011) Gestational diabetes mellitus complicating twin pregnancies *Journal of Perinatal Medicine* [online] 39 p.pp. 437. Available from: <file://www.degruyter.com/view/j/jpme.2011.39.issue-4/jpm.2011.048/jpm.2011.048.xml>doi:10.1515/jpm.2011.048.
- The GOPEC Consortium (2005) Disentangling fetal and maternal susceptibility for pre-eclampsia: a British multicenter candidate-gene study. *American journal of human genetics*. 77 pp. 127–131. doi:10.1086/431245.
- Vogel, J.P., Torloni, M.R., Seuc, A., Betr??n, A.P., Widmer, M., Souza, J.P. and Merialdi, M. (2013) Maternal and Perinatal Outcomes of Twin Pregnancy in 23 Low- and Middle-Income Countries. *PLoS ONE*. 8 (8), . doi:10.1371/journal.pone.0070549.
- Wallis, A.B., Saftlas, A.F., Hsia, J. and Atrash, H.K. (2008) Secular Trends in the Rates of Preeclampsia, Eclampsia, and Gestational Hypertension, United States, 1987-2004. *American journal of hypertension* [online]. 21 (5), pp. 521–526. Available from:

<http://www.ncbi.nlm.nih.gov/pubmed/18437143>doi:10.1038/ajh.2008.20.

Wen, S.W., Smith, G., Yang, Q. and Walker, M. (2004) Epidemiology of preterm birth and neonatal outcome. *Seminars in Fetal and Neonatal Medicine* [online]. 9 (6), pp. 429–435. Available from: <http://www.sciencedirect.com/science/article/pii/S1084275604000314>doi:<http://doi.org/10.1016/j.siny.2004.04.002>.

World Health Organization (2015) *WHO | Maternal mortality* [online]. Available from:

[http://www.who.int/gho/maternal\\_health/mortality/maternal\\_mortality\\_text/en/](http://www.who.int/gho/maternal_health/mortality/maternal_mortality_text/en/) [Accessed 14 April 2016].

Xiong, X., Dickey, R.P., Pridjian, G. and Buekens, P. (2015) Maternal Age and Preterm Births in Singleton and Twin Pregnancies Conceived By *In Vitro* Fertilisation in the United States. *Paediatric and Perinatal Epidemiology* [online]. 29 (1), pp. 22–30. Available from: <http://doi.wiley.com/10.1111/ppe.12166>doi:10.1111/ppe.12166 [Accessed 17 April 2017].

Zohdi, V., Sutherland, M.R., Lim, K., Gubhaju, L., Zimanyi, M.A. and Black, M.J. (2012) Low birth weight due to intrauterine growth restriction and/or preterm birth: Effects on nephron number and long-term renal health. *International Journal of Nephrology*. 2012 . doi:10.1155/2012/136942.