

## DAFTAR PUSTAKA

- Agasi-Idenburg, C., Velthuis, M., & Wittink, H. (2010). Quality criteria and user-friendliness in self-reported questionnaires on cancer-related fatigue: A review. *Journal of Clinical Epidemiology*, *63*(7), 705–711. <http://doi.org/10.1016/j.jclinepi.2009.08.027>.
- Akechi, T., Okuyama, T., Sugawara, Y., Nakano, T., Shima, Y., & Uchitomi, Y. (2004). Major depression, adjustment disorders, and post-traumatic stress disorder in terminally ill cancer patients: Associated and predictive factors. *Journal of Clinical Oncology: Official Journal of the American Society of Clinical Oncology*, *22*(10), 1957–1965. <http://doi.org/10.1200/JCO.2004.08.149>.
- American Cancer Society. (2015). *Breast cancer facts & figures 2014-2015*. Retrieved from <http://www.cancer.org>.
- American Cancer Society. (2016). *Breast cancer facts & figures 2015-2016*. Retrieved from <http://www.cancer.org>.
- American Cancer Society. (2016). *Cancer facts & figures 2016*. Retrieved from <http://www.cancer.org/research/cancerfactsstatistics/cancerfactsfigures2016/>.
- American Joint Committee on Cancer (AJCC). (2009). *Breast cancer staging* (7th edition). Retrieved from <https://cancerstaging.org/references-tools/quickreferences/Documents/BreastMedium.pdf>.
- Baró, E., Carulla, J., Cassinello, J., Colomer, R., Mata, J. G., Gascón, P., Valentín, V. (2009). Development of a new questionnaire to assess patient perceptions of cancer-related fatigue: Item generation and item reduction. *Value in Health*, *12*(1), 130–138. <http://doi.org/10.1111/j.1524-4733.2008.00426.x>.
- Bower, J. E. (2014). Cancer-related fatigue: Mechanisms, risk factors, and treatments. *Nature Reviews. Clinical Oncology*, *11*(10), 597–609. <http://doi.org/10.1038/nrclinonc.2014.127>.
- Bray, F., Jemal, A., Grey, N., Ferlay, J., & Forman, D. (2012). Global cancer transitions according to the human development index (2008–2030): A population-based study. *The Lancet Oncology*, *13*(8), 790–801. doi: 10.1016/S1470-2045(12)70211-5.
- Breast Cancer Care. *Living with and beyond breast cancer; Your body; Your body after breast cancer treatment*. Retrieved from <https://www.breastcancercare.org.uk/information-support/facing-breast-cancer/living-beyond-breast-cancer/your-body/your-body-after-breast-cancer-treatment>.
- Brown, L. F., & Kroenke, K. (2009). Cancer-related fatigue and its associations with depression and anxiety: A systematic review. *Psychosomatics*, *50*(5), 440–447. <http://doi.org/10.1176/appi.psy.50.5.440>.
- Canadian Cancer Society. *Breast cancer; Stages of breast cancer*. Retrieved from <http://www.cancer.ca/en/cancer-information/cancer-type/breast/staging/?region=on>.

- Cella, D., Peterman, A., Passik, S., Jacobsen, P., & Breitbart, W. (1998). Progress toward guidelines for the management of fatigue. *Oncology (Williston Park, N.Y.)*, *12*(11A), 369–377.
- Chochinov, H. M., Kristjanson, L. J., Hack, T. F., Hassard, T., McClement, S., & Harlos, M. (2007). Burden to others and the terminally ill. *Journal of Pain and Symptom Management*, *34*(5), 463–471. <http://doi.org/10.1016/j.jpainsymman.2006.12.012>.
- Cohen, S. R., & Leis, A. (2002). What determines the quality of life of terminally ill cancer patients from their own perspective? *Journal of Palliative Care*, *18*(1), 48–58.
- Cousineau, N., McDowell, I., Hotz, S., & Hébert, P. (2003). Measuring chronic patients' feelings of being a burden to their caregivers: Development and preliminary validation of a scale. *Medical Care*, *41*(1), 110–118. <http://doi.org/10.1097/01.MLR.0000039832.32412.7D>.
- Curt, G. A., Breitbart, W., Cella, D., Groopman, J. E., Horning, S. J., Itri, L. M., Vogelzang, N. J. (2000). Impact of cancer-related fatigue on the lives of patients: New findings from the fatigue coalition. *The Oncologist*, *5*(5), 353–360.
- Danismaya, I. (2008). Pengaruh teknik relaksasi yoga terhadap fatigue penderita kanker pasca kemoterapi di RS Hasan Sadikin Bandung. *Tesis*, Jakarta: Fakultas Ilmu Keperawatan Universitas Indonesia.
- Dahlan, M. S. (2013). *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan* (Edisi 3). Jakarta: Salemba Medika.
- De Faye, B. J., Wilson, K. G., Chater, S., Viola, R. A., & Hall, P. (2006). Stress and coping with advanced cancer. *Palliative & Supportive Care*, *4*(3), 239–249. <http://doi.org/10.1017/S1478951506060317>.
- DeVita, V. T., Lawrence, T. S., & Rosenberg, S. A. (2008). *Cancer: Principles & practice of oncology 8th edition*. Lippincott Williams & Wilkins.
- Dicato, M., Plawny, L., & Diederich, M. (2010). Anemia in cancer. *Annals of Oncology*, *21*(suppl 7), vii167-vii172. <http://doi.org/10.1093/annonc/mdq284>.
- Effendy, C., Vissers, K., Osse, B., Tejawinata, S., Vernooij-Dassen, M., & Engels, Y. (2015). Chapter 2: Comparison of problems and unmet needs of patients with advanced cancer in a European country and an Asian country. *Pain Practice*; epub ahead of print, 26 Maret, 27-29.
- Evans, W. J., Morley, J. E., Argilés, J., Bales, C., Baracos, V., Guttridge, D., Anker, S. D. (2008). Cachexia: A new definition. *Clinical Nutrition (Edinburgh, Scotland)*, *27*(6), 793–799. <http://doi.org/10.1016/j.clnu.2008.06.013>.
- Glaus, A. (1993). Assessment of fatigue in cancer and non-cancer patients and in healthy individuals. *Supportive Care in Cancer: Official Journal of the Multinational Association of Supportive Care in Cancer*, *1*(6), 305–315.
- Globocan, International Agency for Research on Cancer (IARC). (2012). *Estimated cancer incidence, mortality and prevalence worldwide in 2012*. Retrieved from [http://globocan.iarc.fr/Pages/fact\\_sheets\\_cancer.aspx](http://globocan.iarc.fr/Pages/fact_sheets_cancer.aspx).

- Güell, E., Ramos, A., Zertuche, T., & Pascual, A. (2015). Verbalized desire for death or euthanasia in advanced cancer patients receiving palliative care. *Palliative & Supportive Care*, *13*(2), 295–303. <http://doi.org/10.1017/S1478951514000121>.
- Hatamipour, K., Rassouli, M., Yaghmaie, F., Zendedel, K., & Majd, H. A. (2015). Spiritual needs of cancer patients: A qualitative study. *Indian Journal of Palliative Care*, *21*(1), 61–67. <http://doi.org/10.4103/0973-1075.150190>.
- Hofman, M., Ryan, J. L., Figueroa-Moseley, C. D., Jean-Pierre, P., & Morrow, G. R. (2007). Cancer-related fatigue: The scale of the problem. *The Oncologist*, *12*(Supplement 1), 4–10. <http://doi.org/10.1634/theoncologist.12-S1-4>.
- Horneber, M., Fischer, I., Dimeo, F., Ruffer, J. U., & Weis, J. (2012). Cancer-related fatigue. *Deutsches Ärzteblatt International*, *109*(9), 161–172. <http://doi.org/10.3238/arztebl.2012.0161>.
- Indriyani, R., Setiyarini, S., & Kristanti, M. S. (2014). Hubungan antara cancer-related fatigue dengan kualitas hidup pada pasien kanker paliatif di IRNA 1 RSUP Dr. Sardjito Yogyakarta. *Skripsi*, Yogyakarta: Fakultas Kedokteran Universitas Gadjah Mada.
- Kementerian Kesehatan RI. (2015). *Infodatin: Pusat data dan informasi Kementerian Kesehatan RI*. Retrieved from [www.depkes.go.id](http://www.depkes.go.id).
- Kementerian Kesehatan RI, Badan Penelitian dan Pengembangan Kesehatan. (2013). *Riset kesehatan dasar 2013*. Retrieved from <http://www.depkes.go.id/resources/download/general/Hasil%20Risikesdas%202013.pdf>.
- Lofaso, C. R., & Weigand, D. A. (2014). Individual characteristics and self-perceived burden in cancer patients. *Current Psychology*, *33*(2), 174–184. <http://doi.org/10.1007/s12144-014-9204-y>.
- Malik, A. A. (2013). Psychological problems in breast cancer patients: A review. *Chemotherapy: Open Access*, *2*(2). <http://doi.org/10.4172/2167-7700.1000115>.
- McPherson, C. J., Wilson, K. G., & Murray, M. A. (2007a). Feeling like a burden: Exploring the perspectives of patients at the end of life. *Social Science & Medicine* (1982), *64*(2), 417–427. <http://doi.org/10.1016/j.socscimed.2006.09.013>.
- McPherson, C. J., Wilson, K. G., & Murray, M. A. (2007b). Feeling like a burden to others: A systematic review focusing on the end of life. *Palliative Medicine*, *21*(2), 115–128. <http://doi.org/10.1177/0269216307076345>.
- Mendoza, T. R., Wang, X. S., Cleeland, C. S., Morrissey, M., Johnson, B. A., Wendt, J. K., & Huber, S. L. (1999). The rapid assessment of fatigue severity in cancer patients. *Cancer*, *85*(5), 1186–1196. [http://doi.org/10.1002/\(SICI\)1097-0142\(19990301\)85:5<1186::AID-CNCR24>3.0.CO;2-N](http://doi.org/10.1002/(SICI)1097-0142(19990301)85:5<1186::AID-CNCR24>3.0.CO;2-N).
- Mercadante, S., Costanzi, A., Marchetti, P., & Casuccio, A. (2016). Attitudes among patients with advanced cancer toward euthanasia and living wills. *Journal of Pain and Symptom Management*, *51*(4), e3–e6. <http://doi.org/10.1016/j.jpainsymman.2016.01.001>.

- Minton, O., & Stone, P. (2009). A systematic review of the scales used for the measurement of cancer-related fatigue (CRF). *Annals of Oncology: Official Journal of the European Society for Medical Oncology / ESMO*, 20(1), 17–25. <http://doi.org/10.1093/annonc/mdn537>.
- Morrow, G. R. (2007). Cancer-related fatigue: Causes, consequences, and management. *The Oncologist*, 12(Supplement 1), 1–3. <http://doi.org/10.1634/theoncologist.12-S1-1>.
- Mortimer, J. E., Barsevick, A. M., Bennett, C. L., Berger, A. M., Cleeland, C., DeVader, S. R., Rugo, H. S. (2010). Studying cancer-related fatigue: Report of the NCCN scientific research committee. *Journal of the National Comprehensive Cancer Network: JNCCN*, 8(12), 1331–1339.
- Mosher, C. E., & DuHamel, K. N. (2012). An examination of distress, sleep, and fatigue in metastatic breast cancer patients. *Psycho-Oncology*, 21(1), 100–107. <https://doi.org/10.1002/pon.1873>
- National Comprehensive Cancer Network. (2012). *NCCN clinical practice guidelines in oncology: Cancer-related fatigue*. Retrieved from [https://www.nccn.org/professionals/physician\\_gls/f\\_guidelines.asp](https://www.nccn.org/professionals/physician_gls/f_guidelines.asp).
- Nugroho, S. T. (2016). Pengaruh intervensi teknik relaksasi lima jari terhadap fatigue klien ca mammae di RS Tugurejo Semarang. *Tesis*, Semarang: Program Studi Magister Keperawatan Departemen Keperawatan Fakultas Kedokteran Universitas Diponegoro.
- Nurdjanah, S., Sarwinanti., & Kustiningsih. (2015). Hubungan dukungan keluarga dengan kepatuhan pelaksanaan program kemoterapi pada klien kanker payudara di RSUP Dr. Sardjito Yogyakarta. *Naskah publikasi*. Yogyakarta: Sekolah Tinggi Ilmu Kesehatan 'Aisyiyah.
- Nurpeni, R. K. M., Prapti, N. K. G., & Kusmarjathi, N. K. (2014). Hubungan dukungan keluarga dengan tingkat kecemasan pada pasien kanker payudara (ca mammae) di Ruang Angsoka III RSUP Sanglah Denpasar. *Naskah publikasi*. Denpasar: Program Studi Ilmu Keperawatan Fakultas Kedokteran Universitas Udayana.
- Oeki, M., Mogami, T., & Hagino, H. (2012). Self-perceived burden in patients with cancer: Scale development and descriptive study. *European Journal of Oncology Nursing*, 16(2), 145–152. <http://doi.org/10.1016/j.ejon.2011.04.010>.
- Peteet, J. R., & Balboni, M. J. (2013). Spirituality and religion in oncology. *CA: A Cancer Journal for Clinicians*, 63(4), 280–289. <http://doi.org/10.3322/caac.21187>.
- Piper, B. F., Dibble, S. L., Dodd, M. J., Weiss, M. C., Slaughter, R. E., & Paul, S. M. (1998). The revised piper fatigue scale: Psychometric evaluation in women with breast cancer. *Oncology Nursing Forum*, 25(4), 677–684.
- Potter, P. A., & Perry, A. G. (2005). Buku ajar fundamental keperawatan: Konsep, proses, dan praktik, volume 1 (edisi 4). Diterjemahkan oleh: Asih, Y., Sumarwati, M., Evriyani, D., Mahmudah, L., Panggabean, E. Jakarta: EGC.
- Raaf, P. de. (2013). *Cancer-related fatigue: A multidimensional approach*. Retrieved from <http://repub.eur.nl/pub/39543/>.

- Roscoe, J. A., Kaufman, M. E., Matteson-Rusby, S. E., Palesh, O. G., Ryan, J. L., Kohli, S., Morrow, G. R. (2007). Cancer-related fatigue and sleep disorders. *The Oncologist*, 12(Supplement 1), 35–42. <http://doi.org/10.1634/theoncologist.12-S1-35>.
- Ryan, J. L., Carroll, J. K., Ryan, E. P., Mustian, K. M., Fiscella, K., & Morrow, G. R. (2007). Mechanisms of cancer-related fatigue. *The Oncologist*, 12 Suppl 1, 22–34. <http://doi.org/10.1634/theoncologist.12-S1-22>.
- Sagita, S. (2013). Analisis hubungan tingkat pendidikan pasien dengan kanker payudara stadium dini di Instalasi Rawat Inap Rumah Sakit Ciptomangunkusumo Jakarta tahun 2012. *Naskah publikasi*, Jakarta: Fakultas Kesehatan Masyarakat Universitas Indonesia.
- Sari, D. P. (2015). Hubungan pengetahuan, sikap dengan tindakan SADARI sebagai deteksi dini kanker payudara pada mahasiswi di Fakultas Kesehatan Masyarakat Universitas Sumatera Utara tahun 2015.
- Sawitri. (2015). Korelasi antara depresi dengan fatigue pada penderita kanker payudara yang menjalani kemoterapi. *Tesis*, Yogyakarta: Fakultas Kedokteran Universitas Gadjah Mada.
- Schwartz, A. L. (1998). The schwartz cancer fatigue scale: Testing reliability and validity. *Oncology Nursing Forum*, 25(4), 711–717.
- Setiawulan, A. M., Setiyarini, S., & Kristanti, M. S. (2014). Hubungan antara cancer related fatigue dengan activity daily living pada pasien kanker paliatif di RSUP Dr. Sardjito Yogyakarta. *Skripsi*, Yogyakarta: Fakultas Kedokteran Universitas Gadjah Mada.
- Shan, Y. W. (2012). To study the self-perceived burden among advanced cancer patients and its clinical correlates in a local palliative care unit. *10th HK Palliative Care Symposium*. Hongkong.
- Simmons, L. A. (2007). Self-perceived burden in cancer patients: validation of the self-perceived burden scale. *Cancer Nursing*, 30(5), 405–411. <http://doi.org/10.1097/01.NCC.0000290816.37442.af>.
- Sinaga, E. S. (2016). Analisis ketahanan hidup 5 tahun pada penderita kanker payudara di RS Sardjito Propinsi Yogyakarta-Indonesia. *Tesis*, Yogyakarta: Universitas Gadjah Mada.
- Smeltzer, S. C., & Bare, B. G. (2001). *Buku ajar keperawatan medikal-bedah Brunner & Suddarth*, volume 2 (Edisi 8). Diterjemahkan oleh: Kuncara, H. Y., Hartono, A., Ester, M., Asih, Y. Jakarta: EGC.
- Smets, E. M., Garssen, B., Bonke, B., & De Haes, J. C. (1995). The multidimensional fatigue inventory (MFI) psychometric qualities of an instrument to assess fatigue. *Journal of Psychosomatic Research*, 39(3), 315–325.
- Tang, S. T., Chen, J. S., Chou, W. C., Lin, K. C., Chang, W. C., Hsieh, C. H., & Wu, C. E. (2015). Prevalence of severe depressive symptoms increases as death approaches and is associated with disease burden, tangible social support, and high self-perceived burden to others. *Supportive Care in Cancer*, 24(1), 83–91. <http://doi.org/10.1007/s00520-015-2747-0>.

- Tang, S. T., Hsieh, C. H., Chiang, M. C., Chen, J. S., Chang, W. C., Chou, W. C., & Hou, M. M. (2016). Impact of high self-perceived burden to others with preferences for end-of-life care and its determinants for terminally ill cancer patients: a prospective cohort study. *Psycho-Oncology*. <http://doi.org/10.1002/pon.4107>.
- Timmerman, J. G., Weering, M. G. H. D., Tönis, T. M., Hermens, H. J., & Vollenbroek-Hutten, M. M. R. (2015). Relationship between patterns of daily physical activity and fatigue in cancer survivors. *European Journal of Oncology Nursing*, *19*(2), 162–168. <http://doi.org/10.1016/j.ejon.2014.09.005>.
- Vogelzang, N. J., Breitbart, W., Cella, D., Curt, G. A., Groopman, J. E., Horning, S. J., Portenoy, R. K. (1997). Patient, caregiver, and oncologist perceptions of cancer-related fatigue: Results of a tripart assessment survey. The fatigue coalition. *Seminars in Hematology*, *34*(3 Suppl 2), 4–12.
- Wahyuni, I. S., Sudiana, I. K., & Mariyanti, H. (2012). Walking exercise programme (WEP) menurunkan cancer related fatigue (CRF) pada pasien kanker payudara di RSUD Ibnu Sina Gresik. *Critical Medical & Surgical Nursing Journal*, Vol. 1, No. 1, pp. 1-10.
- Wang, X. S. (2008). Pathophysiology of cancer-related fatigue. *Clinical Journal of Oncology Nursing*, *12*(5 Suppl), 11–20. <http://doi.org/10.1188/08.CJON.S2.11-20>.
- Wilson, K. G., Chochinov, H. M., McPherson, C. J., Skirko, M. G., Allard, P., Chary, S., Clinch, J. J. (2007). Desire for euthanasia or physician-assisted suicide in palliative cancer care. *Health Psychology: Official Journal of the Division of Health Psychology, American Psychological Association*, *26*(3), 314–323. <http://doi.org/10.1037/0278-6133.26.3.314>.
- Wilson, K. G., Curran, D., & McPherson, C. J. (2005). A burden to others: A common source of distress for the terminally ill. *Cognitive Behaviour Therapy*, *34*(2), 115–123. <http://doi.org/10.1080/16506070510008461>.
- World Health Organization (WHO). *Breast cancer: prevention and control; Breast cancer burden*. Retrieved from [www.who.int/cancer/detection/breastcancer/en/index1.html](http://www.who.int/cancer/detection/breastcancer/en/index1.html).
- Yellen, S. B., Cella, D. F., Webster, K., Blendowski, C., & Kaplan, E. (1997). Measuring fatigue and other anemia-related symptoms with the functional assessment of cancer therapy (FACT) measurement system. *Journal of Pain and Symptom Management*, *13*(2), 63–74.
- Yeo, T. P., & Cannaday, S. (2015). Cancer-related fatigue: Impact on patient quality of life and management approaches. *Nursing: Research and Reviews*, *65*. <http://doi.org/10.2147/NRR.S41957>.