

DAFTAR PUSTAKA

- Aiache, J.M., Devissaguet, J., dan Hermann-Guyot, A.M., 1993, Farmasetik 2 Biofarmasi, Edisi ke-2. Penerjemah : Soeratri, W. Judul buku asli : *Biopharmachie*, 43-49, Airlangga University Press, Surabaya.
- Akao, Y., Nakagawa, Y., Inuma, M., dan Nozawa, Y., 2008, Anti-Cancer Effects of Xanthenes from Pericarp of Mangosteen, *International Journal of Molecular Sciences*, **9**,355-370.
- Allemann, B. dan Baumann, L., 2017, *Antioxidants Used In Skin Care Formulations*, Cosmetic Medicine and Research Institute, Miami Beach, FL, USA.
- Aquino, R., Morelli, S., Tomaino, A., Pellegrino, M., Saija, A., Grumetto L., Puglia, C., Ventura, D., Bonina, F., 2002, Antioxidant and photoprotective activity of a crude extract of *Culcitium reflexum* H.B.K. leaves and their major flavonoids, *Journal of Ethnopharmacology*, **79**: 183-191.
- Azevedo, C.M.G., Afonso, C.M.M., Sousa, D., Lima, R.T., Vasconcelos, M.H., Pedro, M., Barbosa, J., Corrêa, A.G., Reis, S., dan Pinto, M.M.M., 2013, Multidimensional optimization of promising antitumor xanthone derivatives, *Bioorganic & Medicinal Chemistry*, **21**: 2941-2959.
- Barry, B.W., 1983, *Dermatological Formulations: Percutaneous Absorption*, halaman 49-213, Marcel Dekker Inc., New York.
- Benson, H.A.E., 2005, Transdermal Drug Delivery: Penetration Enhancement Techniques, *Current Drug Delivery*, **2**:23-33.
- Black, H.S., 2004, Free Radicals, Antioxidant, and Cancer: Reassessment of a Free Radical Theory of Cancer With Emphasis on Ultraviolet Carcinogenesis, *Integrative Cancer Therapies*, **3**(4): 279-293.
- Blois, M.S., 1958, Antioxidant Determination by the Use of a Stable Free Radical, *Nature*, volume 181, halaman 1199.
- Casagrande, R., Georgetti, S.R., Verri Jr., W.A., Borin, M.F., Lopez, R.F.V., dan Fonseca, M.J.V., 2007, *In vitro* evaluation of quercetin cutaneous absorption from topical formulations and its functional stability by antioxidant activity, *International Journal of Pharmaceutics*, **328**: 183-190.

- Chairungrilerd, N., Furukawa, K-I., Ohta, T., Nozoe, S., Ohizumi, Y., 1996, Pharmacological properties of α -mangostin, a novel histamine H₁ receptor antagonist, *Eur. J. Pharmacol*, 314, 351-356.
- Chaverri, J.P., Rodriguez, N.C., Ibarra, M.O., dan Rojas, J.M.P., 2008, Medicinal properties of mangosteen (*Garcinia mangostana*), *Food and Chemical Toxicology*, 46, 3227-3239.
- Chin, G.S., 2016, In vitro permeation and skin retention of Alpha-mangostin proniosome, *Thesis*, Faculty of Chemical and Energy Engineering, Universiti Teknologi Malaysia.
- Cronquist, A., 1981, An Integrated System of Classification of Flowering Plants, *Columbia University Press*, New York.
- Diez-Sales ,O., Garrigues, T.M., Herraes, J.V., Belda, R., Martin-Villodre, A., dan Herraes, M., 2005, In vitro percutaneous penetration of acyclovir from solvent system and Carbopol 971-P hydrogels: influence of propylene glycol, *J.Pharm Sci*, 94: 1039-1047.
- Gawkrodger, D.J., 2002, *Dermatology, An Illustrated Colour Text*, 3rd edition, Edinburgh: Churchill Livingstone.
- Gopalakrishnan, G., Banumathi, B., dan Suresh, G., 1997, Evaluation of the Antifungal Activity of Natural Xanthenes from *Garcinia mangostana* and Their Synthetic Derivatives, *J. Nat. Prod*, 60, 519-524.
- Haigh, J.M., Beyssac, E., Chanet, L., dan Aiache, J.M., 1998, In vitro permeation of progesterone from a gel through the shed snake skin of three different snake species, *International Journal of Pharmaceutics*, 170, 151-156.
- Halliwell, B., 1994, *Free radicals, antioxidants, and human disease: curiosity, cause, or consequence*, volume 344, Neurodegenerative Disease Research Group, King's College, London.
- Hidalgo, I.J., Grass, G.M., Hillgren, K.M., dan Borchardt, R.T., 2016, A New Side-by-Side Diffusion Cell for Studying Transport across Epthelial Cell Monolayers, *Society for In Vitro Biology*.
- Itoh, T., Xia, J., Magavi, R., Nishihata, T., Rytting, J.H., 1990, Used of a shed snake skin as a model membrane for in vitro percutaneous absorption studies, comparison with human skin, *Pharm Res* 7: 1042-1047.

- Iwai, I., Han, H., Hollander, L. den, Svensson, S., Öfverstedt, L.-G., Anwar, J., dkk., 2012. The Human Skin Barrier Is Organized as Stacked Bilayers of Fully Extended Ceramides with Cholesterol Molecules Associated with the Ceramide Sphingoid Moiety, *Journal of Investigative Dermatology*, **132**: 2215–2225.
- Jinsart, W., Ternai B., Buddhasukh, B., dan Polya, G.M., 1992, Inhibition of Wheat Embryo Calcium-Dependent Protein Kinase and Other Kinases by Mangostin and γ -Mangostin, *Phytochemistry*, **31** (11), 3711-3713.
- Johnson, J. J., Petiwala, S. M., Syed, D. N., Rasmussen, J. T., Andhami, V. M., Siddiqui, I. A., Kohl, A. M., dan Mukhtar, H., 2012, α -Mangostin, A Xanthone From Mangosteen Fruit, Promotes Cell Cycle Arrest in Prostate Cancer and Decreases Xenograft Tumor Growth, *Carcinogenesis*, **33** (2), 413-419
- Jung, H-A, Su, B-N, Keller W.J., Mehta, R.G., Kinghorn, A.D., 2006, Antioxidant xanthenes from the pericarp of *Garcinia mangostana* (Mangosteen), *Journal of Agricultural and Food Chemistry*, **54**:2077-2082.
- Koh, J-J., Qiu, S., Zou, H., Lakshminarayanan, R., Li, J., Zhou, X., Tang, C., Saraswathi, P., Verma, C., Tan, D.T.H., Tan, A.L., Liu, S., dan Beuerman, R.W., 2013, Rapid bactericidal action of alpha-mangostin against MRSA as an outcome of membrane targeting, *Biochimica et Biophysica Acta*, 1828: 834-844.
- Kumpugdee-Vollrath, M., Subongkot, T., dan Ngawhirunpat, T., 2013, Model Membrane from Shed Snake Skins, *International Journal of Medical, Health, Biomedical, Bioengineering and Pharmaceutical Engineering*, Vol:7, No:10.
- Lebeau, J., Furman, C., Bernier, J.-L., Duriez, P., Teissier, E., dan Cotelle, N., 2000, Antioxidant properties of di-tert-butylhydroxylated flavonoids, *Free Radic. Biol. Med.*, 29(9):900-912.
- Mahabusarakam, W., Iriyachitra, P., Taylor, W.C., 1987, Chemical constituents of *Garcinia mangostana*, *J. Nat. Prod.*, **50**: 474-478.
- Malkia, A., Murtomaki, L., Urtti, A., dan Kontturi, K., 2004, Drug Permeation In Biomembranes: In vitro and In silico prediction and influence of physiochemical properties, *European Journal of Pharmaceutical Science*, 23 (1): 13-47.
- Mambro, V.M.D., Azzolini, A.E.C.S., Valim, Y.M.L., Fonseca, M.J.V., 2003, Comparison of antioxidant activities of tocopherols alone and in

- pharmaceutical formulations, *International Journal of Pharmaceutics*, **262**: 93-99.
- Mambro, V.M.D. dan Fonseca, M.J.V., 2007, Assessment of physical and antioxidant activity stability, in vitro release and in vivo efficacy of formulations added with superoxide dismutase alone or in association with α -tocopherol, *European Journal of Pharmaceutics and Biopharmaceutics*, **66**: 451-459.
- Martin, A., Swarbrick, J., dan Cammarata, A., 1993, *Farmasi Fisik*, diterjemahkan oleh Yoshita, Edisi III, Jilid ke-2, hal 725-746, 794-795, 803, UI Press, Jakarta.
- Menon, G.K., Cleary, G.W., dan Lane, M.E., 2012, The structure and function of the stratum corneum, *International Journal of Pharmaceutics*, Advances in Topical Drug Delivery **435**: 3-9.
- Molyneux, P., 2004, The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity, *J.Sci.Technol*, 26(2):211-219.
- Moongkarndi, P., Kosem, N., Kaslungka, S., Luanratana, O., Pongpan, N., Neungton, N., 2004, Antiproliferation, antioxidation and induction of apoptosis by *Garcinia mangostana* (mangosteen) on SKBR3 human breast cancer cell line, *Journal of Ethnopharmacology*, **90**:161-166.
- Musa, K.H., Abdullah, A., Kuswandi, B., dan Hidayat, M.A., 2013. A novel high throughput method based on the DPPH dry reagent array for determination of antioxidant activity, *Food Chemistry*, **141**: 4102-4106.
- Ngawhirunpat, T., Panomsuk, S., Opanasopit, P., Rojanarata, T., dan Hatanaka, T., 2006, Comparison of the percutaneous absorption of hydrophilic and lipophilic compounds in shed snake skin and human skin, *Pharmazie*, **61**: 331-335.
- Percival, M., 1998, Antioxidants, *Clinical Nutrition Insights*: 1-4.
- Pillai, S., Oresajo, C., dan Hayward, J., 2005, Ultraviolet radiation and skin aging: roles of reactive oxygen species, inflammation and protease activation, and strategies for prevention of inflammation-induced matrix degradation-a review, *International Journal of Cosmetic Science*, **27**: 17-34.
- Pinelo, M., Manzocco, L., Nunez, M.J., Nicoli, M.C., 2004, Solvent effect on quercetin antioxidant capacity, *Food Chemistry* 88: 201-207.

- Pokorný, J., 2003. Natural antioxidants, dalam: Zeuthen, P. dan Bøgh-Sørensen, L. (Editor), *Food Preservation Techniques, Woodhead Publishing Series in Food Science, Technology and Nutrition*, Woodhead Publishing, hal. 31–48.
- Rowe, R.C., Sheskey, P.J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients, Sixth Edition*, Pharmaceutical Press and American Pharmacist Association, halaman 592-593; 766-769.
- Röpke, C.D., Kaneko, T.M., Rodrigues, R.M., da Silva, V.V., Barros S., Sawada, T.C.H., Kato, M.J., Barros, S.B.M., 2002, Evaluation of percutaneous absorption of 4-nerolidylcathöecol from four topical formulations, *International Journal of Pharmaceutics*, **249**: 109-116.
- Sato, K., Sugibayashi, K., dan Morimoto, Y., 1991, Species difference in percutaneous absorption of Nicorandil, *J. Pharm. Sci.*, **80**: 104-107.
- Schwarz, K., Bertelsen, G., Nissen, L.R., Gardner, P.T., Heinonen, M.I., Hopia, A., Huynh-Ba, T., Lambelet, P., McPhail, D., Skibsted, L.H. dan Tijburg, L., 2001, Investigation of plant extracts for the protection of processed foods against lipid oxidation. Comparison of antioxidant assays based on radical scavenging, lipid oxidation and analysis of the principal antioxidant compounds, *Eur. Food Res. Technol.*, **212**: 319-328.
- Suksamrarn, S., Suwannapoch, N., Phakhodee, W., Thanuhiranlert, J., Ratananukul, P., Chimnol, N., Suksamrarn, A., 2003, Antimycobacterial Activity of Prenylated Xanthenes from the Fruits of *Garcinia mangostana*, *Chem. Pharm. Bull.*, **51**(7), 857-859.
- Tachaprutinun, A., Meinke, M.C., Richter, H., Pan-in, P., Wanichwecharungruang S., Knorr, F., Lademann J., Patzelt, A., 2014, Comparison of the skin penetration of *Garcinia mangostana* extract in particulate and non-particulate form, *European Journal of Pharmaceutics and Biopharmaceutics*, **86**: 307-313.
- Trauer, S., Patzelt, A., Otberg, N., Knorr, F., Rozycki, C., Balizs, G., Lademann, J., 2009, Permeation of topically applied caffeine through human skin – a comparison of in vivo and in vitro data, *British Journal of Clinical Pharmacology*, **68**(2) : 181–186.

- Trommer, H. dan Neubert, R.H.H., 2006, Overcoming the Stratum Corneum: The Modulation of Skin Penetration, *Skin Pharmacology and Physiology*, 19: 106-121.
- Vicentini, F.T.M.C., Casagrande, R., Geogertti, S.R., Bentley, M.V.L.B., dan Fonseca, M.J.V., 2007, Influence of Vehicle on Antioxidant Activity of Quercetin: A Liquid Crystalline Formulation, *Latin American Journal of Pharmacy*, **26**(6): 805-10.
- Wang, J.J., Shi, Q.H., Zhang, W., Sanderson, B.J.S., 2012, Anti-skin cancer properties of phenolic-rich extract from the pericarp of mangosteen (*Garcinia mangostana* Linn.), *Food and Chemical Toxicology*, **50**: 3004-3013.
- Weecharangsan W., Opanasopit P., Sukma M., Ngawhirunpat T., Sotanaphun U., dan Siripong P., 2006, Antioxidative and neuroprotective activities of extracts from the fruit hull of mangosteen (*Garcinia mangostana* Linn.), *Medical Principles and Practice*, **15**:281-287.
- Wenas, D.M., Jufri, M., dan Elya B., 2015, Formulation and Penetration Study of Liposome Xanthone of Mangosteen Pericarp Methanol Extract (*Garcinia mangostana* L.), *International Journal of Scientific and Research Publications*, volume 5.
- Widyanati, P., Jufri, M., Elya B., dan Iskandarsyah, 2014, Formulation and Penetration Study of Liposome Gel Xanthone of Exctract Mangosteen Pericarp (*Garcinia mangostana* L.), *Int. J. Pharm. Sci*, no. 01, pages: 1-6.
- Williams, A.C., Barry, B.W., 2012, Penetration Enhancers, *Advanced Drug Delivery Reviews*, 128.
- Winarsi, H., 2007, *Antioksidan Alami dan Radikal Bebas: Potensi dan Aplikasinya dalam Kesehatan*, Penerbit Kanisius, Yogyakarta.
- Wittenauer, J., Schweiggert-Weisz, U., Carle, R., 2016, *In vitro*-study of antioxidant extracts from *Garcinia mangostana* pericarp and Riesling grape pomace – a contribution to by-products valorization as cosmetic ingredients, *Journal of Applied Botany and Food Quality*, 89, 249-257.
- Yalkowsky, S.H. dan Rubino, J.T., 1984, Solubilization by Cosolvents I: Organic Solutes in Propylene Glycol-Water Mixtures, *College of Pharmacy, University of Arizone*.