

DAFTAR PUSTAKA

- Aiche, J.M. dan Devissegued, P.H., 1993. *Farmasetika 2: Biofarmasi*, diterjemahkan oleh Widji Soeratri, Penerbit Arlangga University Press, Surabaya.
- Akao, Y., Nakagawa, Y., Linuma, M., Nozwa, Y., 2008, Anti-Cancer Effects of Xanthone from Pericarp of Mangosteen, *int, J, Mol. Sci.*, **9**, 355-370.
- Ansel, H, C., 1989, *Pengantar Bentuk Sediaan Farmasi*, diterjemahkan oleh Farida Ibrahim, UI Press, Jakarta.
- Attwood, D., dan Florence, A.T., 2008, *Physical Pharmacy*, Pharmaceutical Press, London.
- Cahyaningrum, L. P., 2014, Perbandingan Stabilitas Antioksidan Ekstrak Etanol 50% Kulit Buah Manggis (*Garcinia mangostana* L.) Bentuk Mikropartikelnya Menggunakan Metode DPPH, *skripsi*, UIN Syarif Hidayatullah Jakarta.
- Chaverri, J.P., Rodriguez, N.C., Ibarra, M.O., Rojas, J.M.P., 2008, Medicinal Properties of Mangosteen (*Garcinia mangostana*), *Food and Chemical Toxicology*, **46**, 3227-3239.
- Dahlan, M.S., 2008, *Statistik Untuk Kedokteran dan Kesehatan*, 60- 81, Salemba Medika, Jakarta.
- Flaten, G. E., Palac, Z., Engesland, A., Vanic, Z., Basnet, N.S., 2015, In Vitro Skin Models as a Tool in Optimization of Drug Formulation, *europen journal pharmaceutical science*.
- Gandjar, I. G., dan Rohman, A., 2007, *Kimia Farmasi Analisis* , Pustaka Pelajar, Yogyakarta.
- Guleri, K.T., dan Preet, K.L., 2013, Formulation and Evaluation of Topical Gel of Aceclofenac, *Journal of Drug and Therapeutics*, **3(6)**, 51-53
- Harborne, J.B., 1987, *Metode Fitokimia, Penentuan Cara Modern Menganalisis Tumbuhan*, Diterjemahkan oleh Kosasih Padmawinata dan Iwang Soediro, 2nd Ed., Penerbit ITB, Bandung.
- Itoh, T., Xia, J., Magavi, R., Nishihata, T., Rytting, H., 1990, Use of Shed Snake Skin as a Model Membrane for in Vitro Percutaneous Penetration Studies: Comparison with Human Skin, *Pharmaceutical Research*, Vol 7.

- Jinsrat,W., Ternai, B., Budhasukh, D., Polya, G. M., 1992, Inhibition of Wheat Embryo Calcium–dependent Protein Kinase and other kinase by Mangostin and Gamma Mangostin, *Phytochemistry*, **31**, 3711-3713.
- Jung, H. A., Su, B.N., Keller, W. J., Mehta, R. G., Kinghorn, H. D., 2006, Antioxidant Xanthones From the Pericarp of *Garcinia Mangostana* (Mangosteen), *J. Agric. Food Chem.*, **54** (6), 2077-2082.
- Karakatsani, M., Dehuya, M., Plakogianis, F.M., 2010, The Effect of Permeation Enhancers on The Viscosityand The Release Profile of Transdermal Hydroxypropyl Methylcellulose Gel Formulations Containing Diltiazem HCL, *Drug Development and Industry Pharmacy*, 36(10), 1195-1206.
- Kuncari, E. S., Iskandarsyah, Praptiwi,2014, Evaluation, Physical Stability Test and Syneresis of Gel Containing Minoxidil, Apigenin And Celery Juice, *Buletin Penelitian Kesehatan*, Vol 4, No.4.
- Lachane, P .A., Nakat, Z., dan Jeong W., 2001, Antioxidants: An Integrative Approach, *Nutrition*, 17, 835-838.
- Lestariana, W., 2003, Peran Antioksidan Pada Proses Penuaan, *Berkala Neurosains*, 5, 1-5.
- Maisuthisakul, P., & Pasuk, S., 2007, Antioxidant Properties and Phenolic Phytochemicals From Various Cultivars of Thai Mango Seed Kernels, *Laporan Penelitian*, University of Thai Chamber of Commerce, Bangkok.
- Martin, A., Swarbrick, J., Cammarata, A., 1993, *Farmasi Fisik: Dasar-Dasar Farmasi Fisik Dalam Ilmu Farmasetika*, 827-835. UI Press, Jakarta.
- Matsumoto,k., 2003, Induction of Apoptosis by Xanthones From Mangosten in Human Leukimia Cell linea, *J. Nat. Prod.*, **66**(8), 1124-1127.
- Molyneux, P., 2004, The Use of the Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakarin J. Sci. Technol.*, 26(2), 211-219
- Moongkarndi, P., Kosem, N., Kaslungka, S., Luanratana, O., Pongpan, N., Neungton, N., 2004, Antiproliferation, Antioxidation and Induction of Apoptosis by *Garcinia mangostana* (Mangosteen) on SKBR3 Human Breast Cancer Cell Line, *Journal of Ethnopharmacology*, 90, 161-166.
- Negi, J.S., Bisht, V, K., Singh, P., Rawat, M, S., Joshi, G. P., 2013, Naturally Occuring Xanthone: Chemistry and Biology, *Journal of Applied Chemistry*,1-9
- Ngawhirunpat, T., Panomsuk, S., Opanasopit, P., Rojanarata, T., Hatanaka, T., 2006, Comparison of the Percutaneous Absorption of Hydrophilic and

- Lipophilic Compounds in Shed Snake Skin and Human Skin, *Pharmazie*, 61: 331–335
- Patel, J., Patel, B., Banwait, H., Parmar, K., Patel, M., 2011, Formulation and Evaluation of Topical Acetofenac Gel Using Different Gelling Agent, *International Journal of Drug Development and Research*.
- Peltonen, L., Koistinen, P., Karjalainen, M., Hakkinen, A., Hirvonen, J., 2002, The effect of Cosolvents on the Formulation of Nanoparticle From Low-Molecular Weight Poly(L)lactide, *AAPS PharmSciTech*, 3,32.
- Pietta P-G., 1999. Flavonoids as Antioxidants, Reviews, *J. Nat. Prod.*, **63**, 1035-1042
- Pokorni,S., 2001, *Antioxidant in Food: Practical application*,2, , Woodhead Publishing Ltd, England, 10-12. 107-108.
- Pratt. D.E., dan Hudson, B,J.F., 1992, Natural Antioxidants not Exploited Commercially cit. B.J.F. Hudson, Food Antioxidant,*Elsevier Applied Science*, 171-192.
- Prihatman, K., 2000, *Manggis (Garcinia mangostana L.)*, Kantor Deputi Menegristek Bidang Pendayagunaan dan Pemasyarakatan Ilmu Pengetahuan danTknologi BPP Teknologi, Jakarta.
- Rowe, C.S., Sheskey, P.J., Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients, Sixth Edition*, Pharmaceutical Press and American Pharmacists Association, USA.
- Rukmana R, 1995, *Budidaya Manggis*, Penerbit Kanisius, Yogyakarta.
- Sachan, R., dan Bajpai, M., 2013, Transdermal Drug Delivery System : A Review, *International Journal of Reseach and Development in Pharmacy and Life Sciences*, Vol 3.
- Setiadi, N., Arifin, M, F,. Resi, A, F., The Effect of Ethanol 96% on Sulphate Salbutamol Diffusion of Transdermal Prepareate by Matrix System of Combination Providon-Etylcellulose Through Millipore-Isopropyl Miristat membrane, *Farmasi sains*, vol 1, Jakarta.
- Sharma,O.,P. Dan Bhat, T, K, 2009, DPPH Antioxidant Assay Revisited, Food Chemistry, *Elsevier Applied Science*, 1202-1205
- Swarbrick, J. dan Boylan, J., 1995, Percutaneous Absorption, in Encyclopedia of Pharmaceutical Technology, Volume 11, Marcel Dekker Inc., New York, 413-445.

- Tjahjani, S., Widowati,W., Khiong, K., Suhendra, A., Tjokropanoto, A., 2014, Antioxidant Properties of *Garcinea mangostana* L. (Mangosteen) Rind, *scincedirect*, 13, 198-203.
- Varman, R.S., dan Singh, S., 2012, Investigation of Effect of Terpen skin Penetration Enhancers on Stability and Biological Activity of Lysozym, *AAPS PharmSciTech*, 13(4), 1084-1090.
- Voigt. 1984, *Buku Ajar Teknologi Farmasi*. Diterjemahkan oleh Soendani Noeroto S., UGM Press, Yogyakarta.
- Wasitaatmadja, S.,M, 1997, *Penuntun Ilmu Kosmetik Medik*, Universitas Indonesia Prees, Jakarta.
- Williams, A. C., dan Barry, 2004, Penetration Enhancer, *Advanced Drug Delivery Review*, No. 56, 603-618