

DAFTAR PUSTAKA

- Alexis F., Pridgen E., Molnar L.K., Farokhzad O.C., 2008, Factors Affecting The Clearance And Biodistribution Of Polymeric Nanoparticles, *Mol Pharm*, 5(4):505-15
- Arzenšek, D., 2010, Dynamic Light Scattering and Application to Proteins in Solution, *Department of Physics University of Ljubljana*, Slovenia.
- Bae, J.S., Noh, S.J., Jang, K.Y., Park, H.S., Chung, M.J., Park, C.K., Moon, W.S., 2013, Expression And Role Of Epithelial Cell Adhesion Molecule In Dysplastic Nodule And Hepatocellular Carcinoma, *International Journal Of Oncology* 41: 2150-2158.
- Barbieri, L., Batelli, M.G., dan Stirpe, F., 1993, Ribosome-inactivating Proteins from Plants, *Biochim Biophys Acta*, 1154: 237-282.
- Bauminger, S. & Wilchek, M., 1980, *Methods In Enzymology: The Use of Carbodiimides in the Preparation of Immunizing Conjugates*, 70: 156.
- Carter, J.M., 1996, *The Protein Protocols Handbook: Conjugation of Peptides to Carrier Protein via Carbodiimide*, 6415: 693-694, Humana Press Inc, Totowa, NJ.
- De Moreno, M.R., Smith, .F., Smith, R.V., 1986, Mechanism studies of coomassie blue and silver staining of proteins, *J Pharm Sci.*, 75(9): 907-11.
- De Virgilio, M., Lombardi, A., Caliandro, R., dan Fabbrini, M.S., 2010, Ribosome-inactivating proteins: from plant defense to tumor attack. *Toxins*. 2(11): 2699–2737.
- Draget, K. I., Smidsrød, O., Skjåk-Bræk, G., 2005, Alginates from Algae, *Biopolymers Online*, 6: 218-220.
- Encorbio, 2014, *SDS-PAGE Protocol*, <http://www.encorbio.com/protocols/SDS-PAGE.htm> , diakses pada 28 Oktober 2014.
- Endo ,Y., dan Tsurugi, K., 1987, RNA N-glycosidase activity of ricin A-chain: mechanism of action of the toxic lectin ricin on eukaryotic ribosomes. *J Biol Chem*, 263: 8735-8739.
- Feranisa, A., 2014, Formulasi Dan Sitotoksitas Nanopartikel Pektin Penaut Silang Kitosan Rantai Sedang Terintegrasi *Ribosome-inactivating Protein Mirabilis Jalapa L.* (protein Mj) Dengan Penanda Anti Epcam, *Tesis*,

Fakultas Farmasi UGM, Yogyakarta.

- Florence, A.T., 1997, The Oral Absorption of Micro- and Nanoparticulates: Neither Exceptional Nor Unusual, *Pharm Res*, 14: 259-266.
- Foster, J. F. Rosenoer V. M.; Oratz M. and Rothschild M. A., 1977, *Some Aspects of The Structure and Conformational Properties of Serum Albumin, Albumin Structure, Function and Uses*, 53-84, Pergamon Press, New York.
- Gallagher, S.R., 1999, *Current Protocols in Molecular Biology: One-Dimensional Electrophoresis Using Nondenaturing Conditions*, 10.2B.1, John Wiley & Sons Inc., Hoboken, New Jersey.
- Gonzalez-Flecha, F.L., dan Levi, V., 2003, Biochemistry and Molecular Biology Education, 31: 319 cit. Curvale, R.A., 2009, Buffer Capacity of Bovine serum Albumin (BSA), *The Journal of the Argentine Chemical Society*, 97: 175.
- Hermanson, T.G., 1996, Bioconjugation Techniques, 3-4, 169-170, Academic Press Inc., California, New York.
- Honary, S., Zahir, F., 2013, Effect of Zeta Potential on the Properties of Nano-Drug Delivery Systems – A Review, *Tropical Journal of Pharmaceutical Research*, 12(2):255-264, University of Benin, Benin City.I
- Hussaana, A., Chodidjah, Sismindari, Sudjadi, 2010, Jalur Induksi Apoptosis RIP Hasil Isolasi Daun Mirabilis jalapa, L pada Kultur Sel HeLa, Prosiding Seminar Nasional Farmasi, *Imunomodulator dan Perkembangannya*, Semarang 15 Mei 2010 (In press).
- Ikawati, Z., Sudjadi, Elly, W., Puspitasari, D., dan Sismindari, 2003, Induction Apoptosis by Protein Fraction Isolated from The Leaves of Mirabilis jalapa L. on HeLa and Raji Cell Line, *OPEM*, 3 (3), 151 – 156.
- Ikawati, Z., Sudjadi, Sismindari, Sari, R. P., dan Maulani, N., 2002. Efek fraksi sejenis RIP (Ribosome inactivating protein) yang diisolasi dari akar Mirabilis Jalapa L terhadap proses kematian sel HeLa dan sel Raji, *Biologi*, 2: 769 – 783.
- Ikawati, Z., Sudjadi, Sismindari, 2006, Cytotoxicity against Tumor Cell Lines of a Ribosome-Inactivating Protein (RIP)-Like Protein Isolated from Leaves of Mirabilis jalapa L, *Malaysian Journal of Pharmaceutical Sciences*, 4(1): 31–41.
- Interchim, 2005, *Carbodiimides (EDAC) Heterobifunctionnal Cross-linker*

Protokol Uptima, <http://www.interchim.fr/ft/5/52005A.pdf>, diakses pada 6 November 2014.

Irianto, I.D., 2013, Formulasi Nanopartikel Pentagamavunon-0 Menggunakan Kitosan Viskositas Rendah Dan Natrium Alginat Dengan Metode Gelasi Ionik Serta Uji Antiinflamasi Secara In Vivo, Tesis, Fakultas Farmasi UGM, Yogyakarta.

Jin, L., Hong, Y., Pyo, J., Song, H., Kang, J.Y., Lee, S.W., Yoon, D.S., Kim, B., dan No, K., 2009, Monitoring of Swelling and Degrading Behavior of Alginate Beads using Optical Tweezers, *Biochip Journal*, 3: 213-218.

Joseph, N., Mary, S., Pramod, K., 2007, Cross-linked Nanopartikel of Cytarabine: Encapsulation, Storage and In Vitro Release, *African Journal of Pharmacy and Pharmacology*, 1: 010-013.

Juhairiyah, F., 2015, Pengaruh Perbandingan Preaksi dan Waktu Reaksi Terhadap Konjugasi *Low Methoxyl* Pektin dengan BSA Menggunakan Katalis EDAC, *Skripsi*, Fakultas Farmasi UGM, Yogyakarta.

Kawashima, Y., Yamamoto, H., Takeuchi, H., Kuno, Y., 2000m Mucoadhesive D-lactide glycolide copolymer nanospheres coated with chitosan to improve oral delivery of elcatonins, *Pharm Dev Technol*, 55: 77-85.

Kongraksawech, T., Vázquez-Landaverde, P., Huerta-Ruelas, J., dan Torres, J. A., 2007, Ionic Strength and pH Effects on Optical Thermographs for Bovine Serum Albumin (BSA), *Cienciyay Tecnologia Alimentaria*, 5(4), 259-264.

Kosterink, J.G., McLaughlin, P.M., Lub-de Hooge, M.N., Hendrikse, H.H., van Zanten, J., van Garderen, E., Harmsen, M.C., dan de Leij, F.M., 2007, Biodistribution Studies of Epithelial Cell Adhesion Molecule (EpCAM)-Directed Monoclonal Antibodies in the EpCAM-Transgenic Mouse Tumor Model, *Journal of Immunology*; 179: 1362-1368.

Litvinov, S.V., Bakker. H.A., Gourevitch, M.M., Velders, M.P., Warnaar, S.O., 1994, Evidence for a role of the epithelial glycoprotein 40 (Ep-CAM) in epithelial cell-cell adhesion, *Cell Adhes Commun*, 2:417-428.

Michnik, A., Michalik, K., dan Drzazga, Z., 2005, Stability of Bovine Serum Albumin at Different pH, *Journal of Thermal Analysis and Calorimetry*, 80, 399-406.

Mufyda, S.N., 2015, Pengaruh pH terhadap Reaksi Biokonjugasi Pektin Dengan BSA Menggunakan Katalis EDAC, *Skripsi*, Fakultas Farmasi UGM,

Yogyakarta.

Nanocomposix, 2012, *Zeta Potential Analysis of Nanoparticles*, <http://nanocomposix.com/pages/handbooks>, diakses pada 27 Maret 2016.

National Nanotechnology Initiative, *Nanotechnology*, <http://nano.gov/>, diakses pada 20 September 2015

Nozaki, S., 1999, Effects Of Amounts Of Additives On Peptide Coupling Mediated By A Water-Soluble Carbodiimide In Alcohols, *J. Pept Res*, 54(2):162-7.

Osta, W.A., Chen, Y., Mikhitarian, K., Mitas, M., Salem, M., Hannun, Y.A., Cole, D.J., Gillanders, W.E., 2004, EpCAM Is Overexpressed in Breast Cancer and Is a Potential Target for Breast Cancer Gene Therapy, *The Journal of Cancer Research*, 64:5818-5824.

Patriarca, C., Macchi R.M., Marschner A.K., Mellstedt H., 2012, Epithelial Cell Adhesion Molecule Expression (Cd326) In Cancer: A Short Review, *Cancer Treat Rev*, 38(1): 68–75.

Paques, J.P., Linden, E., Rijn, C.J.M., Sagis, L.M.C., 2014, Preparation Methods of Alginate Nanoparticles, *Elsevier Advances in Colloid and Interface Science*, 209, 163-171.

Peer, D., Karp, J.M., Hong, S., Farokhzad, O.C., Margalit, R., dan Langer, R., 2007, Review Article of Nanocarriers as an Emerging Platform for Cancer Therapy, *Nature Nanotechnology*, 2: 751-759.

Pertiwi, D.V., 2014, Formulasi Nanopartikel *Ribosome-inactivating Protein Mirabilis jalapa L.* (RIP MJ) Tertarget Menggunakan Kitosan Rantai Pendek - Pektin Terkonjugasi Antibodi Anti-epcam Dan Uji Sitotoksik Pada Sel Kanker Payudara, *Tesis*, Fakultas Farmasi UGM, Yogyakarta.

Peters Jr., T., 1995, *All about Albumin Biochemistry, Genetics, and Medical Applications*, 1st ed., 14,17, Academic Press, California, US.

Peumans, W.J., Hao, Q. dan van Damme, E.J. 2001. Ribosome-inactivating Proteins from Plants: More than RNA-glikosidases. *The FASEB Journal*. 15: 1493-1506.

Putnam, F.W., 1975, *The Plasma Proteins: Structure, Function and Genetic Control*, 1, 141-147, Academic Press, New York.

Riethmuller, G., Holz, E., Schlimok, G., Schmiegel, W., Raab, R., Hoffken, K.,

- 1998 Monoclonal antibody therapy for resected Dukes' C colorectal cancer: seven-year outcome of a multicenter randomized trial, *J Clin Oncol*, 16:1788–94.
- Saraei, Dougighi, F.M., Zolfagharian, N., Bidhendi., H.M., Khaki, S., Inanlou, P., 2013, Design and Evaluate Alginate Nanoparticle as A Protein Delivery System, *Archives of Razi Institute*, 68:139-146, Razi Vaccine & Serum Research Institute.
- Scott, A.M., Wolchok, J.D., dan Old, L.J., 2012, *Antibody Therapy of Cancer*, *Nature*, 12, 278.
- Sigma, 2000, *Albumin From Bovine Serum*, www.sigma-aldrich.com, diakses pada 2 Januari 2015.
- Singh, P., 2013, A New Interfacial Cross Linking Technique: Preparation, Characterization and Evaluation of Calcium Alginate Nanoparticles as A Protein Delivery System, *Thesis and Dissertation Paper 210*, The University of Toledo, Toledo.
- Sismindari and Lord , J.M . 2000 . *Ribosome-Inactivating Protein: RNA N-glycosidase activity of Miabilis Jalapa L. Morinda citrifolia L and Carica papaya L*, *Indon J. Biotech.*, 324-345.
- Stirpe, F., dan Batelli, M. G., 2006, Ribosome-Inactivating Proteins: Progress and Problems, *Cell. Mol. Life Sci.*, 63, 1850–1866.
- Sudjadi, Sismindari, Herawati, T. dan Prasetyowati, A. T., 2003, Pemurnian Ribosome Inactivating Protein (RIP) dari daun *Mirabilis Jalapa L.* dengan kolom CT9 – Sepharose CL- 6B dan Sephacryl S- 300 HR, *Majalah Farmasi Indonesia*, 14 (2): 316-321.
- Sun, J., Tan, H., 2013, Alginate-Based Biomaterials for Regenerative Medicine Application, *Materials*, (6):1285-1309, Nanjing University of Science and Technology, Nanjing.
- Suprapti, E., 1997, Identifikasi RIPs dari daun, akar dan biji Kembang Pukul Empat (*Mirabilis jalapa*) yang tumbuh di Jawa Indonesia, *Skripsi*, Fakultas Farmasi UGM, Yogyakarta.
- Thomas, D.G., Pappu R.V., Baker, N.A., 2011, NanoParticle Ontology For Cancer Nanotechnology Research, *Journal of Biomedical Informatics*, 44: 59-74.
- Tiyaboonchai, W. 2003. Chitosan Nanoparticles : A Promising System for Drug Delivery, *Naresuan University Journal*, 11(3): 51-66.

- Walker, J.M., 2002, *Protein Handbook: Nondenaturing Polyacrylamid Gel Electrophoresis for Proteins*, 2nd ed., 57-60, Humana Press Inc., Totowa, New Jersey.
- Walker, J.M., 2002, *Protein Handbook: SDS Polyacrylamid Gel Electrophoresis for Proteins*, 2nd ed., 61-63, Humana Press Inc., Totowa, New Jersey.
- Wong, S.S., 2000, *Chemistry of Protein Conjugation and Cross-linking*, CRC Press, New York.
- Wong, S.S., Jameson, D.M., 2012, *Chemistry of Protein and Nucleic Acid Cross-linking and Conjugation*, 2nd ed., 323, Taylor & Francis Group, New York.
- Yamasaki, M., Yano, H., Aoki, K., 1990, Differential scanning calorimetric studies on bovine serum albumin: I. Effects of pH and ionic strength, *International Journal of Biological Macromolecules*, 12, 263-8 cit Kongraksawech, T., Vázquez-Landaverde, P., Huerta-Ruelas, J., dan Torres, J. A., 2007, Ionic Strenght and pH Effects on Optical Thermographs for Bovine Serum Albumin (BSA), *Cienciay Tecnologia Alimentaria*, 5(4), 260.
- Yamashita, T., 2009, Epcam-Positive Hepatocellular Carcinoma Cells Are Tumor-Initiating Cells With Stem/Progenitor Cell Features, *Gastroenterology*, 36(3):1012-24.
- You, J.O., Peng, C.A., 2005, Calcium-Alginate Nanoparticles for Nonviral Gene Delivery, 2005, *NSTI-Nanotech*, 1:270-273.