

## Daftar Pustaka

- Aldhoon-Hainerová, I., Zamrazilová, H., Dušátková, L., Sedláčková, B., Hlavatý, P., Hill, M., & Hainer, V. (2014). Glucose homeostasis and insulin resistance: prevalence, gender differences and predictors in adolescents. *Diabetology & metabolic syndrome*, 6(1), 1.
- Alvarez, J. A., & Ashraf, A. (2009). Role of vitamin D in insulin secretion and insulin sensitivity for glucose homeostasis. *International journal of endocrinology*, 2010.
- Arabi, A., Mahfoud, Z., Zahed, L., El-Onsi, L., & Fuleihan, G. E. H. (2010). Effect of age, gender and calciotropic hormones on the relationship between vitamin D receptor gene polymorphisms and bone mineral density. *European journal of clinical nutrition*, 64(4), 383-391.
- Aronoff, S. L., Berkowitz, K., Shreiner, B., & Want, L. (2004). Glucose metabolism and regulation: beyond insulin and glucagon. *Diabetes spectrum*, 17(3).
- Basir, A., Aman, M., Adam, F. M., & Adam, J.M.F. (2010). Resistensi insulin dan disfungsi sel beta pada subyek obesitas dengan dysglycemia. *Journal of pharmaceutical development and medical application*. Vol 22: 4.
- Bikle, D. (2009). Nonclassic actions of vitamin D. *The journal of clinical endocrinology & metabolism*, 94(1), 26-34.
- Cade, C., & Norman, A. W. (1986). Vitamin D3 improves impaired glucose tolerance and insulin secretion in the vitamin D-deficient rat in vivo. *Endocrinology*, 119(1), 84-90.
- Calle, C., Maestro, B., & García-Arencibia, M. (2008). Genomic actions of 1,25-dihydroxyvitamin D3 on insulin receptor gene expression, insulin receptor number and insulin activity in the kidney, liver and adipose tissue of streptozotocin-induced diabetic rats. *BMC molecular biology*, 9(1), 1.
- Castro, A. J., Frederico, M. J., Cazarolli, L. H., Bretanha, L. C., de Carvalho Tavares, L., da Silva Buss, Z., & Silva, F. R. M. B. (2014). Betulinic acid and 1,25(OH)<sub>2</sub> vitamin D3 share intracellular signal transduction in glucose homeostasis in soleus muscle. *The international journal of biochemistry & cell biology*, 48, 18-27.
- Chiu, K. C., Chu, A., Go, V. L., & Saad, M. F. (2004). Hypovitaminosis D is associated with insulin resistance and  $\beta$  cell dysfunction. *The American journal of clinical nutrition*, 79(5), 820-825.
- Cryer, P. E., & Polonsky, K. S. (2008). *Glucose homeostasis and hypoglycemia. Williams textbook of endocrinology, 11th ed.* Philadelphia: Saunders, an imprint of Elsevier, Inc, 1503-1533.
- Darwis, Y. (2005). *Pedoman Pemeriksaan Laboratorium untuk Penyakit Diabetes Mellitus*. Indonesia: Departemen Kesehatan RI.

- de Onis, M., Garza, C., Onyango, A. W., & Borghi, E. (2007). Comparison of the WHO child growth standards and the CDC 2000 growth charts. *The journal of nutrition*, 137(1), 144-148.
- Departemen Kesehatan, R. I. (2014). *Laporan hasil riset kesehatan dasar (Riskesdas) nasional tahun 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Depkes RI.
- Departemen Kesehatan, R. I. (2010). *Laporan nasional riset kesehatan dasar (Riskesdas) tahun 2010*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan. Depkes RI.
- Dugi, K. (2006). *The incidence of diabetes is on the rise, in both the development and development worlds*. Germany: The University of Heidelberg <http://www.scienceinschool.org/2006/issue1/diabetes>  
(Diakses : 30 Oktober 2015)
- Dawson-Hughes, B. (2014). Vitamin D deficiency in adults: Definition, clinical manifestations, and treatment. *UpToDate, Waltham, MA*. <http://www.uptodate.com/contents/vitamin-d-deficiency-in-adults-definition-clinical-manifestations-and-treatment>  
(Diakses : 10 Desember 2015)
- Gannagé-Yared, M. H., Chedid, R., Khalife, S., et al. (2009). Vitamin D in relation to metabolic risk factors, insulin sensitivity and adiponectin in a young Middle-Eastern population. *European journal of endocrinology*, 160(6), 965-971.
- Gerich, J. E. (1993). Control of glycaemia. *Baillieres best pract res clin endocrinol metab*, 7: 551-586.
- Glümer, C., Jørgensen. T., & Borch-Johnsen. K. (2003). Prevalences of diabetes and impaired glucose regulation in a Danish population: the Inter99 study. *Diabetes care* 26: 2335-2340.
- Grant, W. B., & Holick, M. F. (2005). Benefits and requirements of vitamin D for optimal health: a review. *Altern med rev*, 10(2), 94-111.
- Green, T., et.al. (2006). Vitamin D status and its association with PTH concentration in women of child-bearing age living in Jakarta and Kuala Lumpur. *European journal of clinical nutrition*. 62: 373-78.
- Hagman, E. (2016). Elevated fasting glucose levels in obese children and adolescents: prevalence and long-term consequences. (Thesis). Sweden: Karolinska Institutet.
- Harel, Z., Flanagan, P., Forcier, M., & Harel, D. (2011). Low vitamin D status among obese adolescents: prevalence and response to treatment. *Journal of Adolescent Health*, 48(5), 448-452.
- Hartono, Andry. (2006). *Terapi Gizi dan Diet Rumah Sakit*. Jakarta: EGC

- Henrikson, J., & Bech-Nielsen, E. (2009). Blood Glucose Levels. Diunduh dari: <http://www.netdoctor.co.uk/healthadvice/facts/diabetesbloodsugar.htm>. (Diakses : 3 September 2015).
- Holick, M. F. (2006). Resurrection of vitamin D deficiency and rickets. *The Journal of clinical investigation*, 116(8), 2062.
- Holick, M. (2007). Vitamin D deficiency. *N Engl J Med*, 357(3): 266-81.
- Husemoen, L.T.N., Thuesen, B.H., Fenger, M., Jorgensen, T., Glumer, C., Svensson, J., Ovesen, L., Witte, D.R. & Linneberg, A. (2012). Serum 25(OH)D and Type 2 Diabetes Association in a General Population: a Prospective Study, *Diabetes care*; 35:1695-1700.
- Huriyati, E., Luglio, H. F., Ratrikaningtyas, P. D., Tsani, A. F. A., Sadewa, A. H., Juffrie, M. (2016). Dyslipidemia, insulin resistance and dietary fat intake in obese and normal weight adolescents: the role of uncoupling protein 2 - 866G/A gene polymorphism. *International journal of molecular epidemiology and genetics* 2016;7(1):67-73.
- Kahn, S. E., Hull, R. L., & Utzschneider, K. M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*, 444(7121), 840-846.
- Kardas, F., Kendirci, M., & Kurtoglu, S. (2013). Cardiometabolic risk factors related to vitamin d and adiponectin in obese children and adolescents. *International journal of endocrinology*, 2013.
- Kardika, I. B., Herawati, S., & Sutirta Yasa, I. (2013). Prenalitic and interpretation blood glucose for diagnose diabetic melitus. *E-jurnal medika Udayana*, 2(10), 1707-1721.
- Kelishadi, R., Cook, S. R., Motlagh, M. E., Gouya, M. M., Ardalan, G., & Motaghian, M., et al.. (2008). Metabolically obese normal weight and phenotypically obese metabolically normal youths: the CASPIAN Study. *Journal of the American dietetic association*, 108(1), 82-90.
- Kramer, C. K., Swaminathan, B., Hanley, A. J., Connelly, P. W., Sermer, M., Zinman, B., & Retnakaran, R. (2014). Prospective associations of vitamin D status with  $\beta$ -cell function, insulin sensitivity, and glycemia: the impact of parathyroid hormone status. *Diabetes*, 63(11), 3868-3879.
- Lenders, C., Feldman, H., Von, S., Merewood, A., Sweeney, C., & Wilson, D. et al.. (2009). Relation of body fat indexes to vitamin D status and deficiency among obese adolescents. *Am j clin nutr* 90: 459–467.
- Limbong, M. (2010). Perbedaan Kadar Insulin pada Remaja obesitas dan Normoweight. (Thesis). Makassar: Pasca Sarjana UNHAS
- Linggi, E. B. (2013). Analisis kadar glukosa darah puasa dan HbA1c pada remaja obesitas. (Thesis). Makassar : Program Pascasarjana UnHas

- Lipoeto, N. I., Yerizel, E., Edward, Z., & Widuri, I. (2007). Hubungan nilai antropometri dengan kadar glukosa darah. Medan : Fakultas Kedokteran: Universitas Andalas
- Mahmud, R. (2010). Perbedaan kadar TTGO pada remaja obesitas. Makassar, Thesis Pasca Sarjana UNHAS
- Mahoney, L. T., Burns, T. L., Stanford, W., Thompson, B. H., Witt, J. D., Rost, C. A., & Lauer, R. M. (1996) Coronary risk factors measured in childhood and young adult life are associated with coronary artery calcification in young adults: the Muscatine Study. *J am coll cardiol*; 27: 277-284.
- Manaf, A. (2006). Insulin: Mekanisme sekresi dan aspek metabolisme. *Dalam: Buku ajar ilmu penyakit dalam jilid III edisi, 4*, 1868-69.
- Manios, Y., Moschonis, G., Kourlaba, G., Bouloubasi, Z., Grammatikaki, E., Spyridaki, A., & Fragiadakis, G. A. (2008). Prevalence and independent predictors of insulin resistance in children from Crete, Greece: the Children Study. *Diabetic medicine*, 25(1), 65-72.
- Mansor, L. S., Gonzalez, E. R., Cole, M. A., Tyler, D. J., Beeson, J. H., Clarke, K., & Heather, L. C. (2013). Cardiac metabolism in a new rat model of type 2 diabetes using high-fat diet with low dose streptozotocin. *Cardiovasc diabetol*, 12(1), 136.
- Michalsky, M.P., Inge, T.H., Simmons, M., Jenkins, T.M., Buncher, R., Helmrath, M., Horlick, M. (2015). Cardiovascular risk factors in severely obese adolescents: the teen longitudinal assessment of bariatric surgery (teen-LABS) study. *JAMA pediatrics*, 169(5), 438-444.
- Murray, R. K., Granner, D. K., Mayes, P. A., & Rodwell, V. W. (2003). *Biokimia Harper. Edisi 27*. Jakarta: EGC Medical Publisher.
- Ogden, C. L., Carroll, M. D., Kit, B. K., & Flegal, K. M. (2012). Prevalence of obesity in the United States, 2009-2010. *NCHS data briefs*; 82. Diunduh dari: [www.cdc.gov/nchs/data/databriefs/db82.pdf](http://www.cdc.gov/nchs/data/databriefs/db82.pdf) (Diakses :15 November 2015).
- Olson, M.L., Maalouf, N.M., Oden, J.D., White, P.C., & Hutchison, M.R. (2011). Vitamin D deficiency in obese children and its relationship to glucose homeostasis. *The journal of clinical endocrinology & metabolism*, 97(1), 279-285.
- Pande, V., Mane, S., Agarkhedkar, S., Prakash, G., & Singhanian, S., (2012). Blood Pressure and blood sugar levels in overweight adolescents from an industrial town of Western India, *int j pharm biomed sci* 3 (4) 229-232 ISSN No:0976-5263
- Palilingan, P. (2010). *Apakah Anak Anda Obesitas?* Betterhealth Tahun II/Edisi 3/Triwulan/September 2010 Online.

- Pangestu, Y.M. (2013). Perbandingan kadar gula darah puasa pada anak obes dengan resistensi insulin dan tanpa resistensi insulin. Manado: Fakultas Kedokteran Universitas Sam Ratulangi
- Paramitha, G. M. (2014). *Hubungan Aktivitas Fisik dengan Kadar Gula Darah Pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Daerah (RSUD) Karanganyar. (Doctoral dissertation)*. Surakarta: Universitas Muhammadiyah Surakarta.
- Peterson, C. A., Tosh, A. K., & Belenchia, A. M. (2014). Vitamin D insufficiency and insulin resistance in obese adolescents. *Therapeutic advances in endocrinology and metabolism*, 2042018814547205.
- Pratiwi, A. N., Wistiani, W., & Pramono, D. (2013). Hubungan antara asupan seng dan status seng serum terhadap kejadian asma pada anak obesitas. *Media medika muda*, 2(1)
- Qurratuaeini. (2009). *Faktor-faktor yang Berhubungan dengan Terkendalinya Kadara Gula Darah pada Pasien Diabetes Melitus di Rumah Sakit Umum Pusat Fatmawati Jakarta*. Jakarta: (Skripsi) UIN Syarif Hidayatullah.
- Rimbawan, S. A. (2004). *Indeks glikemik pangan*. Jakarta: Penebar Swadaya.
- Roemling, C., & Qaim, M. (2012). Obesity trends and determinants in Indonesia. *Appetite*, 58(3), 1005-1013.
- Ronald, A.S., & Richard, A.M. (2004). *Tinjauan Klinis Hasil Pemeriksaan Laboratorium*. Jakarta: Penerbit Buku Kedokteran EGC.
- Sandjaja, S., Budiman, B., Harahap, H., Ernawati, F., Soekatri, M., Widodo, Y. & Khouw, I. (2013). Food consumption and nutritional and biochemical status of 5–12 year old Indonesian children: the SEANUTS study. *British journal of nutrition*, 110(S3), S11-S20.
- Sastroasmoro, S. (2011). *Dasar-dasar metodologi penelitian klinis*. Jakarta: CV. Sagung Seto.
- Sepriana, R. (2012). *Prevalens dan Determinan Diabetes Melitus di Poli Lansia Puskesmas Kecamatan Jatinegara Jakarta Timur tahun 2011. (Skripsi)*. Depok: Fakultas Kesehatan Masyarakat Universitas Indonesia.
- Shahid, A., Saeed, S., Rana, S., & Mahmood, S. (2012). Family history of diabetes and parental consanguinity: important risk for impaired fasting glucose in South East Asians. *West Indian medical journal*, 61(3), 219-223.
- Shenoy, V., Datta, P., Prabhu, K., & Singh, K. (2014). Association between Vitamin D, Fasting Blood Glucose, HbA1c and Fasting Lipid Profile in Euglycemic Individuals. *Journal of research in diabetes*, 2014, 1-8.
- Sjarif, D. R. (2011). Buku ajar nutrisi pediatrik dan penyakit metabolik. Edisi 1. Jakarta: BP IDAI, 230-41.

- Smeltzer, S. C., & Bare, B. G. (2002). *Buku Ajar Keperawatan Medikal Bedah*. Jakarta: EGC.
- Soegondo, S. (2009). *Obesitas*. Dalam: Sudoyo AW, Setiyohadi B, Alwi IK, Simadibrata M, Setiati S, editor. *Buku Ajar Ilmu Penyakit Dalam Jilid III (Edisi V)*. Jakarta: Pusat Penerbitan IPD FKUI, 1849..
- Soesanti, F., Pulungan, A., Tridjaja, B., & Batubara, J. R. (2013). Vitamin D profile in healthy children aged 7-12 years old in Indonesia. *International journal of pediatric endocrinology, 2013(Suppl 1), P167*.
- Sukardji, K. (2002). *Penatalaksanaan Gizi pada Diabetes Mellitus. Dalam Penatalaksanaan Diabetes Terpadu*. Jakarta: Aksara Buana.
- Szablewski, L. (2011). *Glucose Homeostasis and Insulin Resistance*. Bentham E-Books, eISBN 978-1-60805-189-2.
- Tavera-Mendoza, L. E., & White, J. H. (2007). Cell defenses and the sunshine vitamin. *Scientific American, 297(5)* , 62-72.
- Tsiaras, W. G., & Weinstock, M. A. (2011). Factors influencing vitamin D status. *Acta dermato-venereologica, 91(2)* , 115-124.
- Vimaleswaran, K. S., Berry, D. J., Lu, C., Tikkanen, E., Pilz, S., Hiraki, L. T., & Wood, A. R. (2013). Causal relationship between obesity and vitamin D status: bi-directional Mendelian randomization analysis of multiple cohorts. *Plos med, 10(2)* , e1001383.
- Vinodhini, V. M., Krishnan, A., & Ebenezer William, W. (2014). Vitamin D and Glycemic Control in Impaired Fasting Glycemia. *India : International journal of pharmaceutical and clinical research, 6(3)* , 245-249.
- Wallace, T. M., Levy, J. C., & Matthews, D. R. (2004). Use and abuse of HOMA modeling. *Diabetes care, 27(6)* , 1487-1495.
- Wang, T. J., Zhang, F., Richards, J. B., Kestenbaum, B., Van Meurs, J. B., Berry, D., & Peltonen, L. (2010). Common genetic determinants of vitamin D insufficiency: a genome-wide association study. *The lancet, 376(9736)* , 180-188.
- Werdani, A. R., & Triyanti, T. (2014). Asupan karbohidrat sebagai faktor dominan yang berhubungan dengan kadar gula darah puasa. *Kesmas: jurnal kesehatan masyarakat nasional, 9(1)* , 71-77.
- WHO. (1995). Physical status: the use and interpretation of anthropometry: report of a WHO Expert Committee. *Geneva WHO technical report series, 854*.
- WHO/IOTF. (2000). The Asia Pasific Perspective Redifining Obesity and Its Treatment. *Melbournem health communication australia* .
- Wicherts, I. S., van Schoor, N. M., Boeke, A. J. P., Visser, M., Deeg, D. J., Smit, J., & Lips, P. (2007). Vitamin D status predicts physical performance and its

decline in older persons. *The journal of clinical endocrinology & metabolism*, 92(6), 2058-2065.

Widmann, F. K. (1989). *Tinjauan Klinis Atas Hasil Pemeriksaan Laboratorium*. Jakarta: Penerbit Buku Kedokteran EGC.

Wiegand, S., Maikowski, U., Blankenstein, O., Biebermann, H., Tarnow, P., & Gruters, A. (2004). Type 2 diabetes and impaired glucose tolerance in European children and adolescents with obesity--a problem that is no longer restricted to minority groups. *European Journal of Endocrinology*, 151(2), 199-206.

Wolden-Kirk, H., Overbergh, L., Gysemans, C., Brusgaard, K., Naamane, N., Van Lommel, L., & Mathieu, C. (2013). Unraveling the effects of 1, 25 (OH) 2 D 3 on global gene expression in pancreatic islets. *The journal of steroid biochemistry and molecular biology*, 136, 68-79.

Wortsman, J., Matsuoka, L.Y., Chen, T.C., Lu, Z., & Holick, M.F. (2000). Decreased bioavailability of vitamin D in obesity. *The American journal of clinical nutrition*, 72(3), 690-693.

Yin, J., Li, M., Xu, L., Wang, Y., Cheng, H., Zhao, X., & Mi, J. (2013). Insulin resistance determined by Homeostasis Model Assessment (HOMA) and associations with metabolic syndrome among Chinese children and teenagers. *Diabetol metab syndr*, 5(1), 71.

Yuliasih, W., (2009). Obesitas abdominal sebagai faktor resiko peningkatan kadar gula darah. Dikutip dari:  
[http://eprints.undip.ac.id/35973/1/229\\_Wiwi\\_Yuliasih\\_G2C005314.pdf](http://eprints.undip.ac.id/35973/1/229_Wiwi_Yuliasih_G2C005314.pdf).  
(Diakses :15 Maret 2016).

Zeitz, U., Weber, K., Soegiarto, D.W., Wolf, E., Balling, R., & Erben, R.G. (2003). Impaired insulin secretory capacity in mice lacking a functional vitamin D receptor. *The FASEB journal*, 17(3), 509-511.