

DAFTAR PUSTAKA

- Alharbi, K., 2010. Assesment of nutritional status of patients on hemodialysis: a single center study from Jeddah, Saudi Arabia. *FIU Electronic Theses and Dissertations*.
- Alvestrand, A., 1997. Carbohydrate ad Insulin metabolism in Renal Failure. *Kidney International Supplement*, Volume 62, pp. 48-52.
- Aparicio, M. et al., 1999. Nutritional status of hemodialysis patients : a Frech National Cooperative Study. *Nephro Dial Transplant*, Volume 14, pp. 1679-1686.
- Arora, P. & Batuman, V., 2009. *Chronic Kidney Disease*. [Online] Available at: <http://emedicine.medscape.com>[Accessed 27 December 2015].
- Asgarani, F., Mahdavi-Mazdeh, M., Lessan-Pezeshki, M. & al, e., 2004. Correlation between modified subjective global assesment with anthropometric measurement and laboratory parameters. *Acta Medica Iranica*, Volume 42.
- Beberashvii, e. a., 2010. Objective Score of Nutrition on Dialysis (OSND) as an alternative for the malnutrition-inflammation score in assesment of nutritional risk of hemodialysis patients. *Nephrol Dial Transplant*, Volume 25, pp. 2662-2671.
- Bergstrom, J., 1995. Nutrition and Mortality in hemodialysis. *Journal of the American Society of Nephrology*, Volume 6, pp. 1329-1341.
- Bossola, M., Di Stasio, E. & al, e., 2011. Appetite and gastorintestinal symtomps in chronic hemodialysis patients. *J Ren Nutr*, Volume 6, pp. 48-54.
- Bossola, M., Muscaritoli, M., Tazza, L. & al, e., 2005. Malnutrition in hemodialysis patients : what therapy?. *American Journal of Kidney Diseases*, Volume 46, pp. 371-386.
- Brungger, M., Hulter, H. & Krapf, R., 1997. Efect of chronic metabolic acidosis on the GH endocrine axis : new cause of GH in sensivity humans. *Kidney International*, Volume 51, pp. 216-221.
- Brunner & Suddarth, 2001. *Keperawatan Medikal Bedah Edisi 8 Volume 2*. Jakarta: Penerbit Buku Kedokteran EGC.
- Caglar, K., Fedje, L., Dimmitt, R. & al, e., 2002. Therapeutic effects of oral nutritional supplementation during hemodialysis. *Kidney International*, Volume 62, pp. 1054-1059.
- Cano, N., 2001. Hemodialysis, inflammaion, and malnutrition. *Nefrologia*, Volume 21, pp. 437-442.
- Cano, N. et al., 2002. malnutrition in hemodialysis diabetic patients : evaluation and prognostic influence. *Kidney International*, Volume 62, pp. 563-601.
- Chertow, G. et al., 2000. Vintage, nutritional status, and survival in hemodialysis patients. *Kidney International*, Volume 57, pp. 1176-1181.
- Chin, H. & Kim, S., 2009. Chronic Kidney Disease in Korea. *The Korean Journal Medicine*, Volume 76, pp. 511-514.



UNIVERSITAS
GADJAH MADA

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN MALNUTRISI BERDASARKAN INDIKATOR DIALYSIS MALNUTRITION SCORE (DMS) PADA PASIEN PENYAKIT GINJAL KRONIK YANG MENJALANI HEMODIALISIS RUTIN DI RSUP Dr. SARDJITO YOGYAKARTA

FENTY ROCHAYANI, Dr. Susetyowati, DCN, M.Kes., dr. Bambang Djarwoto, Sp.PD-KGH.

Chumlea, W. et al., 2003. Nutritional status assessed from anthropometric measures in the HEMO study. *J Renal Nutr*, 13(1), pp. 31-38.

Chung, S., Koh, E. S., Shin, S. J. & Park, C. W., 2012. Malnutrition in patients with chronic kidney disease. *Open Journal of Internal Medicine*, Volume 2, pp. 89-99.

Cilbulka, R. & Racek, J., 2007. Metabolic disorders in patients with chronic kidney failure. *Physiological Research*, Volume 56, pp. 697-705.

Combe, C. et al., 2004. Kidney Disease Outcomes Quality Initiative (K/DOQI) and the Dialysis Outcomes and Practices Patterns Study (DOPPS) : Nutrition guidelines, indicators, and practices. *American Journal Kidney Disease*, Volume 44, pp. 39-46.

Couser, W., Remuzzi, G., Mendis, S. & Tonelli, M., 2011. The contribution of chronic kidney disease to the global burden of major noncommunicable diseases. *Kidney International*, Volume 12.

Detsky, A., JP, B., O'Rourke, K. & al, e., 1987. Predicting nutrition-associated complications for patients undergoing gastrointestinal surgery. *JPEN J Parenter Enteral Nutrition*, Volume 11.

Dewan, M., 2008. Malnutrition in Women. *Stud. Home Comm Scie*, 2(1), pp. 7-10.

Dwyer, J. T. et al., 2002. Nutritional status affects quality of life Hemodialysis (HEMO) study patients at baseline. *Journal of Renal Nutrition*, Volume 12, pp. 213-223.

Ekramzadeh, M., Mazloom, Z., Jafari, P. & al, e., 2014. Major barriers responsible for malnutrition in hemodialysis patients : Challenges to optimal nutrition. *Nephrology and Urology Research Center*, Volume 6.

Enia, G., C, S., Alati, G. & al, e., 1993. Subjective global assesment of nutrition in dialysis patients. *Nephrology Dialysis Transplant*, Volume 8, pp. 1094-1098.

Espahbodi, F., Khoddad, T. & Esmaelili, L., 2014. Evaluation of Malnutrition and its Association With Biochemichal Parameters in Patients with End Stage Renal Disease Undergoing Hemodialysis Using Subjective Global Assesment. *Nephro-Urology Monthly*, Volume 6, pp. 1-4.

Evans, C., 2005. Malnutrition in the Elderly : a multifactorial failure to thrive. *The Permanente Journal*, 9(3).

Ferruzzi, M., Coulston, A. & al, e., 2008. *Nutrition in the prevention and treatment disease : 3rd edition*. USA: Elsevier Inc.

Fleet, M., Osman, F., Komaragiri, R. & al, e., 2008. Protein catabolism in advanced renal disease: Role of cytokines. *Clinical Nephrology*, Volume 70, pp. 91-100.

Foundation, N. K., 2007. *Hemodialysis : What You Need To Know*. [Online] Available at: www.kidney.org[Accessed 14 September 2015].

Fouque, D., Kalantar-Zadeh, K., Koople, J. & al, e., 2008. A proposed nomenclature and diagnostic criteria for protein-energy wasting in acute and chronic kidney disease. *Kidney International*, Volume 73, pp. 391-398.



UNIVERSITAS
GADJAH MADA

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN MALNUTRISI BERDASARKAN INDIKATOR DIALYSIS MALNUTRITION SCORE (DMS) PADA PASIEN PENYAKIT GINJAL KRONIK YANG MENJALANI HEMODIALISIS RUTIN DI RSUP Dr.

SARDJITO YOGYAKARTA

FENTY ROCHAYANI, Dr. Susetyowati, DCN, M.Kes., dr. Bambang Djarwoto, Sp.PD-KGH.

Garibotto, G., Sofia, A., Balhi, M. & al, e., 2007. Kidney and Splanchnic handling of IL-6 in humans. *Cytokines*, Volume 37, pp. 51-54.

Glorieux, G., Schepers, E. & Vanholder, R., 2007. Uremic toxins in chronic renal failure. *Contributions, Sec. Biol. Med Sci*, 28(1), pp. 173-204.

Gunes, F., 2013. Medical nutrition therapy for hemodialysis patients. *INTECH: Medical Nutrition Therapy*.

Harvinder, G., Swee, W. & al, e., 2016. Dialysis Malnutrition and Malnutrition Inflammation Scores: a screening tools or prediction of dialysis – related protein-energy wasting in Malaysia. *sia Pac J Clin Nutr*, Volume 25.

Healthcommunities, 2001. *Nephrology Channel*. [Online] Available at: www.healthcommunities.com[Accessed 13 November 2015].

Hickson, M., 2005. Malnutrition and Ageing. *Ageing*, 20 June, pp. 2-8\.

Jahromi, S. et al., 2010. Malnutrition predicting factors in Hemodialysis Patients. *Saudi J Kidney Dis Transpl*, 21(5), pp. 846-851.

Jones, C. H., Wolfenden, R. C. & Wells, L. M., 2004. Is Subjective Global Assesment a Reliable Measure of Nutritional Status in Hemodialysis. *Journal of Renal Nutrition*, Volume 14, pp. 26-30.

Kalantar-Zadeh, K. & al, e., 2009. Burnt-out diabetes: impact of chronic kidney disease progression on the natural course of diabetes mellitus. *J Ren Nutr*, 19(1), pp. 33-37.

Kalantar-Zadeh, K. et al., 2004. appetite and inflammation, nutrition, anemia, and clinical outcome in hemodialysis patients. *The American Journal of Clinical Nutrition*, Volume 80, pp. 299-307.

Kalantar-Zadeh, K., Ikizler, T., Block, G. & al, e., 2003. Malnutrition-inflammation complex syndrome in dialysis patients : causes and consequences. *American Journal of Kidney Disease*, Volume 42, pp. 864-881.

Kalantar-Zadeh, K., Kleiner, M., Dunne, E. & Lee, G. L. F., 1999. A modified quantitative subjective global assesment of nutrition for dialysis patients. *Nephrol Dial Transplant*, Volume 14, pp. 1732-1738.

Kaysen, G. A., Dubin, J. A., Muller, H.-G. & al, e., 2004. Inflammation and reduced albumin synthesis associated with stable decline in serum albumin in hemodialysis patients. *Kidney International*, Volume 65, pp. 1408-1415.

Kaysen, G. & Schoenfeld, P., 1984. Albumin homeostasis in patients undergoing continous ambulatory peritoneal dialysis. *Kidney International*, Volume 58, pp. 107-114.

Kerr, P., Strauss, B. & Atkins, R., 1996. Assesment of nutritional state of dialysis patients. *Blood Purification*, Volume 14, pp. 382-387.

Kloppenburger, W., Stegeman, C., Hooyssuur, M. & al, e., 1999. Assesing dialysis adequacy and dietary intake in the individual hemodialysis patient. *Kidney International*, Volume 55, pp. 1961-1969.



UNIVERSITAS
GADJAH MADA

Kovacic, V. &

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN MALNUTRISI BERDASARKAN INDIKATOR DIALYSIS MALNUTRITION SCORE (DMS) PADA PASIEN PENYAKIT GINJAL KRONIK YANG MENJALANI HEMODIALISIS RUTIN DI RSUP Dr. SARDJITO YOGYAKARTA

FENTY ROCHAYANI, Dr. Susetyowati, DCN, M.Kes., dr. Bambang Djarwoto, Sp.PD-KGH.

Regulic, J., 2003. Metabolic acidosis of chronically hemodialyzed patients.

American Journal of Nephrology, Volume 23, pp. 158-164.

- Krebs, H., 1963. Renal gluconeogenesis. *Advances in Enzyme Regulation*, Volume 1, pp. 385-400.
- Kresnawan, T., 2005. Penatalaksanaan Diet pada Penyakit Ginjal Kronik. In: *Prosiding Asosiasi Dietisien Indonesia Cabang Jawa Barat*. Bandung: Savoy Homman Bidakara.
- Laville, M. & Fouque, D., 2000. Nutritional aspects in hemodialysis. *Kidney International*, 58(76), pp. 133-139.
- Leon, J. et al., 2006. Improving Albumin Levels Among Hemodialysis Patients: A Community-Based Randomized Controlled Trial. *American Journal of Kidney Diseases*, Volume 48, pp. 28-36.
- Levey, A., Stevens, L., Schmid, C. & al, e., 2009. A new equation to estimate glomerular filtration rate. *Ann Intern Med*, Volume 150, pp. 604-612.
- Lindsay, R., Spanner, E. H. P., Kortas, C. & Blake, P., 1993. PCR, Kt/V and membrane,. *Kidney Int*, Volume 43, pp. 268-273.
- Locatelli, F., Fouque, D., Heimbürger, O. & al, e., 2002. Nutritional status in dialysis patients : A european consensus. *Nephrol Dialysis Transplant*, Volume 17, pp. 563-572.
- Mahan, K., Escott-Stump, S. & Raymond, J., 2012. *Krause's Food and the Nutrition Care Process*. 13 ed. s.l.:Elsevier.
- Mapes, D., Lopes, A., Satayathum, S. & al, e., 2003. Health-related quality of life as a predictor of mortality and hospitalization: The dialysis outcomes and Practices Patterns Study (DOPPS). *Kidney International*, Volume 64, pp. 339-349.
- McClellan, W., 2014. *The Kidneys and How They Work*. [Online] Available at: <http://www.niddk.nih.gov>[Accessed 12 June 2015].
- Mehrotra, R., Kopple, J. & Wolfson, M., 2003. Metabolic acidosis of chronically hemodialyzed patients. *Kidney International Supplement*, Volume 88, pp. 13-25.
- Meyer, C., Stumvoll, M., Dostou, J. & al, e., 2002. Renal substrate exchange and gluconeogenesis in normal post-absorbative humans. *American Journal of Physiology, Endocrinology, and Metabolism*, Volume 282, pp. 428-434.
- Morais, A., Silva, M., Faintuch, J. & Vidigal, E., 2005. Correlation of nutritional status and food intake in hemodialysis patients. *CLINICS*, Volume 60, pp. 85-92.
- Oh, M., Uribarri, J., Weinstein, J. & al, e., 2004. What unique acid-base considerations exist in dialysis patients?. *Seminars in Dialysis*, Volume 17, pp. 351-364.
- Parker, T., Wingrad, R. & Husni, L., 1996. Effect of membran biocompatibility on nutritional parameters in chronic hemodialysis patients. *Kidney International*, Volume 49, pp. 551-556.



UNIVERSITAS
GADJAH MADA

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN MALNUTRISI BERDASARKAN INDIKATOR DIALYSIS MALNUTRITION SCORE (DMS) PADA PASIEN PENYAKIT GINJAL KRONIK YANG MENJALANI HEMODIALISIS RUTIN DI RSUP Dr.

SARDJITO YOGYAKARTA

FENTY ROCHAYANI, Dr. Susetyowati, DCN, M.Kes., dr. Bambang Djarwoto, Sp.PD-KGH.

Pifer, T., McCullough, K., Port, F. & al, e., 2001. Mortality risk in hemodialysis patients and changes in nutritional indicators : DOPPS. *Nephrology Dialysis Transplant*, Volume 16, pp. 2386-2394.

Port, F., Ashby, V., Dhingra, R. & al, e., 2002. Dialysis Dose and Body Mass Index Are Strongly Associated with Survival in Hemodialysis Patients. *J Am Soc Nephrol*, Volume 1061-1066, p. 13.

Pupim, L., Cuppari, L. & Ikizler, T., 2006. Nutrition and metabolism in kidney disease. *Seminars in Nephrology*, Volume 26, pp. 134-157.

Pupim, L., Flakoll, P., Brouillette, J. & al, e., 2002. Intadialytic Parenteral Nutrition improves protein and energy homeostasis in chronic hemodialysis patients. *The Journal of Clinical Investigation*, Volume 110, pp. 483-492.

Pupim, L. & Ikizler, T., 2003. Uremic malnutrition : new insight into an old problem. *Seminars in Dialysis*, Volume 16, pp. 224-232.

Qureshi, A., Alvestrand, A., Danielson, A. & al, e., 1998. Factors predicting malnutrition in hemodialysis patients : A cross sectional study. *International Society of Nephrology*, Volume 53, pp. 773-782.

Qureshi, A., Alvestrand, A., Divino-Filho, J. & al, e., 2002. Inflammation, Malnutrition, and Cardiac disease as Predictors of Mortality in Hemodialysis Patients. *Journal of American Society Nephrology*, Volume 13, pp. 28-36.

Rani, V. et al., 2015. Assesment of nutritional status and its impact on quality of life of patients on maintenace hemodialysis. *International Journal of Medical and Health Sciences*, 4(2), pp. 156-164.

Ransom, E. & Elder, L., 2003. *Nutrition of Women and Adolescent Girls : Why it matter*. [Online] Available at: <http://www.prb.org>[Accessed 30 Maret 2016].

Ricks, J. et al., 2012. Glycemic control and cardiovascular mortality in hemodialysis patients with diabetes, A 6-year cohort study,. *Diabetes March*, 61(3), pp. 708-715.

Rigalleau, V. & Gin, H., 2005. Carbohydrate metabolism in uremia. *Current opinion in Clinical Nutrition and Metabolic Care*, Volume 8, pp. 463-469.

Rosenberger, J. et al., 2014. Body compositions monitor asseing malnutrition in the hemodialysis population independently predicts mortality. *J Ren Nutr*, Volume 24, pp. 2-6.

Sharma, S., Zou, H., Togtokh, A. & al, e., 2010. Burden of CKD, proteinuria, and cardiovascular risk among Chinese, Mongolian, and Nepalese participants in the International Society of Nephrology screening program. *American Journal Kidney Disease*, Volume 56, pp. 915-927.

Spiegel, D., 2005. *The Patient Receiving Chronic Renal Replacement with Dialysis*. USA: Lippincott Williams and Wilkins.

Stanley, J. & Swierzewski, I., 2001. *Chronic Renal Failure (CRF) Overview*. [Online] Available at: <http://www.healthcommunities.com/>[Accessed 4 September 2015].



UNIVERSITAS
GADJAH MADA

FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN MALNUTRISI BERDASARKAN INDIKATOR DIALYSIS MALNUTRITION SCORE (DMS) PADA PASIEN PENYAKIT GINJAL KRONIK YANG MENJALANI HEMODIALISIS RUTIN DI RSUP Dr. SARDJITO YOGYAKARTA

FENTY ROCHAYANI, Dr. Susetyowati, DCN, M.Kes., dr. Bambang Djarwoto, Sp.PD-KGH.

Steiber, A. et al., 2004. Subjective Global Assessment in Chronic Kidney Disease : a Review. *Journal of Renal Nutrition*, Volume 14, pp. 191-200.

Steiber, A., Leon, J., Secker, D. & al, e., 2007. Multicenter study of the validity and reliabilty of Subjective Global Assesment in the hemodialysis population. *Journal of Renal Nutrition*, Volume 17, pp. 36-42.

Stenvinkel, P. et al., 2002. A comparative analysis of nutritional parameters as predictors of outcome in male and female ESRD patients. *Nephrol Dial Transplant*, Volume 12, pp. 66-74.

Stevens, P., O'Donoghue, D., De Lusignan, S. & al, e., 2007. Chronic kidney disease management in the United Kingdom : NEOERICA project results. *Kidney International*, Volume 72, pp. 92-99.

Stevinkel, P. e. a., 2002. A comparative analysis of nutritional parameters as predictors of outcome in male and female ESRD patients. *Nephrol Dial Transplant*, Volume 17, pp. 1266-1274.

Sukandar, E., 2006. *Neurologi Klinik*. Bandung: Pusat Informasi Ilmiah (PII) Bagian Ilmu Penyakit Dalam Fakultas Kedokteran UNPAD.

Supariasa, 2002. *Penilaian status gizi*. Jakarta: EGC.

Syaiful, H. Q., Oenzil, F. & Afriant, R., 2014. Hubungan umur dan lamanya hemodialisis dengan status gizi pada penderita Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RS Dr. M Djamil Padang. *Jurnal Kesehatan Andalas*, Volume 3, p. 3.

Tai, T. et al., 1998. Renal dietitian's prespective : identification, prevalence, and intervention for malnutrition in dialysis patients in Texas. *Journal of Renal Nutrition*, Volume 4, pp. 88-98.

Teixera, N., De Campos, G., Xavier de Paula, S. & al, e., 2008. Dialysis adequacy and nutritional status of hemodialysis patients. *Hemodial Int*, Volume 12, pp. 45-51.

Trabulsi, J. & Schoeller, D., 2001. Evaluation of dietary assessment instruments against doubly labeled water, a biomarker of habitual energy intake. *American Journal of Physiology - Endocrinology and Metabolism*, Volume 281, pp. 891-899.

Vaz de Souza, A., Filizola, I., Francisca, S. & al, e., 2014. Prevalence of malnutrition and associated factors in hemodialysis patients. *Revista de Nutricao*, Volume 27, pp. 357-366.

WKD, 2016. *Chronic Kidney Disease*. [Online] Available at: www.worldkidneyday.org[Accessed 3 January 2016].