

## DAFTAR PUSTAKA

- Ajayi, A.O and O.E. Fagade. 2003. Utilization of corn starch as substrate for b-amylase by *Bacillus* sp. African Journal Biomedical Resume 6: 37-42.
- Anonim.2016a.Carbohydrates.<<http://www.rsc.org/Education/Teachers/Resources/cfb/carbohydrates.htm>>. Diakses 6 Januari 2016.
- Anonim. 2016b. <[http://www.biology-online.org/dictionary/soluable\\_starch](http://www.biology-online.org/dictionary/soluable_starch)>. Diakses 17 Februari 2016.
- Anonim. 2013. Starch. <<http://en.wikipedia.org/wiki/Starch#Structure>>. Diakses 27 November 2013.
- Anderson, A. J. and E. A. Dawes. 1990. Occurrence, metabolism, metabolic role and industrial uses of bacterial polyhydroxyalkanoates. Microbiological Reviews 54: 450-472.
- Antranikian, G. 1990. Microbial degradation of starch. FEMS Microbiological Riview 54: 450-472.
- Apun, K., B. C. Jong, and M. D. Shalleh. 2000. Screening and isolation of a cellulolytic and amylolytic *Bacillus* from sago pith waste. Journal of General and Applied Microbiology 46: 263-267.
- Aremo, M. O., S. K. Layokun, and B. Solomon. O. 2010. Production of Poly (3-hydroxybutyrate) from cassava starch hydrolysate by *Pseudomonas aeruginosa* NCIB 950. American Journal of Scientific and Industrial Research 1: 421-426.
- Avella, M. A. Buzarovska, M. E. Errico, G. Gentile, and A. Grozdanov. 2009. Eco-challenges of bio-based polymer composites. Journal of Materials 2: 911-925.
- Belal, E. B. 2013. Production of poly-β-Hydroxybutyric acid (PHB) by *Rhizobium elti* and *Psaeudomonas stutzeri*. Current Research Journal of Biological Sciences 5: 273-284.
- Bonartsev, A. P., Myshkina, V. L., Nikolaeva, D. A., Furina, E. K., Makhina, T. A., Livshits, V. A., Boskhomdzhev. A. P., Ivanov, E. A., Iordanskii, A. L., and G. A. Bonartsev. 2007. Biosynthesis, biodegradation, and application of poly (3-hydroxybutyrate) and its copolymers-natural polyesters produced by diastrophic bacteria. Communicating Current Research and Educational Topics and Trends in Applied Microbiology.
- Bourtoom, T. 2007. Effect of some process parameters on the properties of edible film prepared from starch. Paper presented in The 9th Agro- Industrial Conference: Food Innovation, 15-16 June 2007, Bangkok.

- Buchanan, R.E. & N. E. Gibbon. 1974. *Bergey's manual of determinative Bacteriology*. 8th Edition, The Williams and Wilkins, Baltimore.
- BPS. 2015. Produksi Padi, Jagung, dan Kedelai. <<http://www.bps.go.id/Brs/view/id/1122>>. Diakses pada tanggal 7 Maret 2016.
- Bradford, M. M. 1976. A rapid and sensitive for quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Annual Biochemistry* 72: 248-254.
- Byrom, D. 1987. Polymer synthesis by micoorganisms : technology and economics. *Tib Technology* 5 : 246-250.
- Dominati, E., M. Patterso, dan A. MacKay. 2010. A framework for classifying and quantifying natural capital and ecosystem services of soils. *Ecological Economics* 69: 1858–1868.
- Dubois, M., K. A. Gilles, J. K Hamilton, P. A. Rebers, and F. Smith. 1956. Colorimetric method for detemination of sugars and related substances. *Annual Chemistry* 28 : 350-356.
- El-Sayed, A. A., A. M. Abdel Hafes, Hemmat, M. Abdelhady, and T. A. Khodair. 2009. Poduction of polyhydroxybutyrate (PHB) using batch and two-stage batch culture strategies. *Australian Journal of Basic and Applied* 3: 617-627.
- Espino, T.M. and R. D. Tambal. 1997. Isolation, screening and characterization of high yielding  $\alpha$ -amylase producing bacteria. *Annual Reports of IC Biotechnology* 20 : 744-754.
- Flora. G., K. Bhatt, and U. Tuteja. 2010. Optimization of culture conditions for poly- $\beta$ -hydroxybutyrate production from isolated *Bacillus* species. *Journal Cell Tissue Research* 10: 2235-2242.
- Gonzalez-Gutierrez. 2010. Development of highly-transparent protein/starch based bioplastics. *Bioresource Technology* 101: 2007-2013.
- Gross, R.A. and B. Kalra. 2002. Biodegradable polymers for the environment. *Science* 297: 803–807.
- Hamieh, A., Z. Olama, and H. Holail. 2013. Microbial production of polyhydroxybutyrate, a biodegradable plastic using agro-industrial waste products. *Global Advanced Research Journal of Microbiology* 2: 54-64.
- Hanh, S.K., Y. K. Chang, and S. Y. Lee. 1995. Recovery and characterization of poly (3-hydroxybutyric acid) synthesized in *Alcaligenes eutrophus* and recombinant *Escherichia coli*. *Applied Environment Microbiology* 61: 34-39.
- Hill and Kelley. 1942. *Organic Chemistry*. The Blakiston Co., Philadelphia, Toronto.

- Holt, G. J., N. R. Krieg, P. H. A. Sneath, Stanley, and S. T. Williams. 1994. Bergeys's Manual of Determinative Bacteriology 9<sup>th</sup>. Williams & Wilkins, USA.
- Hrabak, O. 1992. Industrial production of poly-b-hydroxybutyrate. FEMS Microbiology Review 103: 251-256.
- Jutono. 1973. Pedoman praktikum mikrobiologi umum. Departemen Mikrobiologi Fakultas Pertanian UGM, Yogyakarta.
- Koswara, S. 2009. Teknologi Modifikasi Pati. Ebook Pangan.
- Law, J.J. and R. A. Slepecky. 1961. Assay of poly- $\beta$ -hydroxybutyric acid. Journal Bacteriology 82: 33-36.
- Lehninger, A.L. 1982. Principles of Biochemistry (Dasar-dasar Biokimia Jilid 1, Diterjemahkan oleh M. Thenawijaya). Penerbit Erlangga, Jakarta.
- Lenz, R. W and R. H. Marchessault. 2005. Bacterial polyesters: biosynthesis, biodegradable plastics and biotechnology. Biomacromolecules 61: 1-8.
- Madigan, M. T., J. M. Martinko, and J. Parker. 2003. Biology of Microorganisms (edisi ke-9). USA : Pearson Education, Inc.
- Madison, L. L and G. W. Huisman. 1999. Metabolic engineering of poly (3-hydroxyalkanoates): from DNA to plastics. Microbiology and Molecular Biology Review 63: 21-53.
- Margino, S., E. Martani, dan A. Prameswara. 2014. Poly- $\beta$ -hydroxybutyrate (PHB) production by amylolytic *Micrococcus* sp PG1 isolated from soil polluted arrowroot starch waste. Indonesian Journal of Biotechnology 19: 56-63.
- Margino, S. 2008. Bioplastik asal bakteri dalam penanggulangan polusi plastik. Seminar nasional : meretas langkah menuju bumi bebas plastik, Jogjakarta.
- Margino, S & E. Martani. 2007. Pengembangan biopolimer dengan substrat terbarukan : produksi bioplastik (poli- $\beta$ -hidroksibutirat) dari substrat Pati. Fakultas Pertanian UGM, Yogyakarta.
- Margino, S & E. Martani. 1998. Prospek Pengembangan Bahan Dasar Plastik Terdegradasi. Seminar Nasional II Plastik dan Lingkungan. Yogyakarta 30 Juni 1998. Balai Besar Penelitian dan Pengembangan Industri Barang Kulit, Karet, dan Plastik
- Martini, E. 1992. Lingkungan dalam persepektif perkembangan teknologi di jepang. Jurnal Studi Jepang 1: 44-52.

- Meryem, Y., B. S. Lalia, T. Rym, H. K. Nisserine, K. Mebrouk, and H. J. Eddine. 2015. Amylase activities of *Ascochyta pisi* causing anthracnose of peas (*Pisum sativum*). Journal of Advances in Environmental Biology 9: 203-209.
- Mona, K., A. E. Swellam, and S. H. Omar. 2001. Production of PHB by a *Bacillus megaterium* strain using sugarcane molasses and corn steep liquor as sole carbon and nitrogen sources. Microbiological Research 156: 201-207.
- Montaser, N., M. Ardjmand, A. H. Nasab, and A. S. Kordi. 2011. Optimization of microbial culture for production of poly hydroxy butyrate (PHB) by *Azotobacter Beijerinckii* DSMZ-1041. World Applied Sciences Journal 14: 72-82.
- Mozumder, Md. S. I., H. D. Wever, and E. I. P. Volcke. 2014. A robust fed-batch feeding strategy independent of the carbon source for optimal polyhydroxybutyrate production. Journal of Process Biochemistry 49: 365-373.
- Nikel, P.I., M.J. Pettinari, M.A. Galvagno, and B. S. Mendez. 2006. Poly(3-hydroxybutyrate) synthesis by recombinant *Escherichia coli arcA* mutants in microaerobiosis. Applied Environment Microbiology 72 : 2614-2620.
- Oseni, O. A and M. M. Ekperigin. 2013. Isolation and activity of alpha-amylase from selected bacteria strains in the forest soil. Global Journal of Bio-Science and Biotechnology 2: 17-20.
- Otari, S.V. and J.S. Ghosh. 2009. Production and characterization of the polymer polyhydroxy butyrate-copolyhydroxy valerate by *Bacillus megaterium* NCIM 2475. Current Research Journal of Biological Sciences 1: 23-26.
- Oyeleke, S. B and A.A. Oduwale. 2009. Production of amylase by bacteria isolated from a cassava waste dumpsite in Minna, Niger State, Nigeria. African Journal of Microbiology Research 3: 143-146.
- Palleroni, N. J. 2005. *Pseudomonas*. In: D. J. Brenner, N. R. Krieg, J. T. Staley, and G. M. Garrity. (Eds.) Bergey's Manual of Systematic Bacteriology, 2nd ed. Springer- Verlag 2: 323-379.
- Palupi, H. T. 2012. Karakteristik pati resisten dari pati jagung termodifikasi asetat. Jurnal Teknologi Pangan 3: 16-17.
- Pandey, A., P. Nigam., C. R. Soccol, V. T. Soccol, D. Singh, and R. Mohan. 2000. Advances in microbial amylases. Biotechnology Applied Biochemical 31: 135-152.
- Patel, S.S. 2014. Production of polyhydroxybutyrate using agro-industrial waste by *Psuedomonas aeruginosa*. International Journal of Innovation and Scientific Research 3: 104-110.

- Penloglou, G., A. Rouso s, C. Chatzidouka and C. Kiparissides. 2010. A combined metabolic/ poly (3-hydroxypropionate) in recombinant *Escherichia coli*. Applied and Environmental polymerization kinetic model on the microbial production of poly(3-hydroxybutyrate). New Biotechnology 27: 358-367.
- Phathiphotikun. R., P. Piwpan., A. Jaturapiree, and P. Jaturapiree. 2013. Polyhydroxybutyrate (PHB) production by *Alcaligenes eutrophus* NCIMB 11599 from low-cost substrate as carbon source. The 5<sup>th</sup> International Conference on Fermentation Technology for Value added Agricultural Products: 117.
- Placket, David. 2003. Biodegradable composites based on l-poly lactide and jute fibres. Composites Sciences and Technology 63: 1287-1296.
- Qader, S. A., S. Bano, A. Aman, N. Syed, and A. Azhar. 2006. Enhanced production and extracellular activity of commercially important amylolytic enzyme by a newly isolated strain of *Bacillus* sp AS-1. Turkish Journal of Biochemistry 31: 135-140.
- Ramadas. N., S. Singh, C. Soccol, and A. Pandev. 2009. Polyhydroxybutyrate production using agro-industrial Residue as Substrate by *Bacillus sphaericus* NCIM 5149. Brazilian Archive Biology Technology 52: 17-23.
- Ramsay, B.A., K. Lomaliza, C. Chavarie, B. Dube, P. Bataille, and J. A. Ramsay. 1990. Production of poly-( $\beta$ -hydroxybutyric-co- $\beta$ -hydroxyvaleric) acids. Applied Environment Microbiology 56 : 2093-2098.
- Ratledge, C and B. Kristiansen. 2001. Basic Biotechnology, 2nd edn. Cambridge: Cambridge University Press.
- Richana, N., A. Setyawan, L. Hartoto, dan D. S. Damardjati. 1999. Kinetik kultivasi produksi  $\alpha$ -amilase oleh isolat bakteri mesofilik MII-10. Jurnal Bioteknologi Pertanian 4: 41-48.
- Sari, R. M. 2014. Produksi Poli- $\beta$ -Hidroksibutirat (PHB) oleh Bakteri Amilolitik dengan Substrat Pati Suweg (*Amorphophallus campanulatus*). Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Sohail, M., A. Ahmad, and S. Khan. 2005. A survey of amylolytic bacteria and fungi from native environmental samples. Pakistan Journal of Botany 37: 155-161.
- Sudarmadji, S., B. Haryono, dan Suhardi. 1997. Prosedur analisa untuk bahan makanan dan pertanian, ed ke-4. Liberty, Yogyakarta
- Sunarsi, S., M. A. Sugeng, S. Wahyuni, dan W. Ratna. 2011. Memanfaatkan Singkong Menjadi Tepung Mocaf untuk Pemberdayaan Masyarakat Sumberejo. Seminar Hasil Penelitian dan Pengabdian kepada Masyarakat pada tahun 2011.

- Swargiari, B. N. & P. K. Baruah. 2013. Isolation and Screening of Amylolytic *Penicillium* species from Soil. International Journal of Pharma and Bio Sciences 1: 575-581.
- Tsuge, T., K. Yano., S. Imazu., K. Numata., Y. Kikkawa., H. Abe., K. Taguchi and Y. Doi. 2005. Biosynthesis of polyhydroxyalkanoate (PHA) copolymer from fructose using wild-type and laboratory-evolved PHA synthases. Macromolecular Biosciences 5: 112–117.
- Verlinden, R. A. J., D. J. Hill, C. D. Williams, and I. Radecka. 2007. Bacterial synthesis of biodegradable polyhydroxyalkanoates. Journal of Applied Microbiology 102: 1437-1449.
- Vihinen, M and Mantsala. 1989. Microbial amylolytic enzymes. Critical Review Biochemical Molecular Biology 24 : 329-369.
- Vijayendra, S. V. N., N. K. Rastogi T. R. , Shamala, P. K. Anil Kumar, L. Kshama and G. J. Joshi. 2007. Optimazitation of polyhydroxybutyrate production by *Bacillus* sp CFR 256 with corn step liquor as a nitrogen source. Indian Journal Microbiology 47: 170-175.
- Waites, M. J., L. Neil, Morgan, J. S. Rockey, and G. Higton. 2011. Industrial Microbiology: An Introduction. School of Applied Science, South Bank University, London.
- Warren, R. A. J. 1995. Microbial hydrolysis of polysaccharides. Annual Riview Microbiology 50: 183-212.
- Wei, Y. H., W. Chuan-Chen, C. Kuei-Huang, H. Shing Wu, Y. Ming-Sun, C. Wei Lo and O. Murugan-Janarthanan. 2011. Screening and evaluation of polyhydroxybutyrate- producing strains from indigenous isolate *Cupriavidus taiwanensis* strains. International Journal Molecular Sciences 12: 252-265.
- Yan, Y., Q. Wu, and R. Zhang. 2000. Dynamic accumulation and degradation of poly (3-hydroxyalkanoates) in living cells of *Azotobacter vinelandii* UWD characterized by <sup>13</sup>C NMR. FEMS Microbiology Letters 193: 269-273.
- Yanti, N. A. 2011. Kajian Bakteri Amilolitik Penghasil Poli-β-Hidroksibutirat (PHB) dari Pati Sagu. Universitas Gadjah Mada. Disertasi Doktor.
- Yanti, N.A., Sembiring, L. dan S. Margino. 2010. Optimasi produksi Poli-β-hidroksibutirat (PHB) oleh *Bacillus* sp. PSA10. Jurnal Biota 15: 331-339.
- Yanti, N.A. & N. Muhiddin. 2006. Aktivitas amilolitik isolat bakteri pada limbah sagu. Bionature 7: 35-39.