

DAFTAR PUSTAKA

- Afzali, B, Satish, J, & David, G, 2007, *Diagnostic Tests in Chronic Kidney Disease*, Blackwell, Oxford.
- Agency for Healthcare Research and Quality, 2006, *Comparison of Epoetin and Darbepoetin for Managing Anemia in Cancer Patients: An AHRQ Effective Healthcare Report*, <http://www.medscape.com/viewarticle>, 01 Oktober 2015, 09.00 WIB.
- Ateshkadi, A, 1998, Principles of Drug Therapy in Renal Failure, dalam Greenberg, A, (Ed), *Primer on Kidney Disease* Edisi 2, Academic Press, San Diago.
- Babitt, J.L & Herbert, Y.L, 2012, Mechanisms of Anemia in CKD, *J Am Soc Nephrol.*, **23**, 1631–1634.
- Bamgbola, F.O, 2011, Pattern of Resistance to Erythropoietin-Stimulating Agents in Chronic Kidney Disease, *Kidney Int.*, **80**, 464–474
- Beris, P, & Tobler, A., 1997, Differential diagnosis of anemia, *Schweiz Rundsch Med Prax.*, **86**, 1684-1686.
- Bernieh, B., Samra, A., Yousef, B., Muhammad, R.A., Nico, N., Ahmad, C., Mohamad, A., Qutaiba, H., Hanan, E.J., Faiz, A., Imran, K., & Nicole, G., 2014, Comparison Between Short- and Long-Acting Erythropoiesis-Stimulating Agents in Hemodialysis Patients : Target Hemoglobin Variability, and Outcome, *Int Urol Nephrol.*, **46**, 453–459.
- Besarab, A., 2011, Chronic Kidney Disease (CKD) Clinical Practice Recommendations for Primary Care Physicians and Healthcare Providers, *Henry Ford Health System.*, **6**, 28-30.
- Bomback, A.S. & George, L.B., 2011, *Chronic Kidney Disease (CKD) and Hypertension Essentials*, Jones & Bartlett Inc, United States.
- Briggs, J.P, Wilhelm, K, & Schnermann, J.B, 1998, Overview of Renal Function Structure, B, dalam Greenberg, A, (Ed), *Primer on Kidney Disease* 2nd Edition, Academic Press, San Diago.
- Deicher, R & Horl, W.H, 2004, Differentiating factors between erythropoiesis-stimulating agents: a guide to selection for anaemia of chronic kidney disease, *Drugs*, **64** (5), 499-509
- Departemen Kesehatan RI, 2008, *Materi Pelatihan Peningkatan Pengetahuan dan Keterampilan Memilih Obat Bagi Tenaga Kesehatan*, DepKes RI, Jakarta.

- Dipiro, J.T., Robert, L.T., Gary, R.M., Gary, C.Y., Barbara, G.W., & Michael, P., 2008, *Pharmacotherapy a Pathophysiologic Approach*, Edisi 7, The McGraw-Hill Companies Inc, United States.
- Drueke, T., 2001, Hyporesponsiveness to Recombinant Human Erythropoietin, *Nephrol Dial Transplant.*, **16** (7), 25-28.
- Fishbane, B., & Anatole, B., 2007, Mechanism of Increased Mortality Risk with Erythropoietin Treatment to Higher Hemoglobin Targets, *Clin J Am Soc Nephrol.*, **2**, 1274-1282.
- Gatot, D, 2003, Rasio Reduksi Ureum Dializer 0,9; 2,10 dan Dializer Seri 0,9 dengan 1,20, *Skripsi*, Fakultas Kedokteran Universitas Sumatera Utara, Medan.
- Glasscock, R.C, & Christopher, W, 2009, Ageing and the Glomerular Filtration Rate: Truths and Consequences, *Trans Am Clin Climatol Assoc.*, **120**, 419–428.
- Gregory, D. & Krol, 2011, Chronic Kidney Disease (CKD) Clinical Practice Recommendations for Primary Care Physicians and Healthcare Providers, *Henry Ford Health System* 6, 5-10.
- Halbesma, N., Brantsma, A.H., & Bakker, S.J.L., 2008, Gender Differences in Predictors of The Decline of Renal Function in The General Population, *Kidney Int.*, **74**, 505–512 cit. Iseki, K, 2008, Gender Differences in Chronic Kidney Disease, *Kidney Int.*, **74**, 415-417.
- Hosten & Adrian, O., 1990, *Clinical Methods : The History, Physical, and Laboratory Examinations*, edisi 3 : BUN and Creatinin, <http://www.ncbi.nlm.nih.gov/books/NBK305/>, 2 Mei 2015 15.45 WIB.
- Hsu, C.Y., McCulloch, C.E., Curhan, G.C., 2002, Epidemiology of Anemia Associated with Chronic Renal Insufficiency Among Adults in The United States : Result From the Third National Health and Nutrition Examination Survey, *Clin J Am Soc Nephrol*, **13**, 504-510.
- Hutchinson, F.N, & Jones, W.J, 1997, A cost-effectiveness analysis of anemia screening before erythropoietin in patients with end-stage renal disease, *Am J Kidney Dis.*, **29**(5), 651-7.
- Iseki, K, 2008, Gender Differences in Chronic Kidney Disease, *Kidney Int.*, **74**, 415-417.

- Jennete, C, & Ronald, J.F, 1998, Glomerular Clinicopathologic Syndromers, dalam Greenberg, A, (Ed), *Primer on Kidney Disease* 2nd Edition, Academic Press, San Diago.
- Johnson, R.J, John F, & Jorgen, F, 2000, *Comprehensive clinical nephrology* 2nd edition, Mosby, Missouri.
- Joseph, G, & Verbalis, 1998, Hyponatremia and Hypoosmolar Disorders, dalam Greenberg, A, (Ed), *Primer on Kidney Disease* 2nd Edition, Academic Press, San Diago.
- KDIGO, 2012, Clinical Practice Guideline for Anemia Chronic Kidney Disease, *Kidney Inter Suppl.*, **2** (4), 283-330.
- Kementerian Kesehatan, 2013, *Formularium Program Jaminan Kesehatan Masyarakat*, KemenkesRI, Jakarta.
- Kidney Health New Zealand, 2015, *The Kidney and Kidney Disease*, <http://www.kidneys.co.nz.>, 7 Mei 2015 19.30 WIB.
- Korzets, A., Ori, Y., Chagnac, A., Weinstein, T., Herman, M., Zevin, D., Malachi, T., & Gafter, U., 2000, Erythropoietin, folic acid deficiency and hyperhomocysteinemia: is there a possible relationship in chronically hemodialyzed patients?, *Clin Nephrol.*, **53**(1), 48-54.
- Levey, A.S., Eckardt, K.U., & Tsukamoto, Y., 2005, Definition and classification of chronic kidney disease: Aposition statement from Kidney Disease: Improving Global Outcomes (KDIGO), *Kidney Int.*, **67**, 2089-2100.
- Loughnan, A., Ali, G.R., & Abeygunasekara, S.C., 2011, Comparison of the therapeutic efficacy of epoetin beta and epoetin alfa in maintenance phase hemodialysis patients, *Ren Fail.*, **33**(3), 373-375.
- Masood, I, & Geoffrey, T, 2012, Pharmacological Adjuvants to Limit Erythropoietin Stimulating Agents Exposure, *Open Journal of Nephrology.*, **2**, 86-96.
- Mikhail, A., Rajesh, S., & David, R., 2012, *Clinical Practice Guidelines Anemia of CKD*, Edisi 5, UK Renal Association, United Kingdom.
- Mindell, H.J, & Jonathan, T.F, 1998, Renal Imaging Techniques, dalam Greenberg, A, (Ed), *Primer on Kidney Disease* 2nd Edition, Academic Press, San Diago.
- National Heart, Lung, Blood Institute, 2011, Your Guide to Anemia : Healthy, Lifestyle Changes, *NIH Publication.*, 11-7629, 1-63.

- National Institute of Diabetes and Digestive and Kidney Diseases, 2010, *Atlas of CKD in the United States* dalam Monica, G, (Ed), *Chronic Kidney Disease*, InTech, Croatia.
- National Kidney Foundation, 2002, Clinical Practice Guidelines for CKD: Evaluation, Classification, and Stratification, *Am J Kidney Dis.*, **39**(1), 1-266.
- National Kidney Foundation, 2006, K/DOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease, *Am J Kidney Dis.*, **47**(3), 1-146.
- National Kidney Foundation, 2007, K/DOQI Clinical Practice Guideline and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease: 2007 Update of Hemoglobin Target, *Am J Kidney Dis.*, **47**, 1-146.
- Nephrology Dialysis Transplantation, 1999, The Guideline, *Nephrol Dial Transplant.*, **14**(5), 5
- Pali, D.V., Emma Sy. Moeis, & Linda W. A. R., 2012, Gambaran Anemia Pada Penderita Penyakit Ginjal Kronik di blu. RSUP. Prof. Dr. R. D. Kandou, Fakultas Kedokteran Universitas Sam Ratulangi, Manado.
- PERNEFRI, 2013, *Konsensus Hemodialisis*, Penerbit Perhimpunan Nefrologi Indonesia FK UI, Jakarta.
- PERNEFRI, 2011, *Konsensus Manajemen Anemia*, Penerbit Perhimpunan Nefrologi Indonesia FK UI, Jakarta.
- PERNEFRI, 2012, *5th Report Of Indonesian Renal Registry*, Penerbit Perhimpunan Nefrologi Indonesia FK UI, Jakarta.
- Pliesa, S., 2007, The use of erythropoietin beta, two to three times per week, once per week and once every other week: meta-analysis of two clinical trials, *Med Pregl*, **60** (3-4), 123-127.
- Poudel, B., Binod, Y.K., Bharat, J., Kanak, B.R., & Dipendra, R.P., 2013, Prevalence and Assocation of Anemia with CKD : A Hospital Based Cross-Sectional Study From Nepal, *Biomed Res-India.*, **24** (1), 99-103.
- Punnonen, K., Irjala, K., & Rajamak, A., 1997, Serum transferrin receptor and its ratio to serum ferritin in the diagnosis of iron deficiency, *Blood Rev* (89): 1052-1057 cit. Lambert, J. F. & Photis, B, 2009, *Pathophysiology and Differential Diagnosis of Anemia*, chapter 4, 108-141.

- Ros, S., Juan, J., & Carrero., 2013, Endocrine Alterations and Cardiovascular Risk in CKD, *Nefrologia.*, **33** (2).
- Sabaté, E., 2003, *Adherence to long-term therapies: evidence for action*, World Health Organization, Geneva.
- Saifan, C., Mark, S., Nobert, S., Rabih, N., Elie, E.C., & Suzanne, E.S., 2013, Treatment of confirmed B12 deficiency in hemodialysis patients improves Epopogen® requirements, *Int J Nephrol Renovasc Dis*, **6**, 89–93.
- Seliger, S., Kathleen, M.F., Shravanthi, R.G., Brian, B., Van, D.H., Loreen, W., Chiun, F.C., & Jeffrey, C.F., 2010, Timing of Erythropoiesis-Stimulating Agent Initiation and Adverse Outcomes in Nondialysis CKD: a Propensity-Matched Observational Study, *Clin J Am Soc Nephrol*, **5**(5), 882–888.
- Silverberg, D.S., Blum, M., Agbaria, Z., Deutsch, V., Irony, M., Schwartz, D., Baruch, R., Yachnin, T., Steinbruch, S., & Iaina, A., 2001, The effect of i.v. iron alone or in combination with low-dose erythropoietin in the rapid correction of anemia of chronic renal failure in the predialysis period, *Clin Nephrol*, **55**(3), 212-219.
- Stauffer, M.E., & Tao, F., 2014, *Prevalence of Anemia in Chronic Kidney Disease in the United States*, <http://www.ncbi.nlm.nih.gov>, 28 April 2015, 19.00 WIB.
- Thaweethamcharoen, T., Rungpetch, S., Cherdchai, N., & Samkiat, V., 2014, *Cost-Utility Analysis of Erythropoietin for Anemia Treatment in Thai End-Stage Renal Disease Patient with Hemodialysis*, <http://www.sciencedirect.com>, 13 April 2016, 09.00 WIB.
- Walser, M., 2004, *Coping with Kidney Disease*, John Willey & Sons Inc, New York.