

DAFTAR PUSTAKA

- Achiwa Y., Hasegawa K., Komiya T., and Udagawa Y., 2005, Ursolic Acid Induces Bax-dependent Apoptosis through the Caspase-3 Pathway in Endometrial Cancer SNG-II Cells, *Oncol Rep.*, **13**:51 - 57.
- Amundson, S.A., Myers, T.G., Scudiero, D., Kitada, S., Reed, J.C., and Fornace, A.J., 2000, An Informatics Approach Identifying Markers of Chemosensitivity in Human Cancer Cell Lines, *Cancer Res.*, **60**:6101 - 6110.
- Andriyani, R., Risdian, C., and Udin, Z., 2011, Cytotoxicity Assay From Fractions of *Hedyotis corymbosa* Extract Against Breast Cancer Cell Line T47D, *IJCC*, **2**(1):182 - 186.
- ATCC, 2014, 'MCF7 ATCC ® HTB-22™' *MCF7 ATCC ® HTB-22™*, URL: <http://www.atcc.org/products/all/HTB-22.aspx>, diakses tanggal 10 Oktober 2015.
- Bailey, S. T., Miron, P. L., Choi, Y. J., Kochupurakkal, B., Maulik, G., Rodig, S. J., et al., 2014, Nuclear factor kappa B activation-induced anti-apoptosis renders HER2 positive cells drug resistant and accelerates tumor growth, *Mol. Cancer Res.*, **12**(3): 408 – 420.
- Casalini, P., Botta, L., and Me´nard, S., 2001, Role of p53 in HER2-induced Proliferation or Apoptosis, *The Journal of Biological Chemistry*, **276**(15): 12449 – 12453.
- Chang, L.W., Yen, W.J., Huang, S.C., and Duh, P.D, 2002, Antioxidant Activity of Sesame Coat, *Food Chemistry*, **78** (3) : 347-354.
- Chen, Y.H., Chang, F.R., Wu, C.C., Yen, M.H., Liaw, C.C., Steelman, L.S., et al., 2005, New Cytotoxic 6-Oxygenated 8,9-Hedyotiscone A-C, from *Hedyotis biflora*, *Planta Med.*, **72** : 75-78.
- Chen, Y., Guo, Y., Ge, X., Itoh, H., Watanabe, A., Fujiwara, T., and Aburatani, H., 2006, Elevated expression and potential roles of human Sp5, a member of Sp

- transcription factor family, in human cancers, *Biochemical and biophysical research communications*, **3**: 758-766.
- Czemplik, M., Żuk, M., Kulma A., Kuc1, S., and Szop, J., 2011, GM flax as a source of effective antimicrobial compounds, *Formatex* 1216-1224.
- Davis, J.M., Navolanic, P.M., Weinstein-Oppenheimer, C.R., Steelman, L.S., Hu, W., Konopleva, M., *et al.*, 2003, Raf-1 and Bcl-2 induce distinct and common pathways that contribute to breast cancer drug resistance, *Clinical Cancer Research: An Official Journal of the American Association for Cancer Research*, **9**: 1161–1170.
- De Angelis, P.M., Svendsrud, D.H., Kravik, K.L., and Stokke, T., 2006, Cellular response to 5-fluorouracil (5-FU) in 5-FU resistant colon cancer cell lines during treatment and recovery, *Molecular Cancer*, **5**:20.
- DeVita, V.T., Theodore, S.L. and Steven A.R., 2011, *Cancer Principles and Practice of Oncology, 9th edition.*, Wolters Kluwer, Lippinot Williams and Wilkins, USA.
- Dharmananda, S., 2004, Oldenlandia and Scutellaria Antitoxin and Anticancer Herbs, Institute for Traditional Medicine, Portland, Oregon.
- Eccles, S.A., 2001, The Role of c-erb2/HER-2/neu in Breast Cancer Progression and Metastasis, *J Mammary Gland Biol Neoplasia*, **6**(4): 393 - 406.
- Eccles, S.A., 2013, Critical research gaps and translational priorities for the successful prevention and treatment of breast cancer, *Breast Cancer Research*, **15**:R92.
- Franklin, M.C., Carey, K.D., Vajdos, F.F., Leahy, D.J., Vos A. M., and Sliwkowski, M. X., 2004, Insights into ErbB signaling from the structure of the ErbB2-pertuzumab complex, *Cancer Cell*, **5**: 317 – 328.
- Gallardo-Escárate, C., Josué, Á., Brand, E.V., Dupré, E., and Río-Portilla, M. A., 2007, Relationship between DAPI-fluorescence fading and nuclear DNA content: An alternative method to DNA quantification?, *Biol Res*, **40**: 29 - 40.

- Gartel, A. L., Feliciano, C., and Tyner, A. L., 2003, A new method for determining the status of p53 in tumor cell lines of different origin, *Oncol. Res.*, **13**(6): 405 - 408.
- Harmand, P.O., Duval, R., Delage, C., and Simon, A., 2005, Ursolic acid induces apoptosis through mitochondrial intrinsic pathway and caspase-3 activation in M4Beu melanoma cells, *Int. J. Cancer*, **114**:1 - 11.
- Haryanti, S., 2008, Efek Ekstrak Etanolik *Hedyotis corymbosa* L. Terhadap Aktivitas Sitotoksik Doxorubicin pada Sel MCF-7, *Tesis*, Universitas Gadjah Mada, Yogyakarta, Indonesia.
- Haryanti, S., Junedi, S., Meiyanto, E., 2009, Ethanolic Extract of *Hedyotis corymbosa* L. Increases Cytotoxic Activity of Doxorubicin on MCF-7 Breast Cancer Cell, *Indonesian Journal of Biotechnology*, **14**(1): 1146-1154.
- Heer, H., and Mehan, S., 2013, Cellular Signals like MAPK/NF- κ B/m-TOR Mediated Drug Resistance: A Promising Concept in Cancer Research, *Pharmacologia*, **4**(6):414 - 427.
- Huang, C.Y., Lin, C.Y., Tsai, C.W., and Yin, M.C., 2011, Inhibition of cell proliferation, invasion and migration by ursolic acid in human lung cancer cell lines, *Toxicol In Vitro*, **25**: 1274 – 1280.
- Hui, W.H., and Lam, C.N., 1964, The occurrence of triterpenoids and steroids in some plants of the Rubiaceae family of Hong Kong, *Australian journal of chemistry*, **4**: 493-495.
- Johnson, E., Seachrist, D.D., DeLeon-Rodriguez, C.M., Lozada, K.L., Miedler, J., Abdul-Karim, F.W., *et al.*, 2010, HER2/ErbB2-induced breast cancer cell migration and invasion require p120 catenin activation of Rac1 and Cdc42, *The Journal of Biological Chemistry*, **285**: 29491–29501.
- Keitel, M.A., and Kopala, M., 2000, *Counseling women with breast cancer a guide for professionals*, Sage Publications, California.
- Khorram, A. A., Arjunan, S., Jannesari, F., and Senthilkumar, R., 2014, Effect of dasatinib and herceptin on Her-2 gene transfection in ER/PR positive breast cancer cells, *European Journal of Experimental Biology*, **4**(1): 211 -217.

- Kim, K.H., Seo, H.S., Choi, H.S., Choi, I., Shin, Y.C., and Ko, S.G., 2011, Induction of apoptotic cell death by ursolic acid through mitochondrial death pathway and extrinsic death receptor pathway in MDA-MB-231 cells. *Arch. Pharm. Res.*, **34**:1363 – 1372.
- King, R.J.B., 2000, *Cancer Biology, 2nd Edition*, Pearson Education Limited, London.
- Koul, A., Gangar, S.C., and Sandhir, V., 2005, Pitfalls in journey from traditional to modern medicine, *Natural product radiance*, **4**: 6-13.
- Konkimalla., McCubrey, J.A., and Efferth, T., 2009, The role of downstream signaling pathways of the epidermal growth factor receptor for Artesunate's activity in cancer cells, *Current Cancer Drug Targets*, **9**: 72 – 80.
- Kute, T., Lack, C.M., Willingham, M., Bishwokama, B., Williams, H., Barrett, K., et al., 2004, "Development of herceptin resistance in breast cancer cells". *Cytometry*, **57**(2): 86 – 93.
- Laskin, J.J., and Sandler, A.B., 2004, Epidermal Growth Factor Receptor: a Promising Target in Solid Tumours, *Cancer Treat Rev*, **30**: 1 – 17.
- Le, X.F., Pruefer, F., and Bast R. C., 2005, HER2-Targeting Antibodies Modulate the Cyclin-Dependent Kinase Inhibitor p27^{Kip1} via Multiple Signaling Pathways, *Cell Cycle*, **4**(1):87 – 95.
- Lee, H.Z., Bau, D., Kuo, C.L., Tsai, R.Y., Hen, Y.C., and Chan, Y.H., 2011, Clarification of the phenotypic characteristics and anti-tumor activity of *Hedyotis diffusa*, *Am. J. Chin. Med.*, **39**(1): 201 - 213.
- Li., Y., Xing, D., Chen, Q., and Chen, W.R., 2010, Enhancement of chemotherapeutic agent induced apoptosis by inhibition of NF-κB using ursolic acid, *Int. J. Cancer*, **127**:462 - 473.
- Li, J., Liang, X., and Yang, X., 2012, Ursolic acid inhibits growth and induces apoptosis in gemcitabine-resistant human pancreatic cancer via the JNK and PI3K/Akt/NF-κB pathways, *Oncology reports*, **28**(2): 501 – 510.

- Liu, Y., El-Ashry, D., Chen, D., Ding, I. Y. F., and Kern, F. G., 1995, MCF-7 breast cancer cells overexpressing transfected c-erbB-2 have an in vitro growth advantage in estrogen-depleted conditions and reduced estrogen-dependence and tamoxifen-sensitivity in vivo, *Breast Cancer Res. Treat.*, **34**: 97 – 117.
- Martin-Aragon, S., de las Heras, B., Sanchez-Reus, M.I., and Benedi, J., 2001, Pharmacological Modication of Endogenous Antioxidant Enzymes by Ursolic Acid on Tetrachloride-Induced Liver Damage in Rats and Primary Cultures of Rat Hepatocytes, *Exp Toxicol Pathol.*, **53**:199 – 206.
- Medina, P.J. and Goodin, S., 2008, Lapatinib: a dual inhibitor of human epidermal growth factor receptor tyrosine kinases. *Clinical Therapeutics*, **30**: 1426–1447.
- Meiftasari, A., 2014, Peningkatan Sensitivitas Sel Kanker Kolon WiDr terhadap Agen Kemoterapi 5-Fluorourasil oleh Ekstrak Etanolik Rumpun Mutiara (*Hedyotis corymbosa* L.), *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada.
- Mitra, D., Brumlik, M.J., Okamgba, S.U., Zhu, Y., Duplessis, T.T., Parvani, J.G., et al., 2009, An oncogenic isoform of HER2 associated with locally disseminated breast cancer and trastuzumab resistance, *Molecular Cancer Therapeutics*, **8**: 2152–2162.
- Mosmann, T., 1983, Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays, *Journal of Immunological Methods*, **65**: 55–63.
- Nahta, R., 2012, Molecular Mechanisms of Trastuzumab-Based Treatment in HER2-Overexpressing Breast Cancer, *ISRN Oncology*, 428062.
- Perou, C.M., Carey, L.A., and Livasy, C.A., 2006, Breast Cancer Subtypes, and Survival in the Carolina Breast Cancer Study, *JAMA*, **295**(21): 2492 - 2502.
- Petry, I.K., Fieber, E., Schmidt, M., Gehrman, M., Gebhard, S., Hermes, M., et al., 2010, ERBB2 Induces an Antiapoptotic Expression Pattern of Bcl-2 Family Members in Node-Negative Breast Cancer, *Clinical Cancer Research*, **16**: 451 - 460.

- Prasad, S., Yadav, V.R., Sung, B., Reuter, S., Kannappan, R., Deorukhkar, A., *et al.*, 2012, Ursolic acid inhibits growth and metastasis of human colorectal cancer in an orthotopic nude mouse model by targeting multiple cell signaling pathways: chemosensitization with capecitabine, *Clinical Cancer Research*, **18**: 4942 – 4953.
- Ramos A.A., Lima C.F., Pereira M.L., Fernandes-Ferreira M., *and* Pereira-Wilson C., 2008, Antigenotoxic Effects of Quercetin, Rutin and Ursolic Acid on HepG2 Cells: Evaluation by the Comet Assay, *Toxicol Lett*, **177**:66 – 73.
- Rasoanaivo, P., Wright, C.W., Willcox, M.L., Gilbert, B., 2011, Whole plant extracts versus single compounds for the treatment of malaria: synergy and positive interactions, *Malaria journal*, **10**: 1-12.
- Ruddon, R.W., 2007, *Cancer Biology*, Oxford University Press Inc., New York.
- Rutala, W.A., *and* Weber, D.J., 2008, Guideline for disinfection and sterilization in healthcare facilities, Healthcare Control Practises Advisory Committee, United States.
- Sadasivan, S., Latha, P.G., Sasikumar, J.M., Rajashekar, S., Shyama, S., *and* Shine, V.J., 2006, Hepatoprotective studies on *Hedyotis corymbosa* (L.) Lamk, *Journal of Ethnopharmacology*, **106**: 245 - 249.
- Sergina, N.V., Rausch, M., Wang, D., Blair, J., Hann, B., Shokat, K.M., *et al.*, 2007, Escape from HER-family tyrosine kinase inhibitor therapy by the kinase-inactive HER3. *Nature*, **445**:437 – 441.
- Shan, J.Z., Xuan, Y.Y., Ruan, S.Q., *and* Sun, M., 2011, Proliferation-inhibiting and apoptosis-inducing effects of ursolic acid and oleanolic acid on multi-drug resistance cancer cells in vitro, *Chin. J. Integr. Med.* **17**:607 – 611.
- Shanmugam, M.K., Dai, X., Kumar, A. P., Tan, B., Sethi, G., *and* Bishayee, A., 2013, Ursolic acid in cancer prevention and treatment: Molecular targets, pharmacokinetics and clinical studies, *Biochemical Pharmacology*, **85**: 1579–1587
- Shishodia, S., Majumdar S., Banerjee S., *and* Aggarwal B.B., 2003, Ursolic Acid Inhibits NF- κ B Activation Induced by Carcinogenic Agents through

- Suppression of I κ B α Kinase and p65 Phosphorylation: Correlation with Down-Regulation of Cyclooxygenase 2, Matrix Metalloproteinase 9, and Cyclin D1. *Cancer Res*, **63** (15):4375 - 4383.
- Siadi, K., 2012, Ekstrak Bungkil Biji Jarak Pagar *Jatropha Curcas* sebagai Biopestisida yang Efektif dengan Penambahan Larutan NaCl, *Jurnal MIPA*, **35**(1):1 - 9.
- Siddiqa, A., Long, L.M., Li, L., Marciniak, R.A., and Kazhdan, I., 2008, Expression of HER-2 in MCF-7 breast cancer cells modulates anti-apoptotic receptors Survivin and Bcl-2 via the extracellular signal-related kinase (ERK) and phosphoinositide-3 kinase (PI3K) signalling pathways, *BMC Cancer*, **8**: 129.
- Sivapraksam, S. S., Karunakaran, K., Subburaya, U., Kuppusamy, S., Subashini TS., 2014, A Review on Phytochemical and Pharmacological Profile of *Hedyotis corymbosa* Linn., *Int. J. Pharm. Sci. Rev. Res.*, **26**(1): 320 - 324.
- Tyagi, A.K., Agarwal, C., Chan, D.C.F., and Agarwal, R., 2004, Synergistic Anticancer Effects of Silibinin with Conventional Cytotoxic Agents Doxorubicin, Cisplatin, and Carboplatin against Human Breast Cancer Carcinoma MCF-7 and MDA-MB468 Cells, *Oncol. Reports*, **11**(2):493 - 499.
- United States Department of Agriculture, 2000, PLANTS Profile for *Oldenlandia corymbosa* L. Lam., <http://plants.usda.gov/java/profile?symbol=OLCO>, diakses pada tanggal 6 Maret 2016.
- Vora, T., De Azambuja, E., Awada, A., and Piccart, M., 2009, Novel therapeutics in breast cancer Looking to the future, *Update on Cancer Therapeutics*, **3**: 189 – 205.
- Wang, J.S., Ren, T.N., and Xi, T., 2012, Ursolic acid induces apoptosis by suppressing the expression of FoxM1 in MCF-7 human breast cancer cells, *Med. Oncol.*, **29**: 10 - 15.
- WHO, 2014, 'WHO Cancer' WHO. URL:<http://www.who.int/mediacentre/factsheets/fs297/en/>, accessed on. 10 Oktober 2015.

- Wijayakusuma, H., Wirian, A.S., Yaputra, T., Dalimartha, S., dan Wibowo, B., 1992, *Tanaman Berkhasiat Obat di Indonesia Jilid I*, Pustaka Kartini, Jakarta.
- Wolf-Yadlin, A., Kumar, N., Zhang, Y., Hautaniemi, S., Zaman, M., Kim, H.-D., *et al.*, 2006. Effects of HER2 overexpression on cell signaling networks governing proliferation and migration, *Molecular Systems Biology*, **2**: 54.
- Wood, E.R., Truesdale, A.T., McDonald, O.B., Yuan, D., Hassell, A., Dickerson, S.H., Ellis, B., Pennisi, C., *et al.*, 2004, A unique structure for epidermal growth factor receptor bound to GW572016 (Lapatinib): relationships among protein conformation, inhibitor off-rate, and receptor activity in tumor cells, *Cancer Research*, **64**(18): 6652 – 6659.
- Wu, B., Wang, X., Chi, Z. F., Hu, R., Zhang, R., Yang, W., *et al.*, 2012, Ursolic acid-induced apoptosis in K562 cells involving upregulation of PTEN gene expression and inactivation of the PI3K/Akt pathway, *Arch. Pharm. Res.*, **35**:543 - 548.
- Yager, J.D. and Davidson, N.E., 2006, Estrogen Carcinogenesis in Breast Cancer, *New England Journal of Medicine*, **354**: 270 – 282.
- Yang, H.Y., Yang, H., Zhao, R., and Lee, M. H., 2006, Modified p27 Kip1 is Efficient in Suppressing HER2-Mediated Tumorigenicity, *Journal of Cellular Biochemistry*, **98**: 128 – 138.
- Yeh, C.T., Wu, C.H., and Yen, G.C., 2010, Ursolic acid, a naturally occurring triterpenoid, suppresses migration and invasion of human breast cancer cells by modulating C-Jun N-terminal kinase, Akt and mammalian target of rapamycin signaling. *Mol. Nutr. Food Res.*, **54**:1285 – 1295.
- Zampieri, L., Bianchi, P., Ruff, P., and Arbuthnot, P., 2002, Differential Modulation by Estradiol of P-glycoprotein Drug Resistance Protein Expression in Cultured MCF7 and T47D Breast Cancer Cells, *Anticancer Res.*, **22**(4): 2253 – 225.
- Zhao, S., Ohara, S., Kanno, Y., Midorikawa, Y., Nakayama, M., Makimura, M., *et al.*, 2012, HER2 overexpression-mediated inflammatory signaling enhances

mammosphere formation through up-regulation of aryl hydrocarbon receptor transcription, *Cancer Letters*, **330**: 41 – 48.



PENELUSURAN POTENSI SITOTOKSIK EKSTRAK ETANOLIK RUMPUT MUTIARA (*Hedyotis corymbosa* L.) TERHADAP SEL KANKER PAYUDARA OVEREKSPRESI PROTEIN HER2

DHANIA NOVITASARI, Prof. Dr. Edy Meiyanto, M.Si., Apt; Dr. Riris Istighfari Jenie, M.Si., Apt.

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>