

REFERENCES

- Aryandono, T, 2006, 'Semakin tinggi penderita kanker payudara di usia muda', *humasugm*, viewed 19 March 2014,
www.ugm.ac.id/id/berita/1811.semakin.tinggi.penderita.kanker.di.usia.muda
- Anders, CK, Johnson, R, Litton, J, Phillips, M, Bleyer, A, 2009, 'Breast Cancer Before Age 40 Years', *Semin Oncol*, vol. 3, no. 3, pp. 237-249, viewed 3 February 2016, <http://www.ncbi.nlm.nih.gov/pubmed/19460581>
- American Cancer Society. Breast Cancer Facts & Figures 2011-2012. Atlanta: American Cancer Society, Inc, viewed in 3 February 2016, <http://www.cancer.org/acs/groups/cid/documents/webcontent/003090-pdf.pdf>
- Bellcross, C, 2009, 'Approaches to applying breast cancer risk prediction models in clinical practice', *Community Oncology*, vol. 6, no. 8, pp. 373-382, viewed 19 March 2014, <http://www.oncologypractice.com/co/journal/articles/0608373.pdf>.
- Bertheau P, Lehmann-Che J, Varna M, Dumay A, Poirot B, Porcher R, et al., 2013, 'p53 in breast cancer subtypes and new insights into response to chemotherapy', *The Breast*, vol.22, pp.S27-S29, viewed in 4 February 2016, www.elsevier.com/brst
- Bonafe M, Ceccarelli C, Farabegoli F, Santini D, Taffurelli M, Barbi C, Marzi E, Trapassi C, Storci G, Olivieri F, Franceschi C, 2003. Retention of the p53 codon 72 arginine allele is associated with a reduction of disease-free and overall survival in arginine/proline heterozygous breast cancer patients. *Clinical Cancer Research*, vol.9, pp.4860-4864, viewed in 3 February 2016
- Buyru N, Tigli H, Dalay N, 2003. P53 codon 72 polymorphism in breast cancer. *Oncology Reports*, vol.10, pp.711-714, viewed in 3 February 2016
- Cameron JL, and Cameron AM, 2014, 'Current Surgical Therapy', 11th edn, Elsevier Inc.
- Cancer Research UK,
<http://www.cancerresearchuk.org/health-professional/cancer-statistics/statistics-by-cancer-type/breast-cancer/survival>, Accessed 23 January 2016
- Chen, R, Liu, S, Ye, H, Li, J, Du, Y, Chen, L, et al., 2015, 'Association of p53 rs1042522, MDM2 rs2279744, and p21 rs1801270 polymorphisms with retinoblastoma

- risk and invasion in a Chinese population', *Scientific Reports*, viewed in 20 January 2016, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4642541/pdf/srep13300.pdf>
- Damin AP, Frazzon AP, Damin DC, Roehe A, Hermes V, Zettler C, Alexandre CO, 2006. Evidence for an association of TP53 codon 72 polymorphism with breast cancer risk. *Cancer Detection and Prevention*, vol.30, pp. 523-529, viewed in 3 February 2016
- Denisov EV, Cherdyntseva, NV, Slonimskaya, EM, Malinovskaya, EA, Voevoda, MI, Belyavskaya, VA et al., 2009, 'TP53 mutations and Arg72Pro polymorphism in breast cancers', *Cancer Genetics and Cytogenetics*, vol.192, pp.93-95, viewed in 4 February 2016, https://www.researchgate.net/publication/26664994_TP53_mutations_and_Arg72Pro_polymorphism_in_breast_cancers
- Dumont, P, Leu, JI, Della Pietra, AC III, George, DL, Murphy, M, 2003, 'The codon 72 polymorphic variants of p53 have markedly different apoptotic potential', *Nat Genet*, vol.33, pp. 357-365, viewed 19 March 2014.
- Ferlay J, Soerjomataram I, Ervik M, Dikshit R, Eser S, Mathers C, Rebelo M, Parkin DM, Forman D, Bray, F. GLOBOCAN 2012 v1.0, Cancer Incidence and Mortality Worldwide: IARC CancerBase No. 11 [Internet]. Lyon, France: International Agency for Research on Cancer; 2013. Available from: <http://globocan.iarc.fr>, accessed on 19 March 2014
- Howlander N, Noone AM, Krapcho M, Garshell J, Miller D, Altekruse SF, Kosary CL, Yu M, Ruhl J, Tatalovich Z, Mariotto A, Lewis DR, Chen HS, Feuer EJ, Cronin KA (eds). SEER Cancer Statistics Review, 1975-2012, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2012/, based on November 2014 SEER data submission, posted to the SEER web site, April 2015. <http://seer.cancer.gov/statfacts/html/breast.html>, viewed in 19 January 2016
- Huang, XE, Hamajina, N, Katsuda, N, Matsuo, K, Hirose, K, Mizutani, M, et al., 2003, 'Association of p53 codon Arg72Pro and p73 G4C14 at exon 2 genetic polymorphisms with the risk of Japanese breast cancer', *Breast Cancer*, vol.10, no. 4, pp. 307-311, viewed on 3 February 2016, <http://www.ncbi.nlm.nih.gov/pubmed/14634508>
- International Agency for Research on Cancer, (2013). Latest world cancer statistics. Viewed 19 March 2014

- [online] Available at: https://www.iarc.fr/en/media-centre/pr/2013/pdfs/pr223_E.pdf
- Kazemi, M, Salehi, , Chakosari, RJ, 2009, 'TP53 Codon 72 Polymorphidm and Breas Cancer in Northern Iran', *Oncology Research Preclinical and Clinical Cancer Therapeutics*, vol. 18, no. 1, pp. 25-30, Cognizant Communication Corporation, viewed on 3 February 2016, <http://www.ncbi.nlm.nih.gov/pubmed/19911701>
- Kementerian Kesehatan RI, 2013, *Riset Kesehatan Dasar (RISKESDAS)*, Jakarta: Badan Litbang Kemenkes RI, viewed 3 February 2016, <http://www.depkes.go.id/resources/download/general/pokok2%20hasil%20riskesdas%202013.pdf>
- Khadang, B, Fattahi, MJ, Talei, A, Dehaghani, AS, Ghaderi, A, 2007, 'Polymorphism of tp53 codon 72 showed no association with breast cancer in Iranian women', *Cancer Genetics Cytogenetics*, vol. 173, no. 1, pp. 38-42, viewed 19 March 2014, <http://www.ncbi.nlm.nih.gov/pubmed/17284368>
- Krivokuca, AM, Malisic, EJ, Dobricic, JD, Brotto KV, Cavic, MR, Jankovic RN, et al., 2014, 'RAD51 135 G>C and TP53 Arg72Pro polymorphisms and susceptibility to breast cancer in Serbian women', *Familial Cancer*, vol. 13, pp. 173-180, Springer Science + Business Media Dordrecht, viewed on 3 February 2016, <http://www.ncbi.nlm.nih.gov/pubmed/24114315>
- Lang, A, Wegman, PP, Wingren, S, 2009, 'The significance of MDM2 SNP309 and p53 arg72pro in young women with breast cancer', *Oncology reports*, vol.22, pp.575-579, viewed 19 March 2014
- Levine, JA, Oren, M, 2009, 'The first 30 years of p53: growing ever more complex', *Nat Rev Cancer*, vol. 9, no. 10, pp. 749-758, viewed 19 March 2014, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2771725/pdf/nihms-151613.pdf>
- Li, J, Chen, Y, Mo, Z, Li, L, 2015, 'TP53 Arg72Pro polymorphism (rs1042522) and risk of endometriosis among Asian and Caucasian populations', *European Journal of Obstetrics & Gynecology and Reproductive Biology*, vol.189, pp.73-78, viewed 20 January 2016, www.sciencedirect.com/science/article/pii/S0301211515001062
- Ma H, Hu Z, Zhai X, Wang S, Wang X, Qin J, Chen W, Jin G, Liu J, Gao J, Wang X, Wei Q, Shen H, 2006. Joint effects of a single nucleotide in p53BP1 and p53 on breast cancer risk in Chinese population.

- Carcinogenesis, vol.27, pp.766-771, viewed in 3 February 2016
- Marin, MC, Jost, CA, Brooks, LA, Irwin, MS, Tidy, JA, James, N, et al., 2000, 'A common polymorphism acts as an intragenic modifier of mutant p53 behaviour', *Nature Genetics*, vol. 25, no. 1, pp. 47-54, viewed 19 March 2014, <http://www.ncbi.nlm.nih.gov/pubmed/10802655>
- Matlashewski, GJ, Tuck, S, Pim, D, Lamb, P, Schneider, J, Crawford, LV, 1987, 'Primary structure polymorphism at amino acid residue 72 of human p53', *Molecular Cell Biology*, vol.7, pp. 961-963, viewed 19 March 2014
- Mayo clinic Staff, 2014, 'Breast Cancer', viewed 19 March 2014, <http://www.mayoclinic.org/disease-conditions/breast-cancer>
- Narod, SA, 2011, 'Early onset breast cancer: what do we know about the risk factors?', *Current Oncology*, vol. 18, no. 5, pp. 204-205, viewed 19 March 2014, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3185894/pdf/conc-18-204.pdf>
- Nayak, BK, Das, GM, 2002, 'Stabilization of p53 and transactivation of its target genes in response to replication blockade', *Oncogene*, vol.21, no. 47, pp. 7226-7229, viewed 19 March 2014, <http://www.nature.com/onc/journal/v21/n47/pdf/1205889a.pdf>
- Neiderhuber JE, Armitage JO, Doroshow JH, Kastan MB, Tepper JE, 2014, 'Abeloff's Clinical Oncology', 5th edn, Elsevier Inc.
- Neligan PC, 2013, 'Plastic Surgery', 3rd edn, Elsevier Inc.
- Noma C, Miyoshi Y, Taguchi T, Tamaki Y, Noguchi S, 2004. Association of Tp53 genetic polymorphism (Arg72Pro) with estrogen receptor positive breast cancer risk in Japanese women. *Cancer Letters*, vol.210, pp.197-203, viewed in 3 February 2016
- Oh J, Kim JW, Lee BE, Jang MJ, Chong SY, Park PW, et al, 2014, 'Polymorphisms of the pri-miR-34b/c promoter and TP53 codon 72 are associated with risk of colorectal cancer', *Oncol Rep*, vol. 31, no.2, pp. 995-1002, viewed in 3 February 2016
- Ohayon T, Gershoni-Baruch R, Papa MZ, Distelman MT, Eisenberg BS, Friedman E, 2005. The R72P P53 mutation is associated with familial breast cancer in Jewish women. *British Journal of Cancer*, vol.92, pp.1144-1148 viewed in 3 February 2016

- Papadakis EN, Dokianakis DN, Spandidos DA, 2000. p53 codon 72 polymorphism as a risk factor in the development of breast cancer. *Molecular Cell Biology Research Communications*, vol.3, pp.389-392, viewed in 3 February 2016
- Proestling, K, Hebar, A, Pruckner, N, Marton, E, Vinatzer, U, Schreiber, M, 2012, 'The Pro Allele of the p53 codon 72 Polymorphism is Associated with Decreased Intratumoral Expression of BAX and p21, and Increased Breast Cancer Risk', *Plos One*, vol. 7, no. 10, viewed on 3 February 2016, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3468577/pdf/pone.0047325.pdf>
- Purnomosari D, Van Der Groep P, Wahyono A, Aryandono T, Pals G, Van Diest PJ, 2007, 'Histopathological features of early onset Indonesian breast cancer pointing to BRCA1/2 germline mutations', *Berita Kedokteran Masyarakat*, vol.23, no.3, pp.97-105, viewed in 19 January 2016, jurnal.ugm.ac.id/bkm/article/view/3616
- Sharma, S, Sambyal, S, Guleria, K, Manjari, M, Sudan, M, Uppal, MS, et al., 2014, 'TP53 Polymorphism in Sporadic North Indian Breast Cancer Patients', *Asian Pacific Journal of Cancer Prevention*, vol. 15, no. 16, pp.6871-6879, viewed on 3 February 2016, http://www.apocpcontrol.org/paper_file/issue_abs/Volume15_No16/6871-6879%206.16%20Sarika%20Sharma.pdf
- Schneider-stock, R, Boltze, C, Peters, B, Szibor, R, Landt, O, Meyer, F, et al., 2004, 'Selective loss of codon proline p53 and frequent mutational inactivation of the retained arginine allele in colorectal cancer', *Neoplasia*, vol.6, no.5, pp.529-535, viewed 19 March 2014, <http://www.ncbi.nlm.nih.gov/pubmed/15548361>
- Schneider-stock, R, Mawrin, C, Motsoch, C, Boltze, C, Peters, B, Hartig, R, et al., 2004, 'Retention of arginine allele in codon 72 of the p53 gene correlates with poor apoptosis in head and neck cancer', *Am J Pathol*, vol. 164, no.4 pp. 1233-1241, viewed 19 March 2014, <http://www.ncbi.nlm.nih.gov/pubmed/15039212>
- Sjalander A, Birgander R, Hallmans G, Cajander S, Lenner P, Athlin L, Beckman G, 1996. p53 polymorphisms and haplotypes in breast cancer. *Carcinogenesis*, vol.17, pp.1313-1316, viewed in 3 February 2016

- Sundquist, M, Thorstenson, S, Brudin, L, Wingren, S, Nordenskjold, B, 2002, 'Incidence and prognosis in early onset breast cancer', *Breast*, vol. 11, no. 1, pp. 30-35, viewed 19 March 2014, [http://www.thebreastonline.com/article/S0960-9776\(01\)90358-3/abstract](http://www.thebreastonline.com/article/S0960-9776(01)90358-3/abstract)
- Suresh, K, Venkatesan, R, Chandirasekar, R, Kumar, BL, Sasikala, K, 2011, ' Association of Trp53 arg72pro polymorphic variants with breast cancer - a case control study in south Indian population', *Biology and Medicine*, vol.3, pp.15-22, viewed in 3 February 2016, http://www.academicjournals.org/article/article1380800513_Boroujeni%20et%20al.pdf
- Trifa, F, Karray-Chouayekh, S, Mabrouk, I, Baccouche, S, Khabir, A, Sellami-Boudawara, T, et al., 2010, 'Haplotype analysis of p53 polymorphism : Arg72Pro, Ins16bp, and G13964C in Tunisian patients with familial breast cancer', *Journal Cancer Epidemiology*, vol. 34, No. 2, pp. 184-188, viewed on 3 February 2016, [http://www.cancerepidemiology.net/article/S1877-7821\(10\)00026-3/fulltext](http://www.cancerepidemiology.net/article/S1877-7821(10)00026-3/fulltext)
- Uren, N, Korak, T, Dundar, DA, Ergul, E, Gulluoglu B, Simsek, T, et al., 2016, 'TP53 (RS1042522) Polymorphism in Breast Cancer', *Journal of Health Sciences of Kocaeli University*, vol.2, no. 1, pp. 28-31, Viewed on 3 February 2016, http://sagbil.kocaeli.edu.tr/dosyalar/duyuru_171_10.pdf
- Viera, JO, Siva, ID, Higo, PE, Nogueira, NC, Gebrim, LH, 2008, ' Study of p53 codon 72 polymorphism in patient with breast cancer', *Eur J Gynaecology Oncology*, vol.29, no. 4, pp. 364-367, viewed 19 March 2014, <http://ncbi.nlm.nih.gov/pubmed/18714570>
- Weston A, Pan C, Ksieski HB, Wallenstein S, Berkowitz GS, Tartter PI, Bleiweiss IJ, Brower ST, Senie RT, Wolff MS, 1997. Tp53 haplotype determination in breast cancer. *Cancer Epidemiology Biomarkers and Prevention*, vol.6, pp.105-112, viewed in 3 February 2016
- Whibley, C, Pharoah, PD, Hollsein, M, 2009, ' p53 polymorphism : cancer implications', *Nat Rev Cancer*, vol.9, no.2, pp. 95-107, viewed 19 March 2014, <http://ncbi.nlm.nih.gov/pubmed/19165225>.
- World Cancer Research Fund International/American Institute for Cancer Research Continuous Update Project Report: Diet, Nutrition, Physical Activity,

- and Breast Cancer Survivors. 2014. Available at: www.wcrf.org/sites/default/files/Breast-Cancer-Survivors-2014-Report.pdf, viewed in 19 January 2016
- Yoneda, T, Kuboyama, A, Kato, K, Ohgami, T, Okamoto, K, Saito, T, et al., 2013, ' Association of MDM2 SNP309 and TP53 arg72pro polymorphisms with risk of endometrial cancer', *Oncology reports*, vol.30, pp.25-34, viewed 19 March 2014,
- Yan, Y, Wu, R, Li S, He J, 2015, ' Meta-analysis of association between the TP53 Arg72Pro polymorphism and risk of endometriosis based on case-control studies', *European Journal of Obstetrics & Gynecology and Reproductive Biology*, vol.189, pp.1-7, viewed 20 January 2016 www.sciencedirect.com/science/article/pii/S030121151500086X
- Yang Z, Nie S, Zhu H, Wu X, Jia S, Luo Y, et al., 'Association of p53 Arg72Pro polymorphism with bladder cancer: A meta-analysis', *Gene*, vol. 512, no. 2, pp. 408-13, viewed 3 February 2016
- Zoric, A, Horvat, A, Baliija, M, Slade, N, 2012,' The Arg72Pro Polymorphism of TP53 in Croatian Population', *Croatica Chemica Acta*, vol.85, pp.239-243, viewed in 20 January 2016, hrcak.srce.hr/file/125927