

DAFTAR PUSTAKA

- Anonim 1, 2012. Statistik Perkebunan Tanaman di Indonesia 2012. hal: 4.
- Anonim 2, 1999. Microbial Pest Control Agent *Bacillus thuringiensis* (<http://www.who.int>). diakses tanggal 4 September 2015.
- Anggraeni, Y.M., Christine, B., Wianto, R. 2013. Bactericidal Test of Endotoxin Crystal Extract of *Bacillus thuringiensis israelensis* (H-14) on The Larvae of *Aedes aegypti*, *Anopheles aconitus* and *Culex quinquefasciatus*. J. Sains Veteriner. Indonesia. Vol. 31, No. 1, 1-8.
- Astawan, M. 2008. *Lele bantu pertumbuhan janin*. http://wilystra2007.multiply.com/journal/item/62/Lele_Bantu_Pertumbuhan_Janin. Diakses tanggal 27 Agustus 2015.
- Bahagiawati. 2002. Penggunaan *Bacillus thuringiensis* sebagai Bioinsektisida. Bul Agrobio 5(1): 1- 8.
- Borror, D.J., Triplehorn, C.A., and Jhonson, N. F. 1992. Pengenalan Pelajaran Serangga. Terjemahan S. Parto Soedjono dan M. D. Brotowidjojo. Edisi ke-6. Gadjah Mada University Press, Yogyakarta. hal. 7-12.
- Bravo, A., Gill, S., Soberon, M. 2007. Mode of Action of *Bacillus thuringiensis* Cry and Cyt Toxins and their Potential for Insect Control. *Toxicon*. 49(4): 423-435.
- Blondine, C.P., Yusniar, A., Rendro, W. & Sukarno. 2000. Uji Coba Strain Lokal *Bacillus Thuringiensis* H-14 yang Ditumbuhkan Pada Media Air Kelapa dan Toksisitasnya pada Jentik Nyamuk Vektor *Aedes Aegypti* dan *Culex Papiensquinquefasciatus* Perangkap Sentinel Di Kolam Kotamadia Salatiga. Bul. Peneliti. 27 (2).
- Blondine, Ch.P. dan L. Susanti. 2010. *Bacillus thuringiensis* H-14 Local Strain Culture On Various Kinds Of Coconut Water pH and ITS Toxicity Against *Aedes aegypti* and *Anopheles aconitus* Mosquito Larvae. *Media Litbang kesehatan*. 20(1): 9-16.
- Cagan, L., & Barta, M. 2008. Sublethal Effect of Bt-Maize in Semi Artificial Diet on European Corn Borer Larvae, *Ostrinia nubilalis* (Lepidoptera, Crambidae). *Insect Pathogens and Insect Parasitic Nematodes IOBC Bulletin* Vol. 31, pp. 127-130.
- Chak K.F, D.C Chao, M.Y Tseng, S.S Kao, S.J Tuan, T.Y Feng. 2004. Determination and Distribution of Cry-type Genes of *Bacillus thuringiensis* Isolates from Taiwan. *Appl Environ Microbiol*. 60(7): 2415-2420.
- Chilcott C.N., & Pillai, J. S. 1985. The Use of Coconut Waste for Production of *Bacillus thuringiensis var israelensis*. *Mircen Journal*, 327-332.

- De vos, P., Garrity, G. M., Jones, D., Krieg, N. R., Ludwig, W., Rainey, F. A., Schleifer, K.H. & Whitman, W. B. 2009. *Bergey's Manual of Systematic Bacteriology*, Second Edition, Volume Three: The Firmicutes. Springer Dordrecht Heidelberg: New York. pp: 21-128.
- Dadang, Prijono D. 2008. *Insektisida Nabati: Prinsip, Pemanfaatan, dan Pengembangan*. Bogor: Departemen Proteksi Tanaman, Institut Pertanian Bogor. hal: 9-11.
- Fang, J., Xu, X., Wang, P., Zhao, J. Z., Shelton, A. M., Cheng, J., Feng, M.G. & Shen, Z. 2006. Characterization of Chimeric *Bacillus thuringiensis* Vip3 Toxins. *Applied and Environmental Microbiology*, Vol. 73, No. 3; 956-961
- Gill, S.S. 1995. Mechanism of Action of *Bacillus thuringiensis* Toxins. *Mem Inst Oswaldo Cruz., rio de janeiro*, Vol. 90 (1); 69-74.
- Hilbeck, A. & Schmidt, J.E.U. 2006. Another View om Bt Proteis-How Specific are They and What Else Might They Do Biospetic. *Int. 2 (1): 1-50*.
- Hofte, H. and H.R. Whiteley. 1989. Insecticidal Crystal Proteins of *Bacillus thuringiensis*. *Microbiol. Rev.* 53: 42-255.
- Kalshoven, L. G. E. 1981. *Pest of Crop in Indonesia*, PT. Ichtar Baru van Hoeve, Jakarta. Hal: 47-51.
- Khaeruni, A., Rahayu., & Purnamaningrum N. T. 2012. Isolation of *Bacillus Thuringiensis* Berl. from Soil Samples and Its Pathogenecity Towards *Crocidolomia Binotalis* Zell Larvae on Mustard Green (*Brassica Juncea* L.). *J. Agroteknos.* Vol. 2, No. 1. hal 21-27.
- Khetan, S. K. 2001. *Microbial Pest Control Books in Soils, Plants, and The Environment*; V. 78. CRC Press: USA. pp: 3-98.
- Lacey, L. A., & Kaya, H. K. 2007. *Field Manual of Techniques in Invertebrate Pathology: Application and Evaluation of Phatogens for Control of Insects and other Invertebrate Pests*. Springer: Netherlands. pp: 174-186.
- Lantang, D. 2010. Toksisitas Isolat Lokal *Bacillus thuringiensis* (H-14) serta Lama Efektivitasnya di dalam Air terhadap Larva Nyamuk *Anopheles farauti* Laveran. *jurnal biologi papua*. Vol. 02, No 2. hal 53-56.
- Munif, A. 1997. Pengaruh *Bacillus thuringiensis* H-14 Formula Tepung Pada Berbagai Instar Larva Nyamuk *Aedes aegypti* di Laboratorium. *Cermin Dunia Kedokteran.* (119): 27– 31.
- New, T. R. 2009. *Insect Species Conservation*. Cambridge University Press. Cambridge. England. pp: 51-56.
- Parker MW, Feil SC. 2005. Pore-forming Protein Toxins: from Structure to Function. *Prog Biophys & Mol Biol.* 88: 91–142.
- Prabakaran, G., Hoti, S. L., Manonmani, A.M dan Balaraman, K. 2008. Coconut Water as a Cheap Source for the Production of Endotoxin of *Bacillus*

- thuringiensis* var. *israelensis*, a Mosquito Control Agent. *Acta Tropica*; 105(1): 35-8.
- Price, P.W., Denno, R.F., Eubanks, M.D., Finke, D.L. and Kaplan, I. 2011. *Insect Ecology*. Cambridge University Press: New York. Page 352-373.
- Permatasari, U. 1998. Kinerja *Bacillus thuringiensis* dalam Medium Glukosa-Mineral dengan Dua Macam Sumber Nitrogen Yang Berbeda. Laporan Penelitian IPB, Bogor. hal 7-8.
- Rusmana, I. dan Hadioetomo, R.S. 1994. Isolasi *Bacillus thuringiensis* Berl. Dari Peternakan Ulat Sutera dan Toksisitasnya Terhadap Larve *Crocidolomia binotalis* Zell. dan *Spodoptera litura* F. *Hayati*. 1(1): 21-23.
- Sastrosiswojo, S., dan Setiawati, W. 1990. Biology and Control of *Crocidolomia binotalis* in Indonesia. Lembang Horticultural Research Institute (LEHRI). hal 81-87.
- Sastrosiswojo, S., Uhan, T. S. & Sutarya, R. 2005. Penerapan teknologi PHT pada tanaman kubis. Monografi No. 21; ISBN : 979-8403.
- Schanzenbaecher, M. 2011. Culture and Application of *Bacillus thuringiensis israelensis* on Mosquito Larvae. ECO1 for Sustainability. (<http://www.eco-1.com>). Diakses tanggal 3 september 2015.
- Sumarmi, S., Margino, S., & Sancayaningsih, R. P. 2015. Pengendalian Secara Hayati Serangga Hama Utama Tanaman Kubis *Crocidolomia binotalis* dengan Fusan *Bacillus thuringiensis* varian *kurstaki* dan *Bt* varian *israelensis*. Laporan Penelitian STRANAS 2015
- Sucipto & adawiyah, L. R. 2011. Efektivitas Jamur Entomopatogen *Beauveria bassiana* sebagai Pengendali Hama Utama Ulat Krop (*Crocidolomia binotalis*) terhadap Pertumbuhan dan Hasil Tanaman Sawi (*Brassica juncea*). Embryo VOL. 8 No. 2.
- Susanti, L. & Blondine, C.P. 2004. Efikasi *Bacillus thuringiensis* H-14 yang Dibiakan dalam Media Kelapa pada Penyimpanan Suhu Kamar dan Refrigerator (Suhu 4⁰ C) Terhadap Vektor DBD dan Malaria. J. VEKTORA Vol. 1, No. 2, 109-122.
- Sumerta, I. N. 2013. Patogenitas Fusan *Bacillus thuringiensis* var. *kurstaki* dan *B.t.* var. *israelensis* biakan air kelapa pada ulat kubis *Crocidolomia binotalis* ZELLER (Lepidoptera: Pyralidae). Universitas Gadjah Mada. Yogyakarta.
- Schuneman, R., Knaak, N., & Fluza, M. L. 2014. Mode of Action and Specificity of *Bacillus thuringiensis* Toxins in the Control of Caterpillars and Stink Bugs in Soybean Culture. *ISRN Microbiology*. Vol 2014. No 12.
- Syahroni, Y. Y., dan Prijono, D. 2013. Insecticidal Activity of Mixtures of PIPER Aduncum L. (Piperaceae) and Sapindus Rarak DC. (Sapindaceae) Fruit

- Extracts Against *Crocidolomia pavonana* (F.) (Lepidoptera: Crambidae) Larvae. *J. Entomologi Indonesia*. Vol. 10, No. 1, 39-50.
- Swiecicka, I., Bideshi, D.K., & Federici, B.A. 2008. Novel Isolate of *Bacillus thuringiensis* subsp. *thuringiensis* That Produces a Quasicuboidal Crystal of Cry1Ab21 Toxic to Larvae of *Trichoplusia*. Vol. 74, No. 4, 923-930.
- Tabashnik, B.E., Finson, N., Groeters, F.R., Moart, W.J., Johnson, M.W., Luo, K.E., & Adang, M.J. 1994. Reversal of resistance to *Bacillus thuringiensis* in *Plutella xylostella*. *Agricultural Sciences*. Vol. 91, pp. 4120-4124.
- Uhan, T.S. 2007. Efikasi Ekstrak Kasar Baculovirus *Crocidolomia pavonna* Terhadap Ulat Krop Kubis Di Rumah Kaca. *J Hort* 17(3): 253-259.
- Ubaidillah, A., & Hersoelityorini, W. 2010. Protein Levels and Organoleptic Crab Nugget with Substitution Catfish (*Clarias gariepinus*). Vol. 01, No. 02, 45-54.
- Valicente, F.H., Tuelher, E.S., Leite, M.I.S., Freire, F.L. & Vieira, C.M. 2010. Production of *Bacillus thuringiensis* Biopesticide Using Lab Medium and Agricultural by Products as Nutrient Sources. *Versao Impressa* ISSN 1676-689.
- Viveen, W.J.A.R., Richter, C.J.J., Van Oordt, P.G.W.J., Janssen, J.A.L. and Huisman, E.A., 1985. Practical manual for the culture of the African catfish (*Clarias gariepinus*). *Research and Technology*. Netherlands, 128 pp.
- Widyastuti, U., Blondine Ch. P. 2004. Pengaruh pH dan Suhu Penyimpanan Terhadap Aktivitas Larvasida *Bacillus thuringiensis* var. *israelensis* di Laboratorium. *Jurnal Kedokteran YARSI*, 2004. Vol. 1, No. 5, 10-22.
- Waker, M.B.J., Yunasfi., & Usman, S. Pengaruh Padat Tebar Tinggi terhadap Pertumbuhan dan Kelangsungan Hidup Ikan Lele Dumbo (*clarias gariepinus*). Universitas Sumatera Utara.
- Yang, X. M and Wang, S. S. 1998. Development of *Bacillus thuringiensis* Fermentation and Process Control from a Practical Perspective. *Biotechnol. Appl. Biochem.* (1998) 27-28, 95-96.
- Young, J. W. H., Ge, L., Fei, Y. And Tan, S. N. 2009. The Chemical Composition and Biological Properties of Coconut (*Cocos nucifera*) Water. *Molecules*, 14, 5143.