



DAFTAR PUSTAKA

- [1] Berger, T., *Rate Distortion Theory: A Mathematical Basis for Data Compression*, Urbana: Prentice-Hal, 1971.
- [2] McAulay, R. J., Quatieri, T. F, *Sine-Wave Phase Coding at Low Data Rates*, Toronto: Proc. of ICASSP-91, 1991.
- [3] Goodwin, M.M., *Adaptive Signal Models, Theory, Algorithms and Audio Application*, Netherland: Kluwer Academic Publishers, 1998.
- [4] Agiomyrgiannakis, Y. & Stylianou, Y, "The Harmonic Model Codec (HMC) Frameswork for VoIP," in *INTERSPEECH 2007, 8th Annual Conference of the International Speech Communication Association*, Antwerp, Belgium, 2007, pp. 1681-1684.
- [5] Zwicker, E., Fastl, H., *Psychoacoustics, Facts and Models*, New York: Springer Verlag, 1999.
- [6] Kapust, R., *Qualitätsbeurteilung codierter Audiosignale mittels einer BARK-Transformation*, Nuenberg, Germany: Disertation, Uni. Erlangen, 1993.
- [7] Baumgarte, F., *Ein psychophysyologisches Gehörmodell zur Nachbildung von Wahrnehmungsschwellen für die Audiocodierung*, Hannover: Dissertation, Universität Hannover, Germany, 2000.
- [8] Gold, B., Morgan, N., Ellis, D., *Speech and Audio Signal Processing*, Wiley Press, 2011.
- [9] Atal, B. S., *Predictive Coding of Speech at Low Bit Rates*, *IEEE Transactions on Communications*, 30, P. 600-614, April 1982..
- [10] ITU-T Rec. G.726:, 40, 32, 24, 16 kbit/s Adaptive Differential Pulse Code Modulation (ADPCM), 1992.
- [11] ITU-G.729, ITU-T Rec., *Coding of Speech at 8 kbit/s Using Conjugate-Structure Algebraic Code Excited Linear-Prediction (CS-ACELP)*, ITU, 1995.
- [12] ISO/IEC-11172-3, "Information technology -- Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s -- Part 3: Audio," ISO, 1993.
- [13] ISO/IEC-JTC1/SC29/WG11, *Coding of moving pictures and audio MPEG-2 Advanced Audio Coding*, ISO/IEC 13818-7 international standard, 1997.
- [14] Bosi, M., Brandenburg, K., Quackenbush, S., Fielder, L., Akagiri, K., Fuchs, H., Dietz, M., Herre, J., Davidson, G., Oikawa, Y., *ISO/IEC MPEG-2 Advanced Audio Coding*, J. Audio Eng. Soc., 1997.
- [15] Bosi, M. and Goldberg, R.E., *Introduction to Digital Audio Coding and Standards*, Netherland: Kluwer Academic Publishers, 2003.
- [16] He, Wenxin, "Audio lossless coding/decoding method using basis pursuit algorithm," in *IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2013.
- [17] ISO/IEC 14496-3:/Amd.1:1999(E), JTC1/SC29, *Mpeg4 Audio coding*, ISO/IEC, 1999.



- [18] Quackenbush, S., MPEG Unified Speech and Audio Coding, IEEE Multimedia, vol. 20, no. 2, pp. 72-78, April-June 2013.
- [19] Masri, P., Computer Modelling of Sound for Transformation and Synthesis of Musical Signals, Bristol University, pp. 14-16, Desember 1996.
- [20] Eska, G., Schall und Klang wie und was wir hören, Birkhäuser Verlag, 1997.
- [21] Yang, G., & Leich, H., "High-quality harmonic coding at very low bit rates," in *IEEE International Conference on Acoustics, Speech and Signal Processing*, 1994.
- [22] Marques, J. S., Trancoso, I. M., & Abrantes, A. J., "Harmonic coding of speech: an experimental study," in *Second European Conference on Speech Communication and Technology*, 1991.
- [23] McAulay, R. J., Quatieri, T. F., "Sinusoidal coding," in *Speech coding and synthesis by W. B. Kleijn and K. K. Paliwal (Eds)*, Amsterdam, Elsevier Science, 1995, pp. 121-174.
- [24] Marques, J. S., Almeida, L. B. & Tribolet, J. M., "Harmonic coding at 4.8 kb/s," in *IEEE International Conference on Acoustics, Speech, and Signal Processing*, 1990.
- [25] Trancoso, I. M., Rodrigues, J. S., Almeida, L. E., "Quantization issues in harmonic coders [speech coding]," in *IEEE International Conference on Acoustics, Speech, and Signal Processing*, pp 382-385, 1988.
- [26] Kim, Y-J., Im, -H., Lee, I-S, "An added MDCT harmonic coding for the G.718-SWB super wideband speech codec," in *IEEE International Conference on Consumer Electronics (ICCE)*, Las Vegas, NV, 2013.
- [27] Moriya, T., Komamoto, Y., Bäckström, T., Helmrich, C., Fuchs, G., "Harmonic model for MDCT based audio coding with LPC envelope," in *23rd European Signal Processing Conference (EUSIPCO)*, 2015.
- [28] Daudet, L., M. Sandler., "MDCT Analysis of sinusoids : exact results and applications to coding artifacts reduction," *IEEE Transactions on Speech and Audio Processing* , vol. 12, no. 3, pp. 302-312, 2004.
- [29] David, G. R., "Techniques for Harmonic Sinusoidal Coding," Dissertation, School of Physics and Electronic Systems Engineering, University of South Australia, Mawson Lakes, 1997.
- [30] Winduratna, B., "Penyandi Audio pada pesat bit di bawah 16 kbit/s berbasis model analisis-sintesis isyarat harmonik," Tesis, Teknik Elektro FT UGM, Yogyakarta, 2010.
- [31] Almeida, L., Silva, F., "Variable-frequency synthesis: An improved harmonic coding scheme," in *Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '84*, 1984.
- [32] Lupini, P., Cuperman, V., "Vector quantization of harmonic magnitudes for low-rate speech coders," in *Global Telecommunications Conference, IEEE*, San Francisco, CA, 1994.



- [33] Chu, W.C., "Vector Quantization of Harmonic Magnitudes in Speech Coding Applications—A Survey and New Technique," *EURASIP Journal on Applied Signal Processing*, p. 2601–2613, 2004.
- [34] Nishiguchi, Iijima, K. & atsumoto, J., "Harmonic vector excitation coding of speech at 2.0 kbps," in *IEEE Workshop on Speech Coding For Telecommunications Proceeding*, pp 39-40, 1997.
- [35] Thomson, D.L., "Vector quantization in a harmonic speech coding arrangement," US patents US5023910 A, 1991.
- [36] Chowning, J., The Synthesis of Complex Audio Spectra by Means of Frequency Modulation, *Journal of the Audio Engineering Society* 21, 1973.
- [37] Schottstaedt, B., The Simulation of Natural Instrument Tones Using Frequency Modulation with a Complex Modulating Wave, *Computer Music Journal*, Vol. 1, No. 4, pp. 46-50, 1977.
- [38] Le Brun, M., "A derivation of the spectrum of FM with a complex modulating," *Computer Music Journal*, vol. 1, no. 4, pp. 51-52, 1977.
- [39] Palamin, J.-P. Palamin, P. and Ronveaux, A., A Method of Generation and Controlling Musical Asymmetrical Spectra, *Journal Audio Eng. Soc.*, Vol. 36, pp. 671-685, Sept. 1988..
- [40] Horner, A., "Double- Modulator FM Matching of Instrument Tones," *Computer Music Journal*, vol. 20, no. 2, pp. 57-71, 1996.
- [41] Lazzarini, V. and Timoney, J., "Theory and practice of modified frequency modulation synthesis," *Journal of the Audio Engineering Society*, vol. 58, no. 6, p. 459=471, 2010.
- [42] Zhang, Y. and Chen, L., "Particle Swarm Optimization with Dynamic Local Search for Frequency Modulation (FM) Parameter Identification," *Int. J. Advancements in Computing Technology*, vol. 4, no. 3, pp. 189-195, 2012.
- [43] Horner, A., Beauchamp, J. and Haken, L., "Genetic Algorithms and Their Application to FM Matching Synthesis," *Computer Music Journal*, vol. 17, no. 4, pp. 17-99, 1993.
- [44] Tan, B.T.G. and Gan, S.L. , Real-Time Implementation of Double Frequency Modulation (DFM) Synthesis, *Journal Audio Eng. Soc.*, 1994.
- [45] Tan, B. T. G. and S. M. Lim, Automated Parameter Optimisation for Double Frequency Modulation Synthesis Using the Genetic Annealing Algorithm, *Journal of Audio Engineering Society*, 44, (1/2) pp 3-15, 1996.
- [46] Macret, M., Pasquier, P. and Smyth, "Automatic calibration of modified FM synthesis to harmonic sounds using genetic algorithms," in *Proc. Sound and Music Computing Conference*, Copenhagen, Denmark, July 2012.
- [47] Winduratna, B. Susanto dan Hidayat, R., "Pemodelan Isyarat Musik Berbasis pada Modulasi frekuensi (FM)," in *CITEE 2015, DTETI FT UGM*, Yogyakarta, September 2015.
- [48] Winduratna, B., "Penggunaan Model Psikoakustik dalam Analisis Isyarat Audio Berbasis Modulasi Frekuensi (FM)," Laporan Hibah Penelitian JTETI, Fakultas Teknik UGM, Yogyakarta, 2014.



- [49] Jayant, N., "Noll, P & Pan, D.: The psychoacoustic model," in *Signal Compression: Coding of Speech, Audio, Text, Image and Video*, World Scientific, 1997, pp. 99-105.
- [50] Lin, Y. and Abdulla, W. H., *Audio Watermark*, pp 15-49, Springer, 2015.
- [51] Motlicek, P., Ullal, V. and Hermansky, H., "Wide-Band Perceptual Audio Coding Based on Frequency-Domain Linear Prediction," in *IEEE International Conference on Acoustics, Speech and Signal Processing*, Honolulu, 2007.
- [52] Ganapathy, S., Motlicek, P. and Hermansky, H., "Autoregressive models of amplitude modulations in audio compression," *IEEE Transactions on Audio, Speech, and Language Processing*, vol. 18, no. 6, p. 1624–1631, 2010.
- [53] Gray, R.M., "Vector Quantization," *IEEE ASSP Magazine*, vol. 1, no. 2, pp. 4-29, 1984.
- [54] Watson, G. N., *A Treatise on the Theory of Bessel*, Cambridge UK: Cambridge University Press, 1944.
- [55] ETSI Rec. GSM 06.10, GSM full rate speech transcoding, 1998.
- [56] ITU-T Rec.G.722 vol.III.4, Fascicle, 7kHz audio coding within 64 kbit/s, Blue Book, P. 269-341, 1988.
- [57] Guohui Li, A. Khokhar, Content-based indexing and retrieval of audio data using wavelets, *IEEE International Conference on multimedia and expo - ICME 2000*, vol.2, 885 – 888., 2000.
- [58] Jacobsen, E. and Kootsookos, P., Fast, Accurate Frequency Estimators, *IEEE Signal Processing Magazine*, pp. 123-125., May 2007.
- [59] Keiler, F. and Zölzer, U., Extracting sinusoids from harmonic signals, *Journal of New Music Research, Special Issue: "Musical Applications of Digital Signal Processing"*, vol. 30, no. 3, pp. 243–258., 2007.
- [60] Auger, F. and Flandrin, P., Improving the readability of timefrequency and time-scale representations by the reassignment method, *IEEE Transactions on Signal Processing*, vol.43, no. 5, pp. 1068–1089., 1995.
- [61] Desainte-Catherine, M. and Marchand, S., High Precision Fourier Analysis of Sounds Using Signal Derivatives., *JAES*, vol. 48, no. 7/8, pp. 654–667, 2000.
- [62] Puckette, M. S. and Brown, J. C., Accuracy of frequency estimates using the phase vocoder, *IEEE Trans. Speech and Audio Processing*, Vol. 6, No. 2., 1998.
- [63] Keiler, F. and Marchand, S., Survey on extraction of sinusoids in stationary sounds, Hamburg, Germany: *Proc. Int. Conf. on Digital Audio Effects (DAFx-02)*, pp. 51–58., 2002.
- [64] Kay, S.M., A Fast and Accurate Single Frequency Estimator, *IEEE Transactions on Accoustics, Speech, Signal Processing*, Vol. 37, No. 12, p. 1987-1990., 1989.
- [65] Roweis, S.T., One Microphone Source Separation, *Proc. Advances in Neural Information Processing Systems 13*, 2000.



- [66] Virtanen, T. and Klapuri, A., Separation of harmonic sounds using linear models, Orlando, FL: Proc. IEEE Int. Conf. on Acoustics, Speech and Signal Processing (ICASSP'02),, 2002.
- [67] Walmsley, P. , Godsill, S. and Rayner, P., Bayesian modelling of harmonic signals for, Cambridge: Cambridge Music Processing Colloquium,, Sep. 1999..
- [68] Gainza, M., Lawlor, R. and Coyle, E., Harmonic sound source separation using FIR comb filters, San Fransisco: 117th. AES (Audio Engineering Society) Convention, October 28-31, 2004.
- [69] Every, M. R., Separating harmonic and inharmonic note content from real mono, Glasgow,,: Proc. Digital Music Research Network Summer Conf. 2005, July 23-24 2005.
- [70] Virtanen, T. and Klapuri, A. , Separation of harmonic sound sources using sinusoidal, Istanbul, Turkey: Proc. IEEE Int. Conf. on Acoustics, Speech and Signal Processing (ICASSP'00),, pp. 765–769, June 2000..
- [71] Tolonen, T., Methods for separation of harmonic sound sources using sinusoidal modeling,, Munich, Germany: AES 106th Convention, May 8-11 1999.
- [72] Winduratna, B., Susanto, A., Hidayat, R.,, "Ekstraksi Komponen Harmonik dari Isyarat Audio," in *5th Annual Engineering Seminar, FT UGM*, Yogyakarta, 2015.
- [73] Etchemendy, P. E., Eguia, M. C. and Mesz,, Principal pitch of frequency-modulated tones with asymmetrical modulation waveform: A comparison of model, *The Journal of the Acoustical Society of America*, 2014.
- [74] Mitchell, T. J. and Sullivan, Frequency Modulation Tone Matching Using a Fuzzy Clustering Evolution, Barcelona: Proceedings of the 118th Convention of the Audio Engineering Society, 2005.
- [75] Winduratna, B., Analisis Isyarat ECG di Ranah Waktu-Frekuensi, Yogyakarta: Hibah Penelitian JTETI 2011, 2011.
- [76] Tan, L. and Jiang, J., "Novel Adaptive IIR Notch Filter for Frequency Estimation and Tracking," *IEEE Signal Processing Magazine*, vol. 26, no. 6, pp. 168-189, September 2009.
- [77] Tretter, S., "Estimating the frequency of a noisy sinusoid by linear regression," *IEEE Transactions on Information Theory*, vol. 31, no. 6, pp. 832 - 835, 1985.
- [78] Rabiner, L., On the use of autocorrelation analysis for pitch detection,, *IEEE Trans. on Acoustic, Speech and Signal Processing*, vol. 25, issue I, pp. 24-33, 1977.
- [79] De Cheveign'e, A. and Kawahara, H., "YIN, a fundamental frequency estimator for speech and music," *The Journal of the Acoustical Society of America*, vol. 111, no. 4, pp. 1917-1930, 2002.
- [80] Nehorai, A. and Porat, B., Adaptive comb filtering for harmonic signal, *IEEE Trans. Acoust., Speech, Signal Process.*, vol. ASSP-34, no. 5, pp. 1124–1138, 1986.



- [81] Winduratna, B., Representasi Frekuensi Harmonik Isyarat ECG di Ranah Waktu-Frekuensi dengan Filter IIR Adaptif, Hibah Penelitian JTETI 2012, 2012.
- [82] Virtanen, T. and Klapuri, A., Separation of harmonic sound sources using sinusoidal, Istanbul, Turkey: IEEE Int. Conf. on Acoustics, Speech and Signal Processing, 2000.
- [83] Tolonen, T. , Methods for separation of harmonic sound sources using sinusoidal modeling, Munich, Germany: AES 106th Convention, 1999.
- [84] Mathews, M., " Introduction to timbre," in *Music, Cognition, and Computerized Sound: An Introduction to Psychoacoustics*, MIT Press, 1999, pp. 79-87.
- [85] Gersho, A., "Quantization," *IEEE Communications Society Magazine*, vol. 15, no. 3, pp. 16-28, 1977.
- [86] Max, J., Quantizing for Minimum Distortion, IRE Transactions on Information Theory, Vol. IT-6, pp. 7–12, 1960.
- [87] Buzo, A., Gray,A.H., Gray,R. M., and Markel, J. D., " Speech coding based upon vector quantization," *IEEE Transactions on Acoust., Speech and Signal Process*, vol. 28, no. 5, pp. 562-574, 1980.
- [88] Panther, P. F. and Dite, W., Quantization distortion of pulse code modulation with nonuniform spacing of levels, Proc. IRE, vol. 39, pp.44 -48, 1951.
- [89] Amstron, E., A method of reducing distrubances in radio signaling by a system of frequency modulation, Proceeding of the Institute of Radio Engineers, , vol. 24, number 5, pp. 689–740, May 1936.
- [90] Fagot, J., Fry, D. W., Higinbotham, W. and Magne, P., Frequency Modulation Theory: Application to Microwave Links, Pergamon, 1961.
- [91] Jayant, N., "Noll, P & Pan, D.: Auditory Masking," in *Signal Compression: Coding of Speech, Audio, Text, Image and Video*, World Scientific, 1997, pp. 74-77.
- [92] Fletcher, H., Masking effects, Chapter 10 in:Fletcher, H.,Speech and hearing in communication, van Nostrand, Toronto u. a. 1999.
- [93] Moorer, J. A., "The Heterodyne Filter as a Tool for Analysis," Stanford University: Computer Science Department, 1973.
- [94] Winduratna, B., Susanto, A., dan Hidayat, R., "Ekstraksi Komponen Sinusoida dari Isyarat Audio," in *Annual Engineering Seminar, FT UGM*, Yogyakarta, February 2014.
- [95] ITU-T G722.1, "Low-complexity audio coding at 24 and 32 kbit/s," ITU-T Recommendation, 2005.