



DAFTAR PUSTAKA

- Anderson, L. F., Tamne, S., Watson, J. P., Cohen, T., Mitnick, C., Brow, T., et al. (2013). Treatment Outcome of Multi Drug Resistant Tuberculosis in the United Kingdom: Retrospective Prospective Cohort Study from 2004 to 2007. *Euro Surveillance* , 18(40):20601.
- Azhar, G. S. (2012). DOTS for TB Relapse in India: A Systematic Review. *Lung India* , 29(2): 147-153.
- Chaisson, R. E., & Churchyard, G. J. (2010). Recurrent Tuberculosis: Relapse, Reinfection, and HIV. *The Journal of Infectious Disease* , 201: 653-655.
- Chin. (2000). *Control of Communicable Disease Manual*. Washington: American Public Health Association.
- Datiko, D. G., & Lindtjorn, B. (2009). Tuberculosis Recurrence in Smear-positive Patients Cured Under DOTS in Southern Ethiopia: Retrospective cohort study. *BMC Public Health* , 9(348):2.
- Depkes. (2014). *Pedoman Nasional Pengendalian Tuberkulosis*. Jakarta: Kementerian Kesehatan RI.
- Dholakia, Y., Danani, U., & Desai, C. (2000). Relapse Following Directly Observed Therapy Short Course (DOTS)-A Follow Up Study. *Indian Journal of Tuberculosis* , 47(4): 233-236.
- Dinkes. (2014). *Profil Kesehatan Kabupaten Bantul*. Yogyakarta: Dinas Kesehatan Kabupaten Bantul.
- Dooley, K. E., Lahlou, O., Ghali, I., Knudsen, J., Elmessaoudi, M. D., Cherkaoui, I., et al. (2011). Risk Factors for Tuberculosis Treatment Failure, Default, or Relapse and outcome of Retreatment in Morocco. *BMC Public Health* , 11:140.
- Gregg, M. B. (2002). *Field Epidemiology*. New York: Oxford University Press Inc.
- Jasmer, R. M., Bozeman, L., Schwartzman, K., Cave, M. D., Saukkonen, J. J., Metchock, B., et al. (2004). Recurrent Tuberculosis in the United State and



- Canada: Relapse or Reinfection? *American Journal of Respiratory and Critical Care Medicine* , vol 170.
- Kemenkes. (2013). *Pedoman Nasional Pelayanan Kedokteran Tata Laksanaan Tuberkulosis*. Jakarta: Kementrian Kesehatan RI.
- Khurram, M., Yong, I. M., Arshad, M. M., & Khar, H. T. (2009). Factors Affecting Relapse of Tuberculosis. *Journal of Rawalpindi Medical College (JRMC)* , 13(1):44-47.
- Kleinbaum, D. G., & Klein, M. (2010). Logistic Regression. *Springer* , 168.
- Kleinbaum, D. G., & Klein, M. (2005). *Survival Analysis*. Atlanta: Springer.
- Lee, P. H., Lin, H. C., Huang, A. S., Wei, S. H., Lai, M. S., & Lin, H. H. (2014). Diabetes and Risk of Tuberculosis Relapse: Nationwide Nested Case-Control Study. *Plos One, Cambridge* , 9(3): e92623.
- Linda, M., Aditama, T., & Priyanti, Z. (2007). *Faktor-Faktor Yang Mempengaruhi Kesembuhan Penderita TB Paru*. Jakarta: Departemen Pulmonologi dan Ilmu Kedokteran Respirasi FKUI-RSUP Persahabatan.
- Millet, J. P., Shaw, E., Orcau, A., Casals, M., Miro, J. M., Cayla, J. A., et al. (2013). Tuberculosis Recurrent after Completion Treatment in a European City: Reinfection or Relapse? *plos One* , 8(6): E64898.
- Murti, B. (1997). *Prinsip dan Metode Riset Epidemiologi*. Yogyakarta: Gadjah Mada University Press.
- Picon, P. D., Bassanesil, S. L., Caramori, M. L., Ferreira, R. L., Jarczewski, C. A., & Vieira, P. R. (2007). Risk Factor for Recurrence of Tuberculosis. *Journal Bras. Pneumol.* , 33(5):572-578.
- Prado, T. N., Miranda, A. E., Souza, T. M., Dias, E. d., Sousa, L. K., Sanches, D. A., et al. (2014). Faktor Associated with Tuberculosis by HIV Status in the Brazilian Nasional Surveillance System: A Cross Sectional Study. *BMC Infectious Disease* , 14: 415.
- Rie, A. V., Warren, R., Richardson, M., Victor, T. C., Gie, R. P., enarson, D. A., et al. (1999). Exogenous Reinfection as a Cause of Recurrent Tuberculosis after Curative Treatment. *The New England Journal Medicine* , 341(16): 1174-1179.



- Sjahrurachman, A. (2010). Diagnosis Multi Drug Resistant Mycobacterium Tuberculosis. *Jurnal Tuberculosis Indonesia* , vol 7: 8-10.
- Thomas, A., Gopi, P. G., Santha, T., Chandrasekaran, V., Subramani, R., Selvakumar, N., et al. (2005). Predictors of Relapse Among Pulmonary Tuberculosis Patients Treated in a DOTS Programme in South India. *International Journal Tuberculosis Lung Disease* , 9(5):556-561.
- Verver, S., Warren, R. M., Beyers, N., Richardson, M., Spuy, G. D., Borgdorff, M. W., et al. (2005). Rate of Infection Tuberculosis after Successful Treatment is Higher than Rate of New Tuberculosis. *American Jurnal of Respiratory and Critical Care Medicine* , 171: 1430-1435.
- Vree, M., Huong, N., Duong, B., Sy, D., Van, L., Hung, N., et al. (2007). Survival and Relapse Rate of Tuberculosis Patient Who Successfully Completed Treatment in Vietnam. *International Journal Lung Disease* , 11(4): 392-397.
- WHO. (2012). *Global Tuberculosis Report 2012*. Geneva: World Health Organization.