

DAFTAR PUSTAKA

- Adamson, A.W. dan Gast, A. P., 1997, *Physical Chemistry of Surface*. 6th edition John Willey and Sons. Inc., New York.
- Alver, E., 2013, Efficient Removal of Acidic Dye Using Low-Cost Biocomposite beads. *Ind. Eng. Chem. Res.*, 52, 10589-10581.
- Archana, D., Upadhyay, L., Tewari, R. P., Dutta, J., Huang, Y. B. dan Dutta, P. K., 2013, Chitosan–pectin–alginate as a novel scaffold for tissue engineering applications. *Indian J. Biotechnol.*, 12, 475–482.
- Argin–soysal, S., Kofinas, P. dan Lo, Y. M., 2009, Effect of complexation conditions on xanthan – chitosan polyelectrolyte complex gels. *J. Food Hyd.*, 23, 202–209.
- Atkins, P. W., 1997, *Physical Chemistry*, Jilid 2, Edisi keempat, Erlangga, Jakarta.
- Ayyangar, N. R. dan Tilak, B. D., 1951, *Basic Dye: The Chemistry of Synthetic Dyes*. volume IV. Academic Press, Inc., India.
- Azlan, K., Wan, S. W. N. dan Lai K. L., 2009. Chitosan and chemically modified chitosan beads for acid dyes sorption. *J. Environ. Sci.*, 21(3), 296–302.
- Bañuelos, J. A., García–rodríguez, O., El–ghenmy, A., Rodríguez–valadez, F. J., Godínez, L. A. dan Brillas, E., 2016, Journal of Environmental Chemical Engineering Advanced oxidation treatment of malachite green dye using a low cost carbon–felt air–diffusion cathode. *J. Biochem. Pharm.*, 4(2), 2066–2075.
- Baral, S. S., Das, N., Ramulu, T. S., Sahoo, S. K., Das, S. N. dan Chaudhury, G. R., 2009, Removal of Cr (VI) by thermally activated weed *Salvinia cucullata* in a fixed–bed column. *J. Hazard. Mater.*, 161, 1427–1435.
- Bekçi, Z., Ozveri, C., Seki, Y. dan Yurdakoç, K., 2008, Sorption of malachite green on chitosan bead. *J. Hazard. Mater.*, 154(1–3), 254–61.
- Bhattacharyya, K. G., SenGupta, S. dan Sarma, G. K., 2014, Interactions of the dye, rhodamine B with kaolinite and montmorillonite in water. *Appl. Clay Sci.*, 99,7–17.
- Bonetto, L. R., Ferrarini, F., de Marco, C., Crespo, J. S., Guégan, R. dan Giovanela, M., 2015, Removal of methyl violet 2B dye from aqueous solution using a magnetic composite as an adsorbent. *J. Water Process Eng.*, 6, 11–20.
- Bulut, E., Özacar, M. dan Şengil, I. A., 2008, Adsorption of malachite green onto bentonite: Equilibrium and kinetic studies and process design. *Micropor. Mesopor. Mater.*, 115(3), 234–246.

- Cahyaningrum, S. E., Narsito., Santoso, S. J. dan Agustini, R., 2008, Adsorption of Zink (II) metal ion on chitosan beads from shell shrimp (*Penaus Monodon*). *JML.*, 15(2), 90–99.
- Chen, C. H., Chang, C. F. dan Liu, S. M., 2010, Partial degradation mechanisms of malachite green and methyl violet B by *Shewanella decolorationis* NTOU1 under anaerobic conditions. *J. Hazard. Mater.*, 177(1–3), 281–289.
- Chiou, M. S. dan Chuang, G. S., 2006, Competitive adsorption of dye metanil yellow and RB15 in acid solutions on chemically cross-linked chitosan beads. *Chemosphere*, 62(5), 731–740.
- Cho, D.–W., Jeon, B.–H., Chon, C.–M., Schwartz, F. W., Jeong, Y. dan Song, H., 2015, Magnetic chitosan composite for adsorption of cationic and anionic dyes in aqueous solution. *J. Ind. Eng. Chem.*, 28, 1–7.
- Choudhury, A. K. R., 2011, Pre-treatment and preparation of textile materials prior to dyeing: Handbook of textile and industrial dyeing. Government College of Engineering and Textile Technology, volume 1, India.
- Crini, G., 2006, Non-conventional low-cost adsorbents for dye removal: A review. *Bioresour. Technol.*, 97(9), 1061–1085.
- Crini, G. dan Badot, P. M., 2008, Application of chitosan, a natural aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature. *Prog. Polym. Sci.*, 33(4), 399–447.
- Coimbra, P., Ferreira, P., Sousa, H. C. De, Batista, P., Rodrigues, M. A., Correia, I. J. dan Gil, M. H., 2011, International Journal of Biological Macromolecules Preparation and chemical and biological characterization of a pectin / chitosan polyelectrolyte complex scaffold for possible bone tissue engineering applications. *Int. J. Biol. Macromol.*, 48(1), 112–118.
- Daneshvar, N., Khataee, A. R., Rasoulifard, M. H. dan Pourhassan, M., 2007, Biodegradation of dye solution containing Malachite Green : Optimization of effective parameters using Taguchi method. *J. Hazard. Mater.*, 143(3), 214–219.
- Das, D. dan Pal, A., 2016, Adsolubilization phenomenon perceived in chitosan beads leading to a fast and enhanced malachite green removal. *Chem. Eng. J.* in press.
- de Souza, J. R. R., de Carvalho, J. I. X., Trevisan, M. T. S., de Paula, R. C. M., Ricardo, N. M. P. S. dan Feitosa, J. P., 2009, Chitosan-coated pectin beads: Characterization and in vitro release of mangiferin. *J. Food Hyd.*, 23(8), 2278–2286.
- Du, L., Zhao, M., Li, G., Xu, F., Chen, W. dan Zhao, Y., 2013, International

Biodeterioration & Biodegradation Biodegradation of malachite green by *Micrococcus* sp . strain BD15 : Biodegradation pathway and enzyme analysis. *Int. Biodeter. Biodegr.*, 78, 108–116.

- Duan, J., Liu, R., Chen, T., Zhang, B. dan Liu, J., 2012, Halloysite nanotube–Fe₃O₄ composite for removal of methyl violet from aqueous solutions. *DES*, 293, 46–52.
- Duynstee, E. F. J. dan Grunwald, E., 1959, Organic Reactions Occurring in or on Micelles. I. Reaction Rate Studies of the Alkaline Fading of Triphenylmethane Dyes and Sulfonphthalein Indicators in the Presence of Detergent Salts. *J. Am. Chem. Soc.*, 81(17), 4540–4542.
- Elass, K., Laachach, A., Alaoui, A. dan Azzi, M., 2011, Removal of methyl violet from aqueous solution using a stevensite–rich clay from Morocco. *Appl. Clay Sci.*, 54(1), 90–96.
- Filipkowska, U. dan Rodziewicz, J., 2001, Cyclic sorption and desorption of reactive dyes onto chitosan beads. *Prog. Chem. App. Chitin Derivat.*, 16, 71–78.
- Gucht, J. Van Der, Spruijt, E., Lemmers, M. dan Stuart, M. A. C., 2011, Polyelectrolyte complexes : Bulk phases and colloidal systems. *J. Colloid Interface Sci.*, 361(2), 407–422.
- Guibal, E., Milot, C. dan Tobin J. M., 1998, Metal–anion sorption by chitosan beads: equilibrium and kinetic studies. *Indian Eng. Chem. Res.*, 37, 1454–63 .
- Guzmán–Vargas, A., Lima, E., Uriostegui–Ortega, G. A., Oliver–Tolentino, M. A. dan Rodríguez, E. E., 2016, Adsorption and subsequent partial photodegradation of methyl violet 2B on Cu/Al layered double hydroxides. *Appl. Surface Sci.*, 363, 372–380.
- Hamdaoui, O., 2006, Batch study of liquid–phase adsorption of methylene blue using cedar sawdust and crushed brick. *J. Hazard. Mater.*, 135, 264–273.
- Hamdaoui, O., Saoudi, F., Chiha, M. dan Naffrechoux, E., 2008, Sorption of malachite green by a novel sorbent, dead leaves of plane tree: Equilibrium and kinetic modeling. *Chem. Eng. J.*, 143(1–3), 73–84.
- Hameed, B. H., 2008, Equilibrium and kinetic studies of methyl violet sorption by agricultural waste. *J. Hazard. Mater.*, 154(1–3), 204–212.
- Ho, Y. S., 2006, Review of second–order models for adsorption systems. *J. Hazard. Mater.*, 136 (3), 681–689.
- Ho, Y. S. dan McKay, G., 1999, Pseudo–second order model for sorption processes. *Process Biochem.*, 34(5), 451–465.

- Jayakumar, R., Rajasimman, M. dan Karthikeyan, C., 2014, Sorption of hexavalent chromium from aqueous solution using marine green algae *Halimeda gracilis*: Optimization, equilibrium, kinetic, thermodynamic and desorption studies. *J. Environ. Chem. Eng.*, 2 (3), 1261–1274.
- Palukurty, M. A., Allu, T., Chitturi, A. dan Somalanka, S. R., 2014, Adsorption of Malachite Green from Synthetic Waste Water onto Activated Carbon from Corn Cob. *J. Chem. Bio. Phys. Sci.*, 4(3), 1910–1921.
- Peng, L., Qin, P., Lei, M., Zeng, Q., Song, H., Yang, J., Shao, J., Liao, B. dan Gu, J., 2012, Modifying Fe₃O₄ nanoparticles with humic acid for removal of Rhodamine B in water. *J. Hazard. Mater.*, 209–210, 193–198.
- Khayet, M., Zahrim, A. Y. dan Hilal, N., 2011, Modelling and optimization of coagulation of highly concentrated industrial grade leather dye by response surface methodology. *Chem. Eng. J.*, 167(1), 77–83.
- Kramarenko, E. Y. dan Khokhlov, A. R., 2006, Stoichiometric polyelectrolyte complexes of ionic block copolymers and oppositely charged polyions. *J. Chem. Physics.*, 125, 1–9.
- Li, X., Li, Y. dan Ye, Z., 2011, Preparation of macroporous bead adsorbents based on poly(vinyl alcohol)/chitosan and their adsorption properties for heavy metals from aqueous solution. *Chem. Eng. J.*, 178, 60–68.
- Li, X., Li, Y., Zhang, S. dan Ye, Z., 2012, Preparation and characterization of new foam adsorbents of poly (vinyl alcohol)/ chitosan composites and their removal for dye and heavy metal from aqueous solution. *Chem. Eng. J.*, 183, 88–97.
- Luk, C. J., Yip, J., Yuen, M. C., Kan, C. dan Lam, K., 2014, A Comprehensive Study on Adsorption Behaviour of Direct, Reactive and Acid Dyes on Crosslinked and Non-crosslinked Chitosan beads. *Journal of Fiber Bioengineering and Informatics*, 1, 35–52.
- Maciel, V. B. V., Yoshida, C. M. P. dan Franco, T. T., 2015, Chitosan/pectin polyelectrolyte complex as a pH indicator. *Carbohydr. Polym.*, 132, 537–545.
- Maity, J. dan Ray, S. K., 2014, Enhanced adsorption of methyl violet and congo red by using semi and full IPN of polymethacrylic acid and chitosan. *Carbohydr. Polym.*, 104(1), 8–16.
- Mall, I. D., Srivastava, V. C., Kumar, G. V. A. dan Mishra, I. M., 2006, Characterization and utilization of mesoporous fertilizer plant waste carbon for adsorptive removal of dyes from aqueous solution. *J. Colloids Surf.*, 278, 175–187.
- Mansour, H. B., Houas, I., Montassar, F., Ghedira, K., Barrilier, D., Mosrati, R. dan

- Chekir–Ghedira, L., 2012, Alteration of in vitro and acute in vivo toxicity of textile dyeing wastewater after chemical and biological remediation. *Environ. Sci. Pollut. Res.*, 19, 2634–2643.
- Marudova, M., Macdougall, A. J. dan Ring, S. G., 2004, pectin – chitosan interactions and gel formation. *J. Carbohydr. Res.*, 339, 1933–1939.
- Michaels, A. S. dan Miekka, R. G., 1961, Polycation–Polyanion Complexes : Preparation and Properties of Poly (vinylbenzyl–trimethyl ammonium)–Poly (Styrene sulfonate). *J. Phys. Chem.*, 65, 1765–1773.
- Nair, V., Panigrahy, A. dan Vinu, R., 2014, Development of novel chitosan–lignin composites for adsorption of dyes and metal ions from wastewater. *Chem. Eng. J.*, 254, 491–502.
- Nesic, A. R., Velickovic, S. J. dan Antonovic, D. G., 2014, Novel composite films based on amidated KPectin for cationic dye adsorption. *J. Colloids Surf. B.*, 116, 620–626.
- Ngah, W. S. W., Endud, C. S. dan Mayanar, R., 2002, Removal of copper(II) ions from aqueous solution onto chitosan and cross–linked chitosan beads. *React. Funct. Polym.*, 50(2), 181–190.
- Ngah, W. S. W. dan Fatinathan, S., 2006, Chitosan flakes and chitosan–GLA beads for adsorption of p–nitrophenol in aqueous solution. *Colloids Surf A: Physicochem. Eng. Asp.*, 277(1–3), 214–222.
- Ninan, N., Muthiah, M., Park, I., Elain, A., Thomas, S. dan Grohens, Y., 2013, pectin / carboxymethyl cellulose / microfibrillated cellulose composite scaffolds for tissue engineering. *Carbohydr. Polym.*, 98(1), 877–885.
- Oros, G., Forgacs, E. dan Cserha, T., 2004, Removal of synthetic dyes from wastewaters : a review. *J. Environ. Int.*, 30, 953–971.
- Parshetti, G. K., Parshetti, S. G., Telke, A. A., Kalyani, D. C., Doong, R. A. dan Govindwar, S. P., 2011, Biodegradation of Crystal Violet by *Agrobacterium radiobacter*. *J. Environ. Sci.*, 23(8), 1384–1393.
- Pavan, F. A., Cristina, A. dan Gushikem, Y., 2008, Removal of methylene blue dye from aqueous solutions by adsorption using yellow passion fruit peel as adsorbent. *Bioresour. Technol.*, 99, 3162–3165.
- Rashidova, S. S., Milusheva, R. Y., Semenova, L. N., Mukhamedjanova, M. Y., Voropaeva, N. L., Vasilyeva, S. dan Ruban, I. N., 2004, Characteristics of Interactions in the Pectin – Chitosan System. *Chromatographia*, 59(11), 779–782.
- Ribeiro, L. N. M., Alcântara, A. C. S., Darder, M., Aranda, P., Araújo–Moreira, F. M. dan Ruiz–Hitzky, E., 2014, pectin–coated chitosan–LDH

- bionanocomposite beads as potential systems for colon-targeted drug delivery. *Inter. J. Pharm.*, 463(1), 1–9.
- Sabnis, R.W., 2010, Handbook of Biological Dyes and Stains. John Wiley & Sons, New Jersey.
- Sakkayawong, N., Thiravetyan, P. dan Nakbanpote, W., 2005, Adsorption mechanism of synthetic reactive dye wastewater by chitosan. *J. Colloid Interface Sci.*, 286(1), 36–42.
- Sartape, A. S., Mandhare, A. M., Jadhav, V. V., Raut, P. D., Anuse, M. dan Kolekar, S. S., 2013, Removal of malachite green dye from aqueous solution with adsorption technique using Limonia acidissima (wood apple) shell as low cost adsorbent. *Arab. J. Chem.*
- Shenvi, S. S., Isloor, A. M., Ismail, A. F., Shilton, S. J., dan Al Ahmed, A., 2015, Humic Acid Based Biopolymeric Membrane for Effective Removal of Methylene Blue and Rhodamine B. *Ind. Eng. Chem. Res.*, 54(18), 4965–4975.
- Srivastava, S., Sinha, R. dan Roy, D., 2004, Toxicological effects of malachite green. *Aquat. Toxicol.*, 66(3), 319–329.
- Tanasale, M., Killay, A. dan Laratmase, M., 2012, Kitosan dari Limbah Kulit Kepiting Rajungan (*Portunus sanguinolentus* L.) sebagai Adsorben Zat Warna Biru Metilena. *J. Nat. Ind.*, 14(2), 165–171.
- Tang, H., Zhou, W. dan Zhang, L., 2012, Adsorption isotherms and kinetics studies of malachite green on chitin hydrogels. *J. Hazard. Mater.*, 209–210, 218–225.
- Tuny, M.T., 2013, Adsorpsi Desorpsi Metilen Biru pada Membran Kompleks Polielektrolit (KPE) Kitosan–Pektin, *Tesis*, Jurusan Kimia, Universitas Gadjah Mada, Yogyakarta.
- Untailawan, R., 2014, Adsorpsi dan Desorpsi Metilen Biru pada Film Polielektrolit Kompleks Kitosan–Pektin Tertaut Silang Polietilen Glikol Diglisidil Eter, *Tesis*, Jurusan Kimia, Universitas Gadjah Mada, Yogyakarta.
- Vakili, M., Rafatullah, M., Salamatinia, B., Abdullah, A. Z., Ibrahim, M. H., Tan, K. B. dan Amouzgar, P., 2014, Application of chitosan and its derivatives as adsorbents for dye removal from water and wastewater: A review. *Carbohydr. Polym.*, 113, 115–130.
- Vimonses, V., Lei, S., Jin, B., Chow, C. W. K. dan Saint, C., 2009, Kinetic study and equilibrium isotherm analysis of Congo Red adsorption by clay materials. *Chem. Eng. J.*, 148, 354–364.
- Wu, J.–S., Liu, C.–H., Chu, K. H. dan Suen, S.–Y., 2008, Removal of cationic dye

methyl violet 2B from water by cation exchange membranes. *J. Membrane Sci.*, 309(1–2), 239–245.

- Wu, Y., Zeng, S., Wang, F., Megharaj, M., Naidu, R. dan Chen, Z., 2015, Heterogeneous Fenton-like oxidation of malachite green by iron-based nanoparticles synthesized by tea extract as a catalyst. *Sep. Purif. Technol.*, 154, 161–167.
- Xu, D., Hein, S., Loo, S. L. dan Wang, K., 2008, The Fixed-Bed Study of Dye Removal on Chitosan beads at High pH. *Ind. Eng. Chem. Res.*, 47, 8796–8800.
- Yong, L., Zhanqi, G., Yuefei, J., Xiaobin, H., Cheng, S. dan Shaogui, Y., 2015, Photodegradation of malachite green under simulated and natural irradiation : Kinetics , products , and pathways. *J. Hazard. Mater.*, 285, 127–136.
- Yoshida, K., Ogawa, N. dan Oshima, Y., 1989, Function of the PHO regulatory genes for repressible acid phosphatase synthesis in *Saccharomyces cerevisiae*. *Mol Gen Genet.*, 217, 40–46.
- Zahrim, A. Y. dan Hilal, N., 2013, Treatment of highly concentrated dye solution by coagulation / flocculation – sand filtration and nanofiltration. *J. Water Resour. Ind.*, 3, 23–34.
- Zhou, Y., Min, Y., Qiao, H., Huang, Q., Wang, E. dan Ma, T., 2015, Improved removal of malachite green from aqueous solution using chemically modified cellulose by anhydride. *Int. J. Biol. Macromol.*, 74 , 271–27.