

## REFERENCE

- Abdelmadjid, B., and Omar, S. (2013), Assessment of groundwater pollution by nitrates using intrinsic vulnerability methods: A case study of the Nil valley groundwater (Jijel, North-East Algeria), *African Journal of Environmental Science and Technology*, Vol. 7(10), pp. 949-960.
- ARGOSS (2001), Guideline for assessing the risk to groundwater from on-site-sanitation, British Geological Survey Commissioned Report, CR/01/142, 97 p.
- Chern L., Kraft G. & Postle J., 1996. *Nitrate in Groundwater- A Continuing Issue for Wisconsin Citizens*. The Nutrient Management Subcommittee of the Nonpoint Source Pollution Abatement Program Redesign.
- Chilton, J., Schmoll, O and Appleyard, S. (2006), Assessment of Groundwater Pollution Potential, In: Schmoll, O, Howard, G, Chilton, J and Chorus, I. (ed) *Protecting Groundwater for Health : Managing Quality of Drinking water Sources*, WHO Drinking Water Quality Series, IWA Publishing, p. 375 – 410.
- Dijk-Looyard v AM, Montizaan GK (1990) Nitrate and nitrite. WHO Advisory Report 1-19. World Health Organization, Geneva.
- Daly, D., Dassargues, A., Drew, D., Dunne, S., Goldscheider, N., Neale, S., Popescu, I.C., and Zwahlen, F. (2002), Main concepts of the European Approach to karst Groundwater Vulnerability Assessment and Mapping, *Hydrogeology Journal*, Vol.10, p. 340-345, springer-Verlag.
- Duelleur. J. W., 2007. *Groundwater Engineering*. United States of America on acid-free paper: Taylor & Francis Group, LLC.
- Freeze R.A and Cherry J.A., 1979. *Groundwater*, 604 p, Prentice-Hall, Inc., Englewood Cliffs, NJ.
- Foster, S., and Hirata, R. (1988), *Groundwater Pollution Risk Assessment; A Methodology Using Available Data*, PAN American Center For Sanitary Engineering and Environment Sciences (CEPIS), Lima, Peru.
- Hendrayana, H. (1993), *Hydrogeologie und Grundwassergewinnung Im Yogyakarta Becken, Indonesien*, Dissertation, RWTH-Aachen.

- Hendrayana, H. (2011), Cekungan Airtanah Yogyakarta-Sleman: Geometri dan Sistem Akuifer. Jurusan Teknik Geologi, Fakultas Teknik, Universitas Gadjah Mada (UGM), Yogyakarta.
- Johansson, P.O., and Hirata, R. (2002), Groundwater Contaminant Inventory: rating of contamination source, Prepared for the international hydrological program, UNESCO. 5:63-73
- Kostraba JN, Gay EC, Rewers M, Hamman RF (1992) Nitrate levels in community drinking waters and risk of IDDM. *Diabetes Care* 15 : 1505-1508
- Liggett, J.E., and Talwar, S. (2009), Groundwater Vulnerability Assessments and Integrated Water Resource Management: Peer-reviewed Synthesis Article, Vol. 13/No.1, pp. 18-29.
- Morris, B L, Lawrence, A R L, Chilton, P J C, Adams, B, Calow R C and Klinck, B A. (2003), Groundwater and its Susceptibility to Degradation: A Global Assessment of the Problem and Options for Management. Early Warning and Assessment Report Series, RS. 03-3. United Nations Environment Program, Nairobi, Kenya.
- McDonald and Partners (1984), Greater Groundwater Resources Study Volume 3: Directorate General of Water Resources Development Project (P2AT), Ministry of Public Works, Government of the Republic of Indonesia.
- Palmer, R.C., and Lewis, M.A. (1998), Assessment of groundwater vulnerability in England and Wales, In: Robins, N.S. (ed) *Groundwater Pollution, Aquifer Recharge and vulnerability*, Geological society, London, special Publication, 130, p.191-198.
- Putra, D.P.E. (2003), *Integrated Water Resources Management in Merapi – Yogyakarta Basin*, ASEAN University Network/South East Asia Engineering Education Development Network (AUNSEED-NET), Yogyakarta (Unpublished Report).
- Putra, D.P.E. (2007), *Impact of Urbanization on Groundwater Quality: A Case Study in Yogyakarta City, Indonesia*.
- Putra, D.P.E. (2011), Evaluation of groundwater chemistry on shallow aquifer of Yogyakarta city urban area, Department of Geological Engineering, Faculty of Engineering, Gadjah Mada University, Yogyakarta, Indonesia. Vol. 3(2), pp. 116-124.

- Phonhalath, K. (2007), Assessment of Groundwater Contaminant Loading Potential for Yogyakarta Urban Area, Geological Engineering Department, Gadjah Mada University.
- Piseth, S.(2014),Groundwater pollution hazard assessment in Yogyakarta City, Yogyakarta Special Province, Indonesia, Geological Engineering Department, Gadjah Mada University.
- Rahardjo W, Sukandarrumidi, Rosidi HMD (1977) Geological map of the Yogyakarta quadrangle, Java. Geological Survey of Indonesia, Ministry of Mines, Jakarta.
- Rivett, M. Drewes, J. Barrett, M. Chilton, J. Appleyard, S. Dieter, H. Wauchope, D., & Fastner, J. 2004, Chemicals: Health relevance, transport and attenuation. World Health Organization
- Rosen M. R., 2009. Nitrates in Southwest Groundwater. Nevada Water Science Center, USGS and Christian Kropf – Dept. of Water Resources, Washoe County, Nevada.
- Sudarmadji (1991), Agihan geografi sifat kimiawi airtanah bebas di Kotamadya Yogyakarta, disertasi, Universitas Gadjah Mada, Yogyakarta.
- Spitz K. & Moreno J., 1996. *A Practical Guide to Groundwater and Solute Transport Modeling*. Toronto: John Wiley & Sons, Inc.
- Vrba, J., and Zoporozec, A. (1994), Guidebook on Mapping Groundwater Vulnerability, prepare for the international association of hydro geologists, volume 16/1994.
- Van Maanen (1994) Consumption of drinking water with high nitrate levels causes hypertrophy of the thyroid. *Toxicol Lett* 72 : 365-374
- Windle Taylor E (1974) Nitrates in water supplies. *Q Bull In Water Supply Assoc* 1 : 5-25
- Zaporozec, A., and Miller, J.C. (2000), *Groundwater Pollution*, UNESCO, Paris, France, 24 pp.
- Zaporozec, A. (2002), Groundwater Contaminant Inventory, Prepared for the international hydrological program, UNESCO.