

DAFTAR PUSTAKA

- Abraham, S and Ramachandran, A. (2012). Estimation of Quality of Life in Haemodialysis Patients. *Indian Journal of Pharmaceutical Sciences*, 74(6), 583-587.
- Abu-ALMakarem, Z. (2004). *Nutritional Status Assessment of the Hemodialysis Patients in Riyadh Al-Kharj Hospital*. King Saud University, Department of Community Health Sciences.
- Adams, G., & Vaziri, N. (2006). Skeletal Muscle Dysfunction in Chronic Renal Failure: Effects of Exercise. *Am J Physiol Renal Physiol*, 290, F753-F761.
- Adey, D., Kumar, R., McCarthy, J., & Nair, K. (2000). Reduced Synthesis of Muscle Proteins in Chronic Renal Failure. *Am. J. Physiol. Endocrinol. Metab.*, 278, E219-E225.
- Alfitri, K. (2015). *Handgrip Strength sebagai Alat Asesmen Gizi pada Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RSUP Dr. Sardjito Yogyakarta*. Skripsi, Universitas Gadjah Mada, Fakultas Kedokteran, Yogyakarta.
- Almatsier, S. (2010). *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.
- Anand, S., Johansen, K., & Tamura, M. (2013). Aging and Chronic Kidney Disease: The Impact on Physical Function and Cognition. (S. Kritchevsky, Penyunt.) *J Gerontol A Biol Sci Med Sci*, 1-8.
- Arityaningrum, B. (2015). *Faktor-faktor yang Berhubungan dengan Kejadian Hipertensi Tidak Terkendali pada Penderita yang Melakukan Pemeriksaan Rutin di Puskesmas Kedungmundu Kota Semarang Tahun 2014*. Universitas Negeri Semarang, Jurusan Ilmu Kesehatan Masyarakat Fakultas Ilmu Keolahragaan, Semarang.
- Bossola, M., Stefania, G., Giovanna, L., & al, e. (2009). Body Mass Index, Comorbid Conditions, and Quality of Life in Hemodialysis Patients. *JNephrol*, 22, 508-514.
- Butar-Butar, A., & Siregar, C. (2012). Karakteristik Pasien dan Kualitas Hidup Pasien Gagal Ginjal Kronik yang Menjalani Terapi Hemodialisa. *Jurnal Keperawatan Klinis*, 4(1).
- Carrero, J., Stenvinkel, P., Cuppari, L., Ikizler, T., Kalantar-Zadeh, K., Kaysen, G., et al. (2013). Etiology of the protein-energy wasting syndrome in

chronic kidney disease: a consensus statement from the international society of renal nutrition and metabolism (ISRNM). *Journal of Renal Nutrition*, 77-90.

- Chertow, G., Johansen, K., Lew, N., Lazarus, J., & Lowrie, E. (2000). Vintage, Nutritional Status, and Survival in Hemodialysis Patients. *Kidney International*, 57, 1176-1181.
- Chung, S., Koh, E., Shin, S., & Park, C. (2012). Malnutrition in Patients with Chronic Kidney Disease. *Open Journal of Internal Medicine*, 2, 89-99.
- Collins, A., & al, e. (2013). 2013 USRDS Annual Data Report: Atlas of Chronic Kidney Disease and End-Stage Renal Disease in the United States. *American Journal of Kidney Disease*, 63(1), 215-118.
- Dahlan, M. (2008). *Statistik untuk Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.
- DeBruyne, L., Prinna, K., & Whitney, E. (2012). *Nutrition and Diet Therapy* (Eighth ed.). USA: Wadsworth.
- DeFronzo, R., & Tripathy, D. (2009, November). Skeletal muscle insulin resistance is the primary defect in type 2 diabetes. *Diabetes Care*, 32(2), S157-S163.
- Dwana, N. (2014). *Hubungan Indeks Massa Tubuh (IMT) dengan Kekuatan Gengaman Tangan pada Pasien yang Menjalani Hemodialisis di Rumah Sakit Umum Dr. Zainal Abidin*. Skripsi, Universitas Syi'ah Kuala, Fakultas Kedokteran.
- Ellis, H., & Mahadevan, V. (2012). *Clinical Anatomy: Applied Anatomy for Students and Junior Doctors* (12th ed ed.). United Kingdom: Blackwell Publishing.
- Fahmia, N., Tatik, M., & Erma, H. (2012, November). Hubungan Asupan Energi dan Protein dengan Status Gizi pada Penderita Gagal Ginjal Kronik yang Menjalani Hemodialisa Rawat Jalan di RSUD Tugurejo Semarang. *Jurnal Gizi Universitas Muhammadiyah Semarang*, 1(1).
- Fouque, D., Kalantar-Zadeh, K., Kopple, J., Cano, N., Chauveau, P., Cuppari, L., et al. (2008). A Proposed Nomenclature and Diagnostic Criteria for Protein-Energy Wasting in Acute and Chronic Kidney Disease. *Kidney International*, 73, 391-398.

- Fouque, D., Vennegoor, M., Wee, P., Wanner, C., Basci, A., Canaud, B., et al. (2007). EBPJ Guideline on Nutrition. *Nephrol Dial Transplant*, 22(2), ii45-ii87.
- Garcia, M. M. (2013). Relationship Between Hand Grip Strength and Nutritional Assessment Methods Used of Hospitalized Patients. *Revista de Nutrição*, 26(1), 49-57.
- Garcia, M., Wazlawik, E., Moreno, Y., Fuhr, L., & Gonzalez-Chica, D. (2013, August). Diagnostic accuracy of handgrp strength in the assesment of malnutrition in hemodialyzed patients. *e-SPEN Journal*, 8(4), e181-e186.
- Giannaki, C., Sakkas, G., Karatzaferi, C., Hadjigeorgiou, G., Lavdas, E., & Liakopoulos, V. (2011, October). Evidence of Increased Muscle Atrophy and Impaired Quality of Life Parameters in Patients with Uremic Restless Legs Syndrome. *PLoS ONE*, 6(10), 1-7.
- Himmelfarb, J., & Ikizler, A. (2010). Hemodialysis. *The New England Journal of Medicine*, 363, 1833-45.
- Himmelfarb, J., & Sayegh, M. (2010). *Chronic Kidney Disease, Dialysis, and Transplantation: A Companion to Brenner & Rector's The Kidney* (Third ed.). Philadelphia: Elsevier.
- Hörl, W. H., Koch, K. M., Lindsay, R. M., Ronco, C., & F, W. J. (2004). *Replacemnet of Renal Function by Dialysis 5th Edition*. Dordrecht: Kluwer Academic Publisher.
- Ikizler, T. A., Pupim, L., Broulette, J., Levenhagen, D., Farmer, K., Hakin, R., et al. (2002). Hemodialysis Stimulates Muscle and Whole Body Protein Loss and Alters Substrate Oxidation. *American Journal of Physiology and Endocrinology Metabolism*, 282, E107-E116.
- Johansen, K., Shubert, T., Doyle, J., Soher, B., Sakkas, G., & Kent-Braun, J. (2003). Muscle Atrophy in Patients Receiving Hemodialysis: Effects on Muscle Strength, Muscle Quality, and Physical Function. *Kidney International*, 63, 291-297.
- Karkar, A. (2012). Modalities of Hemodialysis: Quality Improvement. *Saudi Journal of Kidney Diseases and Transplantation*, 23(6), 1145-1161.
- Kaur, N., & Shyamal, K. (2010). An Association of Nutritional Status and Hand Grip Strength in Female Labourers of North India. *Anthropologist*, 12(4), 237-243.

- KDIGO. (2012, January). Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. 3(1).
- Kluthe, R., Luttgen, M., Capetianu, T., Heinze, V., Katz, N., & Sudhoff, A. (1978, October). Protein Requirements In Maintenance Hemodialysis. *The American Journal of Clinical Nutrition*, 31, 1812-1820.
- Leal, V., Stockler-Pinto, M., Farage, N., Aranha, L., Fouque, D., Anjos, L., et al. (2011). Handgrip Strength and Its Dialysis Determinants in Hemodialysis Patients. *Nutrition*, xxx, 1-5.
- Lemeshow, S., & Hosmer, D. (1997). *besar Sampel dalam Penelitian Kesehatan*. Yogyakarta: Gadjah Mada University Press.
- Levey, A., Eckardt, K., Tsukamoto, Y., Levin, A., Coresh, J., Rossert, J., et al. (2005). Definition and Classification of Chronic Kidney Disease: A Position Statement from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney International*, 67, 2089-2100.
- Limaye, V., Frankham, A., Disney, A., & Pile, K. (2001). Evaluation of Hand Function in Patients Undergoing Long Term Haemodialysis. *Ann Rheum Dis*, 60, 278-280.
- Mafra, D., Guebre-Egziabher, & D, F. (2008). Body mass index, muscle and fat in chronic kidney disease: questions about survival. *Nephrol Dial Transplant*, 23, 2461-2466.
- Mahdavi, S. (2013). *Predictors of Muscle Function in Hemodialysis Patients*. Thesis, University of Toronto, Exercise Sciences.
- Mak, R., Ikizler, A., Csaba, P., Raj, D., Stevenikel, P., & Kalantar-Zadeh, K. (2011). Wasting in Chronic Kidney Disease. *Journal of Cachexia Sarcopenia Muscle*, 2, 9-25.
- Meuwese, C., Carrero, J., & Stenvinkel, P. (2011). Recent Insights in Inflammation-Associated Wasting in Patients with Chronic Kidney Disease. Dalam C. Ronco, & M. Rosner, *Hemodialysis: New Methods and Future Technology* (Vol. 171, hal. 120-126). Karger.
- Mitch, W., & Ikizler, T. (2010). *Handbook of Nutrition and the Kidney* (Sixth ed.). Philadelphia: Lippincott Williams & Wilkins.
- Murray, R., Granner, D., & Rodwell, V. (2009). *Biokimia Harper* (27 ed.). Jakarta: EGC.

- Muscaritoli, M., Molfino, A., Bollea, M., & Rossi, F. (2009). Malnutrition and wasting in renal disease. *Clinical Nutrition and Metabolic Care*, 12, 378-383.
- Muscaritoli, M., Molfino, A., Bollea, M., & Rossi, F. (2009). Malnutrition and Wasting in Renal Disease. *Critical Nutrition and Metabolic Care*, 12, 378-383.
- Nair, S. (2005). Aging muscle. *The American Journal of Clinical Nutrition*, 81, 953-963.
- NKF-DOQI. (2002). Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification, and Stratification. 39(suppl 1), hal. S1-S266.
- Noer, E. (2005). *Gambaran Status Gizi Penderita Gagal Ginjal Kronik dengan Hemodialisis*. Skripsi, Universitas Diponegoro, Fakultas Kedokteran.
- Nur, E., & Cintari, L. (2012). Determinan kualitas hidup penderita penyakit ginjal kronik yang menjalani hemodialisa. *Jurnal Skala Husada*, 9(1), 90-96.
- Park, S., Goodpaster, B., Strotmeyer, E., Kuller, L., Broudeau, R., Kammerer, C., et al. (2007). Accelerated loss of skeletal muscle strength in older Adults with type 2 diabetes. *Diabetes Care*, 30(6), 1507-1512.
- Pearce, E. (2009). *Anatomi dan Fisiologi Untuk Paramedis*. Jakarta: Gramedia Pustaka Utama.
- Pernefri. (2011). *4th Report of Indoseian Renal Registry*.
- Pinto, A., Ramos, C., Meireles, M., Kamimura, M., & Cuppari, L. (2015). Impact of hemodialysis session on handgrip strength. *J Bras Nefrol*, 37(4), 451-457.
- Price, S., Gooch, J., Donaldson, S., & Roberts-Wilson, T. (2010, September). Muscle Atrophy in Chronic Kidney Disease Results from Abnormalities in Insulin Signaling. *J Ren Nutr*, 20(5 suppl), S24-S28.
- Qureshi, R., Alvestrand, A., Danielsson, A., & al, e. (1998). Factors Predicting Malnutrition in Hemodialysis Patients: A Cross-Sectional Study. *Kidney International*, 53, 773-782.
- R, L. D., Rinayanti, A., & Priambodo, H. (2013). *Penatalaksanaan penyakit diabetes mellitus tipe 2 pada pasien rawat inap di RSUD Koja Jakarta Utara*. Jakarta: Fakultas Farmasi Universitas 17 Agustus 1945.
- RI, K. (2013). *Riset Kesehatan Dasar Tahun 2013*. Kementerian Kesehatan RI. Badan Penelitian dan Pengembangan Kesehatan.

- Roberts, H., Denison, H., Martin, H., Patel, H., Syddal, H., Cooper, C., et al. (2011). A Review of The Measurement of Grip Strength in Clinical and Epidemiological Studies: Towards A Standardised Approach. *Age and Aging*, 1-7.
- Rosmalina, Y., Permaesih, D., Rustan, E., Ernawati, F., Moeloek, D., & Herman, S. (2001). Faktor-Faktor yang Mempengaruhi Muscle Strength pada Laki-Laki Lanjut Usia. *Buletin Penelitian Kesehatan*, 29(4), 184-194.
- Rosner, B. (2011). *Fundamentals of Biostatistics* (7th edition ed.). Boston, USA: Brooks/Cole.
- Ross, M., & Pawlina, W. (2011). *Histology: A Text and Atlas: with Correlated Cell and Molecular Biology* (Sixth ed.). Philadelphia: Lippincott Williams & Wilkins.
- Runge, M., & Patterson, C. (2006). *Principles of Molecular Medicine* (2nd ed.). Totowa, New Jersey: Humana Press.
- Sakkas, G., I, S., V, L., & KL, J. (2004). Male Dialysis Patients Are Subject to A Higher Rate of Muscle Wasting and Weakness than Female Counterparts. *Hippokratia*, 8(4), 155-160.
- Sari, N., & Hisyam, B. (2014, Jan-Apr). Hubungan antara diabetes melitus tipe II dengan kejadian gagal ginjal kronik di rumah sakit PKU Muhammadiyah Yogyakarta periode Januari 2011-Oktober 2012. *JKKI*, 6(1), 11-18.
- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis* (Edisi ke-4 ed.). Jakarta: Sagung Seto.
- Schmidt, A., Luger, A., & Ho"rl, W. (2002). Sexual Hormone Abnormalities in Male Patients with Renal Failure. *Nephrol Dial Transplant*, 17, 368-371.
- Setiawan, D., & Setiowati, A. (2014, September). Hubungan Indeks Massa Tubuh (IMT) terhadap Kekuatan Otot pada Lansia di Panti Wredha Rindang Asih III Kecamatan Boja. *Journal of Sport Sciences and Fitness*, 3(3), 30-35.
- Setiowati, A. (2014, Juli). Hubungan Indeks Massa Tubuh, Persen Lemak Tubuh, Asupan Zat Gizi dengan Kekuatan Otot. *Jurnal Media Ilmu Keolahragaan Indonesia*, 4(1), 32-38.
- Shambhuvani, M., Diwan, S., & Vyas, N. (2015). Effect of longstanding diabetes mellitus II on handgrip strength: an observational study. *IAIM*, 2(5), 135-139.

- Silbiger, S., & Neugarten, J. (1995, April). The impact of gender on the progression of chronic renal disease. *American Journal of Kidney Disease*, 25(4), 515-533.
- Slomowitz, L., Monteon, F., Grosvenor, M., Laidlaw, S., & Kopple, J. (1989). Effect of energy intake on nutritional status in maintenance hemodialysis patients. *Kidney International*, 35, 704-711.
- Sompie, E., Kaunang, T., & Munayang, H. (2015). *Hubungan Antara Lama Menjalani Hemodialisis dengan Depresi Pada Pasien dengan Penyakit Ginjal Kronik di RSUP Prof. Dr. R. D. Kandou Manado*. Skripsi, Universitas Gadjah Mada, Fakultas Kedokteran, Yogyakarta.
- Sulaiman, AK, D. C., & Widaryati. (2015). *Hubungan Lamanya Hemodialisis dengan Fatigue pada Pasien Gagal Ginjal di RS PKU Muhammadiyah Yogyakarta*. Yogyakarta: STIKES 'Aisyiyah Yogyakarta.
- Sulistyaningsih, D. (2014). Efektivitas Latihan Fisik Selama Hemodialisis terhadap Peningkatan Kekuatan Otot Pasien Penyakit Ginjal Kronik di Rumah Sakit Umum Daerah Kota Semarang. *Prosiding Konferensi Nasional II PPNJ Jawa Tengah 2014*. Semarang.
- Supariasa, I., Bakri, B., & Fajar, I. (2001). *Penilaian Status Gizi*. (M. Ester, Penyunt.) Jakarta: EGC.
- Suriani, N. (2012). *Gangguan Metabolisme Karbohidrat pada Diabetes Melitus*. Malang: Fakultas Kedokteran Universitas Brawujaya.
- Susetyowati, d. (2002). Pengaruh Konseling Gizi dengan Buklet terhadap Konsumsi Makanan dan Status Gizi Penderita Gagal Ginjal Kronik dengan Hemodialisis di RSUP Dr. Sardjito.
- Swarjana, I. (2012). *Metodologi Penelitian Kesehatan*. Yogyakarta: CV ANDI OFFSET.
- Syaiful, H., Oenzil, F., & Afriant, R. (2014). Hubungan Umur dan Lamanya Hemodialisis dengan Status Gizi pada Penderita Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RS Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, 3(3), 381-386.
- Thompson, B. (2013). Hand Grip Strength (HGS) as An Indicator of Nutritional Status in Patients in A Rural Hospital.

- Thomson, P. (2009). *A Study of the Complications Associated with Haemodialysis Vascular Access in Patients with Renal Failure*. Thesis, University of Glasgow.
- Thomson, P. (2009). *A Study of The Complications Associated with Haemodialysis Vascular Access in Patients with Renal Failure*. Thesis, University of Glasgow.
- Tjekyan, R. (2014, Oktober). Prevalensi dan Faktor Risiko Penyakit Ginjal Kronik di RSUP Dr. Mohammad Hoesin Palembang Tahun 2012. *MKS*, 46(4), 276-282.
- Tzanakaki, E., Vagia, B., Areti, S., & al, e. (2014). Causes and Complications of Chronic Kidney Disease in Patients on Dialysis. *Helath Science Journal*, 8(3), 343-349.
- Utami, K. (2010). *Hubungan Antara Gagal Ginjal Kronis dengan Gambaran Sedimen Urin di Kandung Kemih pada Pemeriksaan Ultrasonografi*. Skripsi, Universitas Sebelas Maret, Surakarta.
- Vogt, B., Borges, M., de Goes, C., & Caramori, J. (2016). Handgrip strength is an independent predictor of all-cause mortality in maintenance hemodialysis patients. *Clinical Nutrition*, xxx, 1-5.
- Wang, A., Sea, M., Ho, Z., Lui, S., Li, P., & Woo, J. (2005). Evaluation of Handgrip Strength as A Nutritional Marker and Prognostic Indicator in Peritoneal Dialysis Patients. *Am J Clin Nutr*, 81(1), 79-86.
- Wardani, V. (2014). *Hubungan Antara Asupan Energi dan Protein dengan Status Gizi (SGA) pada Pasien Rawat Jalan Hemodialisis di Yayasan Ginjal Diatrans Indonesia, Jakarta Timur Tahun 2014*. Jakarta: Universitas Muhammadiyah Prof. Dr. Hamka.
- Wing, S. (2002). *Skeletal Muscle Pathology, Diagnosis and Management of Disease*. (V. Preedy, & T. Peters, Penyunt.) London: Greenwich Medical Media.
- Wiyanthi, M. (2005). *Hubungan Asupan Energi dan Protein dengan Status Gizi berdasarkan Subjective Global Assessment pada Pasien Gagal Ginjal Kronik dengan Continous Ambulatory Peritoneal Dialysis di RS Dr. Sardjito Yogyakarta*. Skripsi, Universitas Gadjah Mada, Yogyakarta.
- Yardimci, B., Sumnu, A., Kaya, I., Gursu, M., Aydin, Z., Karadag, S., et al. (2015). Is Handgrip Strength and Key Pinch Measurement Related with

Biochemical Parameters of Nutrition in Peritoneal Dialysis Patients? *Pak J
Med Sci*, 31(4), 941-945.