

DAFTAR PUSTAKA

- Agyemang K, Han L, Liu E, Zhang Y, Wang T, Gao X (2013). *Review Article: Recent Advances in Astragalus membranaceus Anti-Diabetic Research: Pharmacological Effects of Its Phytochemical Constituents. Evid Based Complement Alternat Med.*2013:654643.
- Akbarzadeh A, Norouzian D, Mehrabi MR, Jamshidi Sh, Farhangi A, Verdi AA, Mofidian SMA, & Rad BL (2007). Induction of diabetes by streptozotocin in rats. *Indian J Clin Biochem* 22 (2): 60-64.
- Altaf R, Asmawi MZ, Dewa A, Sadikun A, & Umar MI (2013). Phytochemistry and medicinal properties of *Phaleria macrocarpa* (Scheff.) Boerl. extracts. *Pharmacogn Rev* 7(13):73-80.
- Anonim (2003). *Astragalus membranaceus* monograph. *Altern Med Rev* 8(1):72-7.
- Atiba A, Ueno H, Uzuka Y (2011). The effect of aloe vera oral administration on cutaneous wound healing in type 2 diabetic rats. *J Vet Med Sci* 73(5):583-589.
- Badan Penelitian dan Pengembangan Kementerian Kesehatan RI (2008). *Riset Kesehatan Dasar 2007*. Kementerian Kesehatan RI, Jakarta.
- Badan Penelitian dan Pengembangan Kementerian Kesehatan RI (2013). *Riset Kesehatan Dasar 2013*. Kementerian Kesehatan RI, Jakarta.
- Bermudez DM, Herdrich BJ, Xu J, Lind R, Beason DP, Mitchell ME, Soslowsky LJ, & Liechty KW (2011). Impaired biomechanical properties of diabetic skin, Implications in pathogenesis of diabetic wound complications. *Am J Pathol* 178: 2215-2223.
- Busuioc CJ, Popescu FC, Mogoşanu GD, Lascăr I, Pirici I, Pop OT, Mogoantă L (2011). Angiogenesis assessment in experimental third degree skin burns: a histological and immunohistochemical study. *Rom J Morphol Embryol* 52(3):887-895.

- Clayton W & Elasy TA (2009). A review of the pathophysiology, classification, and treatment of foot ulcers in diabetic patients. *Clin diabetes* 27(2):52-58.
- Division of Diabetes Translation CDC (2014). *National Diabetes Statistics Report*. Centers for Disease Control and Prevention, Atlanta.
- Easmin MS, Sarker MZI, Ferdosh S, Shamsudin SH, Yunus KB, Uddin MS, Sarker MMR, Akanda MJH, Hossain MS, & Khalil HPSA (2015). Bioactive compounds and advanced processing technology: *Phaleria macrocarpa* (sheff.) Boerl, a review. *J Chem Technol Biotechnol* 90(6):981-991.
- Fariza NI, Fadzureena J, Zunoliza A, Chuah AL, Pin KY, & Adawiyah I (2012). Anti-inflammatory activity of the major compound from methanol extract of *Phaleria macrocarpa* leaves. *J Applied Sci* 12:1195-1198.
- Gal P, Kilik R, Mokry M, Vidinsky B, Vasilenko T, Mozes S, Bobrov N, Tomori Z, Bober J, Lenhardt L (2008). Simple method of open skin wound healing model in corticosteroid-treated and diabetic rats: standardization of semi-quantitative and quantitative histological assessments. *Veterinarni Medicina* 53(12):652-659.
- Galiano RD, Tepper OM, Pelo CR, Bhatt KA, Callaghan M, Bastidas N, Bunting S, Steinmetz HG, Gurtner GC (2004). Topical vascular endothelial growth factor accelerates diabetic wound healing through increased angiogenesis and by mobilizing and recruiting bone marrow-derived cells. *Am J Pathol* 164:1935-1947.
- Gautam MK, Gangwam M, Singh SK, Goel RK (2015). Effects of *Azardirachta indica* on vascular endothelial growth factor and cytokines in diabetic deep wound. *Planta Med* 81(9):713-721.
- Ghufron M (2011). *Pengaruh ekstrak etanol daun mahkota dewa (*Phaleria macrocarpa* (Scheff Boerl) terhadap aktivitas sel NK dan makrofag mencit*. Disertasi. Universitas Gadjah Mada, Yogyakarta.

- Guo S & DiPietro LA (2010). Factors affecting wound healing. *J Dent Res* 89(3):219-229.
- Hossain MA, Al-Toubi WAS, Weli AM, Al-Riyami QA, Al-Sabahi JN (2013). Identification and characterization of chemical compounds indifferent crude extracts from leaves of Omani neem. *J Taibah Univ Sci* 7:181-188.
- Kant V, Gopal A, Kumar D, Pathak NN, Ram M, Jangir BL, Tandan SK, Kumar D (2015). Curcumin-induced angiogenesis hastens Wound healing in diabetic rats. *J Surg Res.* 193(2):978-88.
- Kitagawa I, Fukuda Y, Taniyama T, Yoshikawa M (1995). Chemical studies on crude drug processing. VIII. On the constituent of *Rehmanniae radix* (2): absolute stereostructures of Rehmaglucin C and glutinoside isolated from chinese *Rehmanniae radix*, the dried root of *Rehmannia glutinos* LIBOSCH. *Chem. Pharm. Bull.* 43(7):1096-1100.
- Kliegman RM, Stanton BF, St. Geme JW, Schor NF, Behrman RE (2011). Diabetes Mellitus. *Nelson Textbook of Pediatrics* edisi ke-19. Elsevier, Philadelphia.
- Ko CH, Yi S, Ozaki R, Cochrane H, Chung H, Lau W, et al. (2014). Healing effect of a two-herb recipe (NF3) on foot ulcers in chinese patients with diabetes: a randomized double-blind placebo-controlled study. *J Diabetes* 6(4):323-34.
- Kumar V, Abbas AK, Fausto N, & Mitchell R (2007). Tissue Repair: Regeneration, Healing, and Fibrosis. *Robbins Basic Pathology* edisi ke-8. Saunders Elsevier, Philadelphia. pp. 59-79.
- Kumar V, Abbas AK, Fausto N, & Aster JC (2010). *Robins and Cotran Pathologic Basis of Disease* edisi ke-8. Saunders Elsevier, Philadelphia. pp. 79-110.
- Lodhi S & Singhai AK (2013). Wound healing effect of flavonoid rich and luteolin isolated from *Martynia annua* Linn. on streptozotocin induced diabetic rats. *Asian Pac J Trop Med* 6(4):253-259.
- Masiello P, Broca C, Gross R, Roye M, Manteghetti M, Hillaire-Buys D, Novelli M, & Ribes G (1998).

Experimental NIDDM development of a new model in adult rats administered streptozotocin and nicotinamide. *Diabetes* 47: 224-249.

Nugroho AE (2006). Review hewan percobaan diabetes mellitus: patologi dan mekanisme aksi diabetogenik. *Biodiversitas* 7(4): 378-382.

O'Loughlin A, Kulkarni M, Creane M, Vaughan EE, Mooney E, Shaw G, Murphy M, Dockery P, Pandit A, O'Brien T (2013). Topical administration of allogenic mesenchymal stromal cells seeded in a collagen scaffold augments wound healing and increases angiogenesis in the diabetic rabbit ulcer. *Diabetes* 62:2588-2594.

Pandey IP, Ahmed SF, Chhimwal S, Pandey S (2012). Chemical Composition and Wound healing activity of Volatile oil of Leaves of *Azadirachta indica* A.juss. *APAC* 1(3):62-6.

Powers AC (2012). Diabetes Mellitus. dalam Longo DL, Fauci AS, Kasper DL, Hauser SL, Jameson JL, & Loscalzo J (eds.). *Harrison's Principles of Internal Medicine* jilid II edisi ke-18. McGraw-Hill, New York. pp. 2968-3003.

Prashanth GK & GM Krishnaiah (2014). Chemical composition of the leaves of *Azadirachta Indica* Linn (Neem). *Int J Adv Eng Technol Manag Appl Sci* 1(5): 21-31.

Shodikin MA (2010). Antimicrobial activity of mahkota dewa [*Phaleria macrocarpa* (Scheff.) Boerl.] leaf extract against *Pseudomonas aeruginosa* by agar dilution and scanning electron microscopy. *Folia Medica Indonesiana* 46 (3):172-178.

Sindrilaru A & Scharffetter-Kochanek K (2013). Disclosure of the culprits: macrophages - versatile regulators of wound healing. *Adv Wound Care* 2(7):357-368.

Tam JCW, Lau KM, Liu CL, To MH, Kwok HF, Lai KK, Lau CP, Ko C, Leung PC, Fung KP, Lau CBS (2011). The *in vivo* and *in vitro* diabetic wound healing effects of a 2-herb formula and its mechanisms of action. *J Ethnopharmacol.* 134:831-838.

- Tam JC, Ko CH, Lau KM, To MH, Kwok HF, Chan YW, Siu WS, Eienne-Selloum N, Lau CP, Chan WY, Leung PC, Fung KP, Schini-Kerth VB, Lau CB. (2014). A chinese 2-herbs formula (NF3) promotes hindlimb ischemia-induced neovascularization and wound healing of diabetic rats. *J Diabetes Complications* 28(4):436-47.
- Tse HY, Hul MN, Li L, Lee SM, Leung AY, Cheng SH (2012). Angiogenic efficacy of simplified 2-herb formula (NF3) in zebrafish embryos in vivo and rat aortic ring in vitro. *J Ethnopharmacol.* 139(2):447-453.
- Wijanarko H (2005). *Aktivitas phalerin hasil isolasi dari daun mahkota dewa (Phaleria macrocarpa (Scheff.) Boerl.) sebagai pemacu fagositosis makrofag dan antiradikal in vitro.* Tesis. Universitas Gadjah Mada, Yogyakarta.