

TABLE OF CONTENTS

| | Page |
|--|------|
| APPROVAL PAGE | i |
| PRONOUNCEMENT | ii |
| DEDICATION PAGE | iii |
| ACKNOWLEDGEMENTS | iv |
| TABLE OF CONTENTS | v |
| LIST OF FIGURES | viii |
| LIST OF TABLES | x |
| NOMENCLATURE | xii |
| ABSTRACT | |
| CHAPTER 1: INTRODUCTION | 1 |
| 1.1. Background | 1 |
| 1.2. Problem Definition | 2 |
| 1.3. Scope of Research | 3 |
| 1.4. Goals of Research | 3 |
| 1.5. Advantages of Research | 3 |
| CHAPTER 2: LITERATURE REVIEW | 5 |
| CHAPTER 3: THEORICAL BACKGROUND | 10 |
| 3.1. Energy Conservation of Building Envelope | 10 |
| 3.1.1. Definition of Energy Conservation | 10 |
| 3.1.2. Definition of Building Envelope | 10 |
| 3.1.3. Energy Performance of Building Envelope | 11 |
| 3.1.4. Thermal Basic Performance of Building Envelope | 12 |
| 3.2. Overall Thermal Transfer Value of Building Envelope | 15 |
| 3.3. Life Cycle Assessment in General | 17 |
| 3.4. Life Cycle Assessment in Building Envelope | 19 |
| 3.5. Building Envelope Materials | 21 |
| 3.6. Embodied Energy and Carbon Dioxide Emission | 23 |
| CHAPTER 4: METHODOLOGY | 25 |



| | |
|--|----|
| 4.1. Research Materials | 25 |
| 4.2. Flow Chart of Research Methodology | 27 |
| 4.2.1. Literature Review | 27 |
| 4.2.2. Data Collection | 28 |
| 4.2.3. OTTV Calculation | 28 |
| 4.2.4. Life Cycle Assessment of Building Envelope | 28 |
| 4.2.5. Result Analysis | 32 |
| 4.2.6. Recommendation | 32 |
| 4.3. Building Envelope Properties of Cakra Kusuma | 30 |
| 4.4. Building Envelope Properties of Inna Garuda | 39 |
| CHAPTER 5: RESULTS AND DISCUSSION | 44 |
| 5.1. Result Analysis of Overall Thermal Transfer Value (OTTV) | 44 |
| 5.2. Sensitivity Analysis of OTTV Variables | 57 |
| 5.2.1. Heat Absorbitivity | 57 |
| 5.2.2. U-value of wall | 59 |
| 5.2.3. U-value of glass window | 59 |
| 5.2.4. Temperature different equivalent | 60 |
| 5.2.5. Shading coefficient | 61 |
| 5.2.6. Solar Factor | 61 |
| 5.3. Result Analysis of Overall Thermal Transfer Value (RTTV) | 62 |
| 5.4. Electricity Consumption Per Occupancy Rate Analysis of Hotel | 64 |
| 5.5. Embodied Energy and CO ₂ Emission of Building Envelope Materials | 67 |
| 5.6. Comparison Analysis | 75 |
| 5.6.1. Overall Thermal Transfer Value | 75 |
| 5.6.1.1. Window to Wall Ratio factor | 76 |
| 5.6.2.2. Building Orientation factor | 76 |
| 5.6.2. Roof Therma Transfer Value | 77 |
| 5.6.3. Life Cycle Assessment | 77 |
| 5.6.3.1. Embodied Energy | 77 |
| 5.6.3.2. Carbondioxide Emissions | 78 |
| 5.7. Towards Green Building Standard Hotel | 79 |



UNIVERSITAS
GADJAH MADA

**INTEGRATED ANALYSIS OF ENERGY PERFORMANCE AND LIFE
CYCLE ASSESSMENT OF HOTEL α ™ BUILDING ENVELOPE**
SOLLI DWI MURTYAS, Prof. Dr.-Ing. Ir. Harwin Saptoadi, MSE
Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

| | |
|--|----|
| CHAPTER 6: CONCLUSION AND RECOMMENDATION | 80 |
| REFERENCES | 83 |