

## DAFTAR PUSTAKA

- [1] R. Karthikeyan and S. Prakasam, "A Review – OFDM-RoF ( Radio over Fiber ) System for Wireless Network," *IJRCCT*, vol. 3, no. 3, pp. 344–349, 2014.
- [2] A. Alateeq and M. Matin, "Study of the BER performance in RoF-OFDM system modulated by QAM and PSK," *IOSRJEN*, vol. 3, no. 3, pp. 27–32, 2013.
- [3] Y. Wong, S. M. Idrus, and I. A. Ghani, "Performance Analysis of the OFDM Scheme for Wireless over Fiber Communication Link," *IJCTE*, vol. 4, no. 5, pp. 807–811, 2012.
- [4] D. S. P. Karthikeyan, R, "OFDM Signal Improvement Using Radio over Fiber for Wireless System," *IJCNCW*, vol. 3, no. June, pp. 287–291, 2013.
- [5] F. Almasoudi, K. Alatawi, and M. A. Matin, "Study of OFDM Technique on RoF Passive Optical Network," *Opt. Photonic Journal-SCRIP*, vol. 2013, no. June, pp. 217–224, 2013.
- [6] A. Caballero, D. Zibar, C. G. Schäffer, and I. T. Monroy, "Photonic downconversion for coherent phase-modulated radio-over-fiber links using free-running local oscillator," *elsevier-ScienceDirect*, vol. 17, no. 4, pp. 263–266, Jul. 2011.
- [7] A. Caballero, D. Zibar, and I. Tafur Monroy, "Digital coherent detection of multi-gigabit 40 GHz carrier frequency radio-over-fibre signals using photonic downconversion," *Electron. Lett.*, vol. 46, no. 1, p. 57, 2010.
- [8] A. Caballero, D. Zibar, and I. T. Monroy, "Performance evaluation of digital coherent receivers for phase-modulated radio-over-fiber links," *J. Light. Technol. IEEE*, vol. 29, no. 21, pp. 3282–3292, 2011.
- [9] A. Caballero, D. Zibar, R. Sambaraju, J. Marti, and I. T. Monroy, "High-Capacity 60 GHz and 75 – 110 GHz Band Links Digital Coherent Detection," *J. Light. Technol.*, vol. 30, no. 1, pp. 147–155, 2012.
- [10] A. Kanno, P. T. Dat, T. Kuri, I. Hosako, T. Kawanishi, Y. Yoshida, Y. Yasumura, and K. Kitayama, "Coherent radio-over-fiber and millimeter-wave radio seamless transmission system for resilient access networks," *IEEE Photonics J.*, vol. 4, no. 6, pp. 2196–2204, 2012.
- [11] A. Joseph and S. Prince, "Performance Analysis and Optimization of Radio over Fiber Link," in *ICCSP*, 2014, pp. 1599–1604.
- [12] D. Coelho and H. M. Salgado, "OFDM signals in WDM radio-over-fiber networks with fiber Bragg grating selection," *2009 11th Int. Conf. Transparent Opt. Networks*, pp. 9–12, 2009.
- [13] S. Mahajan and N. Kumar, "Performance Analysis of Coded OFDM Signal for Radio over Fiber Transmission," *IOSRJEEE*, vol. 1, no. 1, pp. 49–52,

2012.

- [14] P. P. M. Krishna, "Performance of OFDM MIMO Based Radio over Fiber Systems in The Presence of Phase Noise," *IJETT*, vol. 14, no. 2, pp. 97–100, 2014.
- [15] M. S. Rahman, J. H. Lee, Y. Park, and K. Kim, "Radio over Fiber as a Cost Effective Technology for Transmission of WiMAX Signals," *Int. J. Electr. Comput. Energ. Electron. Commun. Eng.*, vol. 3, no. 8, pp. 1647–1651, 2009.
- [16] A. M. Mahros, "Implementation of a Radio over Fiber OFDM Communication System in The Simulink Environment," *IRACST*, vol. 1, no. 3, pp. 123–128, 2012.
- [17] T. Kanesan, S. M. Mitani, R. Mohamad, H. M. Hizan, W. P. Ng, S. Member, Z. Ghassemlooy, S. Member, S. Rajbhandari, P. A. Haigh, and G. Chang, "Spectral Shape Impact of Nonlinear Compensator Signal in LTE RoF System," *IEEE Photonics Technol. Lett.*, vol. 27, no. 23, pp. 2481–2484, 2015.
- [18] T. Kanesan, W. P. Ng, and S. Member, "Investigation of Optical Modulators in Optimized Nonlinear Compensated LTE RoF System," *Light. Technol. J. (Volume32 , Issue 10 )*, vol. 32, no. 10, pp. 1944–1950, 2014.
- [19] A. Caballero, D. Zibar, T. Monroy, D. T. U. Fotonik, and P. Engineering, "Digital Coherent Detection of Multi-Gigabit 16-QAM signals at 40 GHz Carrier Frequency using Photonic Downconversion," *OSA/OFC/NFOEC*, no. 1, pp. 1–2, 2010.
- [20] A. Caballero, N. Guerrero, F. Amaya, D. Zibar, and I. T. Monroy, "Long Reach and Enhanced Power Budget DWDM Radio-over-Fibre Link Supported by Raman Amplification and Coherent Detection," *ECOC-Vienna, Austria*, no. 1, pp. 24–25, 2009.
- [21] A. Caballero, S. Wong, D. Zibar, L. G. Kazovsky, and I. T. Monroy, "Distributed MIMO Antenna Architecture for Wireless-over- Fiber Backhaul with Multicarrier Optical Phase Modulation," *OSA/OFC/NFOEC*, pp. 4–6, 2011.
- [22] N. G. Gonzalez, A. C. Jambrina, R. Borkowski, V. Arlunno, T. Thang, R. Rodes, X. Zhang, M. B. Othman, K. Prince, X. Yu, and J. Bevenssee, "Reconfigurable Digital Coherent Receiver for Metro-Access Networks Supporting Mixed Modulation Formats and," *OSA/OFC/NFOEC*, pp. 5–7, 2011.
- [23] D. Zibar, R. Sambaraju, R. Alemany, A. Caballero, J. Herrera, and I. T. Monroy, "Radio-Frequency Transparent Demodulation for Broadband Hybrid Wireless-Optical Links," *IEE Photonics Technol. Lett.*, vol. 22, no. 11, pp. 784–786, 2010.
- [24] R. Sambaraju, D. Zibar, A. Caballero, I. T. Monroy, R. Alemany, and J.

- Herrera, “100-GHz Wireless-Over-Fiber Links With Up to 16-Gb / s QPSK Modulation Using Optical Heterodyne Generation and Digital Coherent Detection,” *IEE Photonics Technol. Lett.*, vol. 22, no. 22, pp. 1650–1652, 2010.
- [25] A. Ofdm, D. Zibar, R. Sambaraju, A. Caballero, J. Herrera, U. Westergren, A. Walber, J. B. Jensen, J. Marti, and I. T. Monroy, “High-Capacity Wireless Signal Generation and Demodulation in 75- to 110-GHz Band Employing,” *IEE Photonics Technol. Lett.*, vol. 23, no. 12, pp. 810–812, 2011.
- [26] A. Caballero, D. Zibar, R. Sambaraju, and N. G. Gonzalez, “Engineering Rules for Optical Generation and Detection of High Speed Wireless Millimeter-wave Band Signals,” *ECOC Tech. Dig.*, pp. 38–40, 2011.
- [27] T. Kuri, T. Sakamoto, G. Lu, and T. Kawanishi, “C-14-6 DSP-Assisted Optical Coherent Detection of Uplink RoF Signal with the Effect of Phase Noise Cancellation,” *IEEE*, vol. 21, no. 12, p. 3179, 2013.
- [28] T. N. Van, “Study on Performance of Digitized Radio over Fiber( RoF ) System using EDFA and Coherent Receiver,” in *IEEE RIVF International Conference on Computing & Communication Technologies - Research, Innovation, and Vision for the Future (RIVF)*, 2013, pp. 91–96.
- [29] V. Sharma, A. Singh, and A. K. Sharma, “Challenges to radio over fiber (RoF) technology and its mitigation schemes – A review,” *elsevier-ScienceDirect*, vol. 123, no. 4, pp. 338–342, Feb. 2012.
- [30] A. M. Zin, M. S. Bongsu, S. M. Idrus, and N. Zulkifli, “An overview of radio-over-fiber network technology,” *ICP2010*, pp. 1–3, 2010.
- [31] A. Ng, *Radio-over-Fibre Technology for Broadband Wireless Communication Systems door*. 2005.
- [32] S. R. Abdollahi, H. S. Al-Raweshidy, A. Ahmadinia, and R. Nilavalan, “An all-photonic digital radio over fiber architecture,” in *IEEE Swe-CTW 2011*, 2011, pp. 62–67.
- [33] P. Assimakopoulos, A. Nkansah, N. Gomes, and D. Wake, “Multi-Channel Signal Transmission Through Radio Over Fiber Architecture,” in *WDASBMC*, 2011, pp. 152–156.
- [34] D. Wake, A. Nkansah, N. J. Gomes, and S. Member, “Radio Over Fiber Link Design for Next Generation Wireless Systems,” *IEEE Journal Lighthwave Technol.*, vol. 28, no. 16, pp. 2456–2464, 2010.
- [35] H. Nasoha and S. M. Idrus, “Modeling and Performance Analysis of WCDMA Radio over Fiber System,” *IEEE*, pp. 6–9, 2007.
- [36] S. Namdeo and R. Rani, “Designing and Performance Evaluation of 64 QAM OFDM System,” *IOSR-JECE*, vol. 5, no. 6, pp. 97–105, 2013.
- [37] V. Sharma, A. Shrivastav, A. Jain, and A. Panday, “BER performance of

- OFDM-BPSK , -QPSK , - QAM over AWGN channel using forward Error correcting code,” *IJERA*, vol. 2, no. 3, pp. 1619–1624, 2012.
- [38] L. Bora and H.-J. Kang, “A Study on the Performance of OFDM Transmission Scheme for QAM Data Symbol,” *2008 Second Int. Conf. Futur. Gener. Commun. Netw.*, pp. 267–270, Dec. 2008.
- [39] J. Faezah and K. Sabira, “Adaptive Modulation for OFDM Systems,” *IJCNIS*, vol. 1, no. 2, pp. 1–8, 2009.
- [40] M. M. Rahman, “BER performance Analysis of OFDM-BPSK, QPSK, QAM over Rayleigh fading Channel and AWGN Channel,” in *IRF international Conference*, 2014, pp. 4–8.
- [41] D. G. Filbert H. Juwono, *Prinsip-prinsip OFDM*, I. Yogyakarta: C.V Andi Yogyakarta, 2010.
- [42] P. Sharma, V. Janyani, and S. Sancheti, “Analysis of Raised Cosine Filtering in Communication Systems,” *IEEE*, pp. 9–12, 2007.
- [43] I. Bapüü, T. Salopek, and K. Malariü, “Digital Filter Analysis in Communication Channels,” in *International Symposium ELMAR-2011*, 2011, no. September, pp. 14–16.
- [44] R. Khayatzadeh, H. H. Elwan, J. Poette, and B. Cabon, “Impact of Amplitude Noise in Millimeter-Wave Radio-Over-Fiber Systems,” *J. Light. Technol. IEEE*, vol. 33, no. 13, pp. 2913–2919, 2015.
- [45] U. Sampath Kumar, V. Saminadan, and P. Williams, “Performance evaluation of millimeter wave and UWB signals over fiber radio networks,” in *ICCSP-2012*, 2012, pp. 104–107.
- [46] H. Yang, J. Zeng, Y. Zheng, H. Jung, B. Huiszoon, J. H. C. Van Zantvoort, E. Tangdionga, and A. M. J. Koonen, “Evaluation of Effects of MZM Nonlinearity on QAM and OFDM Signals in RoF Transmitter,” *IEEE*, pp. 90–93, 2008.
- [47] J. C. Cartledge, “Performance of 10 Gb / s Lightwave Systems Based on Lithium Niobate Mach-Zehnder Modulators with Asymmetric Y-Branch Waveguides,” *IEEE Photonics Technol. Lett.*, vol. 7, no. 9, pp. 1090–1092, 1995.
- [48] J. C. Cartledge, C. Rolland, S. Lemerle, and A. Solheim, “Theoretical Performance of 10 Gb / s Lightwave Systems Using a 111-V Semiconductor Mach-Zehnder Modulator,” *IEE Photonics Technol. Lett.*, vol. 6, no. 2, pp. 282–284, 1994.
- [49] O. Kharraz and D. Forsyth, “Performance comparisons between PIN and APD photodetectors for use in optical communication systems,” *elsevier-ScienceDirect*, vol. 124, no. 13, pp. 1493–1498, Jul. 2013.
- [50] M. Singh, “Performance Comparison between PIN and APD Photodiodes for use in Free Space Optical Communication Link,” *IJIRAE*, vol. 2, no. 8,

pp. 25–28, 2015.

- [51] J. Rue, M. Mark, N. Agrawal, S. Bay, W. Sherry, and W. Trenton, “High Performance 10 Gb/s PIN and APD Optical Receiver,” in *IEEE Photonics Technology Letters*, 1999, pp. 207–216.
- [52] Gerd Keiser, *Optical Fiber Communication*, 4.0 ed. New Delhi: The McGraw-Hill companies, 2008.
- [53] K. Kitayama, A. Maruta, Y. Yoshida, and I. Paper, “Digital Coherent Technology for Optical Fiber and Radio-Over-fiber Transmission Systems,” *Light. Technol. IEEE*, vol. 32, no. 20, pp. 3411–3420, 2014.
- [54] D. A. Guimaraes, *Digital Transmission- A Simulation-Aided Introduction with VisSim/Comm*. London: Springer Heidelberg Dordrecht London New York, 2009.
- [55] IEEE Computer Society, “IEEE Standards Information technology— Telecommunications and information exchange between systems— Local and metropolitan area networks— Specific requirements,” in *IEEE Computer Society*, no. July, New York, USA, 2004, pp. 1–190.