

## DAFTAR PUSTAKA

- Acotto, G.P., Davino, S., Napoli, C., Davino, M. 2006. Spread of *Tomato yellow leaf curl virus* in Sicily: partial displacement of another geminivirus originally present. *European Journal of Plant Pathology*. 114: 293-299.
- Agrios, G.N. 2005. *Plant pathology*. Elsevier Academic Press. Amsterdam.
- Alberter, B., Ali-Rezaian, M., Jeske, H. 2005. Replicative intermediates of *Tomato leaf curl virus* and its satellite DNAs. *Virology*. 331(2): 441-448.
- Amin, I. 2011. Suppressors of RNA silencing encoded by the components of the cotton leaf curl begomovirus-betasatellite complex. *Mol. Plant Microbe Interact*. 24: 973-983.
- Anderson, P.K., Morales, F.J., Jones, A.L., Markham, R.H. 2005. Whitefly and whitefly borne viruses in the tropics: building a knowledge base for a global action. CIAT.
- Astuti, S.T. 2006. Karakterisasi virus penyebab kuning pada tanaman kacang panjang. Tesis. UGM.
- Badan Penelitian dan Pengembangan Pertanian Republik Indonesia (Balitbang Pertanian RI). 2015. Regulasi. [www.litbang.pertanian.go.id/regulasi/one/12/file/BAB-V.pdf](http://www.litbang.pertanian.go.id/regulasi/one/12/file/BAB-V.pdf). Diakses pada tanggal 26 Desember 2015.
- Baumann, P., Munson, M.A., Lai, C.Y., Clark, M.A., Baumann, L., Moran, N.A., Campbell, B.C. 1993. Origin and properties of bacterial endosymbionts of aphids, whiteflies, and mealybugs. *ASM News*. 5:21-24.
- Bejarano, E.R., Khashoggi, A., Witty, M., Lichtenstein, C.P. 1996. Integration of multiple repeats of geminiviral DNA into the nuclear genome of tobacco during evolution. *Proceedings of the National Academy of Sciences USA*. 93: 759-764.
- Brown, J.K., Nelson, M.R. 1986. Whitefly-borne viruses of melons and lettuce in Arizona. *Phytopathology*. 76:236-239.
- Brown, J.K. 2007. The *Bemisia tabaci* complex: genetic and phenotypic variability drives *Begomovirus* spread and virus diversification. <http://www.apsnet.org/publications/apsnetfeatures/Pages/BemisiatabaciComplex.aspx>. Accessed on March, 22<sup>nd</sup> 2015.
- Cao, F.Q., Liu, W.X., Fan, Z.N., Wan, F.H., Cheng, L.S. 2008. Behavioural responses of *Bemisia tabaci* B biotype to three host plants and their volatiles. *Acta Entomologica Sinica*. 51(8): 830-883.
- Chang, H.H., Ku, H.M., Tsai, W.S., Chien, R.C., Jan, F.J. 2010. Identification and characterization of a mechanical transmissible *Begomovirus* causing leaf curl on oriental melon. *Eur J Plant Pathol*. 127: 219-228.
- Cohen, S., Duffus, J.E., Larsen, R.C., Liu, H.Y., Flock, R.A. 1983. Purification, serology, and vector relationships of squash leaf curl virus, a whitefly-transmitted geminivirus. *The American Phytopathological Society*. 73(12): 1669-1673.
- Cohen, S., Duffus, J.E., Liu, H.Y. 1989. Acquisition, interference, and retention of cucurbit leaf curl viruses in whiteflies. *Phytopathology*. 79: 109-113.

- Costa, H.S., Brown, J.K., Sivasupramaniam, S., Bird, J. 1993. Regional distribution, insecticide resistance, and reciprocal crosses between the A and B biotypes of *Bemisia tabaci*. *Insect Sci. Applie.* 14(2): 255-266.
- Curnutte, L. B., Simmons, A.M., Abd-Rabou, S. 2014. Climate change and *Bemisia tabaci* (Hemiptera: Aleyrodidae): Impacts of temperature and carbon dioxide on life history. *Annals of the Entomological Society of America.* 107(5): 933-943.
- Czosnek, H., Ghanim, M., Ghanim, M. 2002. The circulative pathway of *Begomovirus* in the whitefly vector *Bemisia tabaci*-insights from studies *Tomato yellow leaf curl virus*. *Ann. Appl. Biol.* 140: 215-231.
- De Barro, P.J., Hidayat, S.H., Frohlich, D., Subandiyah, S., Ueda, S. 2008. A Virus and Its Vector, *Pepper yellow leaf curl virus* and *Bemisia tabaci*, Two New Invaders of Indonesia. *Biology Invasions.* 10: 411-433.
- Diener, T.O. 1963. Physiology of virus-infected plants. *Annual Review of Phytopathology.* 1: 197-218.
- Dinsdale, A., Cook, L., Riginos, C., Buckley, Y.M, De Barro, P.J. 2010. Refined global analysis of *Bemisia tabaci* (Hemiptera: Sternorrhyncha: Aleyrodoidea: Aleyrodidae) mitochondrial cytochrome oxidase I to identify species level genetic boundaries. *Annu. Entomol. Soc. Am.* 103:196–208.
- Fang, Y., Jiao, X., Xie, W., Wang, S., Wu, Q., Shi, X., Chen, G., Su, Q., Yang, X., Pan, H., Zhang, Y. 2013. *Tomato yellow leaf curl virus* alters the host preferences of its vector *Bemisia tabaci*. *Sci Rep.* 3(2876): 1-5.
- Fauquet, C.M., Briddon, R.W., Brown, J.K., Moriones, E., Stanley, J., Zerbini, M., Zhou, X. 2008. Geminivirus strain demarcation and nomenclature. *Arch Virol.* 153(4): 783-821.
- Febria, D. Karakterisasi virus penyebab penyakit tanaman cabai (*Capsicum* sp.) pada tiga kondisi geografis. Tesis. UGM.
- Fereres, A., Moreno-delafuente, A., Moreno, A. 2013. A plant virus manipulates the behavior of its whitefly vector to enhance its transmission efficiency and spread. *Plos one.* 8(4): 1-10.
- Ghanem, G.A.M., Al-Ajlan, A.M., Abdulsalam, K.S. 2003. Whitefly-transmitted Geminivirus infecting bean (*Phaseolus vulgaris* L.) plants in Saudi Arabia. *Egypt. J. Phytopathol.* 31(1-2):1-15.
- Ghanem, G.A.M. 2002. *Okra leaf curl virus*: A monopartite *Begomovirus* infecting Okra crop in Saudi Arabia. *Arab J. Biotech.* 6(1):139-152.
- Gilbertson, R.L., Rojas, M.R., Russel, D.R. Maxwell, D.P. 1991. Use of asymmetric polymerase chain reaction and DNA sequencing to determine genetic variability of *Bean golden mosaic geminivirus* in the Dominican Republic. *J. Gen. Virol.* 72: 2843-2848.
- Glick, E., Levy, Y., Gafni, Y. 2009. The viral etiology of tomato yellow leaf curl disease-a review. *Plant Protect. Sci.* 45 (3): 81-97.
- Glick, E. 2008. Interaction with host SGS3 is required for suppression of RNA silencing by tomato yellow leaf curl virus V2 protein. *Proc. Natl Acad. Sci, USA.* 105: 157-161.

- Goodwin, P.H. 1994. Amplification of plasmid DNA to detect plant pathogenic mycoplasma-like organisms. *Ann Appl Biol.* 124: 27-36.
- Gordon, S.R.N., Collins, F.A.M., Stewart, C.S., Roye, M.E. 2014. First report of a complete genome sequence for a *Begomovirus* infecting *Jatropha Gossypifolia* in the Americas. *Arch.Virol.* 159(10):2815-2818.
- Hallan, V. 1998. Genome organization of a *Geminivirus* causing leaf curl in tomato (*Lycopersicon esculentum*). Lucknow, India: University of Lucknow, Ph.D thesis.
- Hartono, S. 2008. Identifikasi molekuler *Begomovirus* penyebab penyakit keriting kuning pada tanaman tomat di Jawa Tengah. *Jurnal Akta Agrosia.* 11(1):69-74.
- Hendriwal, Hidayat, P., Nurmansyah, A. 2011. Kisaran inang dan dinamika populasi *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) di pertanaman cabai merah. *Jurnal HPT Tropika.* 11(1): 47-56.
- Hendriwal. 2010. *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae): kisaran inang, dinamika populasi dan kelimpahan musuh alami di area pertanaman cabai merah di kecamatan Pakem, kabupaten Sleman, Daerah Istimewa Yogyakarta. Tesis. Institut Pertanian Bogor.
- Hidayat, P., Aidawati, N., Hidayat, S.H., Sartiami, D. 2008. Tanaman indikator dan teknik PCR-RAPD untuk penentuan biotipe *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae). *J. HPT. Tropika.* 8(1): 1-7.
- Hidayat, P., Satriami, D., Hidayat, S.H. 2004. Kajian ciri morfologi dan molekuler kutu kebul (Homoptera: Aleyrodidae) sebagai dasar pengendalian penyakit *Geminivirus* pada tanaman sayuran. Tesis. Institut Pertanian Bogor.
- Hull, R. 2002. *Matthew's Plant Virology.* Academic Press. San Diego, CA.
- Hunter, W.B., Hiebert, E., Webb, S.E., Tsai, J.H., Polston, J.E. 1998. Location of *Geminivirus* in the whitefly *Bemisia tabaci* (Homoptera: Aleyrodidae). *Plant Dis.* 82: 1147-1151.
- Jeyarajan, R., Ramakrishnan. 1968. Studies on the physiology of Chilli plants (*Capsicum annum*) affected by PVY II. Effect on metabolism of carbohydrates, organic acids, phenolics, and respiration. *Phytopathol.Z.* 63: 142-152.
- Jumsu, T., Hidayat, S.H., Manti, I. 2010. Hubungan strain *Geminivirus* dan serangga vektor *Bemisia tabaci* dalam menimbulkan penyakit kuning keriting cabai. *Manggoro.* 11(1): 1-7.
- Kalshoven, L.G.E. 1981. *Pest of crops in Indonesia.* Laan PA van der, penerjemah. Jakarta: PT. Ichtiar Baru-van Hoeve, Terjemahan dari: *De Plagen van de Cultuurgewassen in Indonesie.*
- Kementerian Pertanian Republik Indonesia (Kementan RI). 2015. *Rencana Strategis Kementerian Pertanian 2015-2019.*
- Ko, C-C., Hung, Y-C, Wang, C-H. 2007. Sequence characterized amplified region markers for identifying biotypes of *Bemisia tabaci* (Hem., Aleyrodidae). *J. Appl. Entomol.* 131(8): 542-547.
- Kranz, J., Schmutterer, H., Kock, W. 1978. *Diseases, pests and weeds in tropical crops,* New York: John Wiley and Sons. 320-322.

- Leke, W.N., Kvarnheden, A. 2014. Mixed infection by two west african tomato-infecting begomoviruses and ageratum leaf curl Cameroon betasatellite in tomato in Cameroon. *Arch. Virology*. 159(11): 3145-3148.
- Liu, S., Bedford, I.D., Briddon, R.W., Markham, P.G. 1997. Efficient whitefly transmission of *African cassava mosaic geminivirus* requires sequences from both genomic components. *Journal of General Virology*. 78: 1791-1794.
- Martin, J. H., Mifsud, D., Rapisarda, C. 2000 The whiteflies (Hemiptera: Aleyrodidae) of Europe and The Mediterranean basin. *Bulletin of Entomological Research*. 90: 407-448.
- McKenzie, C.L. 2002. Effect of *Tomato mottle virus* (ToMov) on *Bemisia tabaci* biotype B (Homoptera: Aleyrodidae) oviposition and adult survivorship on healthy tomato. *Florida Entomologist*. 85(2):367-368.
- Mehta, P., Wyman, J.A., Nakhla, M.K., Maxwell, D.P. 1994. Transmission of *Tomato yellow leaf curl geminivirus* by *Bemisia tabaci* (Homoptera: Aleyrodidae). *Journal of Economical Entomology*. 87: 1291-1297.
- Mishira, M., Sachan, M., Akram, M., Naimuddin. 2010. Detection of *Mungbean yellow mosaic India virus* in Kharif pulses and some weeds. *Trends in Bioscience*. 3(2): 117-119.
- Morin, S., Ghanim, M., Zeidan, M., Czosnek, H., Verbeek, M., Van den Heuvel, J.F.J.M. 1999. A GroEL homologue from endosymbiotic bacteria of the whitefly *Bemisia tabaci* is implicated in the circulative transmission of *Tomato yellow leaf curl virus*. *Virology*. 30: 75-84.
- Moya, J.J.L., Cubero, J., Abella, D.L., Ruiz, J.R.D. 1992. Detection of *Cauliflower mosaic virus* (CaMV) in single aphid by the polymerase chain reaction. *J. Virol. Methods*. 37(2): 129-137.
- Muniyappa, V., Venkatesh, H.M., Ramppa, H.K., Kulkarni, R.S., Zeidan, M., Tarba, C.Y., Ghanim, M., Czosnek, H. 2000. *Tomato leaf curl virus* from Bangalore (ToLCV-Ban4): sequence comparison with indian ToLCV isolates, detection in plants and insects, and vector relationships. *Arch Virol*. 145:1583-1598.
- Nurulita, S. 2014. Molecular characterization of *Begomovirus* infecting yard long bean (*Vigna unguiculata* subsp. *sesquipedalis* L.) and construction of its specific primers, Tesis, IPB.
- OEPP/EPPO. 2004. *Bemisia tabaci*. *Bulletin OEPP/EPPO*. 34:281-288.
- Pakhianathan, B.C., Kotsedalov, S., Lebedev, G., Mahadav, A., Zeidan, M., Czosnek, H., Ghanim, M. 2015. Replication of *Tomato yellow leaf curl virus* in its whitefly vector *Bemisia tabaci*. *J. Virol*. 1-44.
- Perring, T.M. 2001. The *Bemisia tabaci* species complex. *Crop Protection*. 20: 725-737.
- Petterschmitt, M., Granier, M., Aboulama, S. 1999. First report of *Tomato yellow leaf curl geminivirus* in Morocco. *American Phytopathological Society*. 83(11): 1074.
- Polston, J.E., Capobianco, H. 2013. Transmitting plant viruses using whiteflies. *J. Vis. Exp*. 61 (4332): 1-10.

- Poornima, P., C. G., Ambika, M. V., Tippeswamy, R., Savithri, H. S. 2011. Functional characterization of coat protein and V2 involved in cell to cell movement of cotton leaf curl Kokhran virus-Dabawali. PLoS ONE 6. e26929
- Rahayu, S.T.S. 2004. Understanding the flight activity for decision making in management of *Bemisia tabaci*. Thesis. Graduate Program Gadjah Mada University.
- Raja, P., Sanville, B. C., Buchmann, R. C., Bisaro, D. M. 2008. Viral genome methylation as an epigenetic defense against geminiviruses. J. Virol. 82. 8997-9007.
- Robertson, N.L., French R., Gray S.M. 1991. Use of group-specific primers and the polymerase chain reaction for the detection and identification of *Luteoviruses*. J Gen Virol. 72: 1473-1477.
- Rojas, M.R., Gilbertson, R.L., Russell, D.R., Maxwell, D.P. 1993. Use of Degenerate primers in the polymerase chain reaction to detect whitefly-transmitted *Geminivirus*. Plant Dis. 77: 340-347.
- Rubinstein, G., Czosnek, H. 1997. Long-term association of *Tomato yellow leaf curl virus* (TYLCV) with its whitefly vector *Bemisia tabaci*: effect on the insect transmission capacity, longevity, and fecundity. Journal of General Virology. 78: 2683-2689.
- Ruiz-Sánchez, E., Latournerie-Moreno, L., Ic-Caamal, A., Ballina-Gómez, H., Islas-Flores, I., Chan-Cupul, W., González-Mendoza, D. 2015. Survival of *Bemisia tabaci* and activity of plant defense-related enzymes in genotypes of *Capsicum annum* L. Chilean J. Agric. 75(1): 71-77.
- Santoso, T.J. 2008. Identifikasi *Begomovirus* Indonesia pada tomat dan analisis diversitas genetik dan gen AV1 serta pemanfaatannya untuk pengembangan tanaman tahan virus. Disertasi. Institut Pertanian Bogor.
- Shah, M.M.R., Liu T.X. 2013. Feeding experience of *Bemisia tabaci* (Hemiptera: Aleyrodidae) affects their performance on different host plants. PLoS ONE. 8(10): e77368.
- Sharma, R.K., Gupta, V.K., Jindal, J., Dilawari, V.K. 2007. Host associated genetic variations in whitefly, *Bemisia tabaci* (Genn.). Indian Journal of Biotechnology. 7:366-370.
- Shibuya, Y., Sakata, J. 2007. First report of *Pepper yellow leaf curl Indonesia virus* in *Ageratum conyzoides* in Indonesia. Plant Disease. 91: 1198.
- Shtayeh, M.S.A., Jamous, R.M., Husein, E.Y., Alkhader, M.Y. 2010. First report of squash leaf curl in squash (*Cucurbita pepo*), melon (*Cucumis melo*), and cucumber (*Cucumis sativus*) in the Northern West Bank of the Palestinian authority. American Phytopathological Society. 94(5):640.
- Sukanto, Kon, T., Hidayat, S.H., Ito, K., Hase, S., Takahashi, H., Ikegami, M. 2005. Begomoviruses associated with leaf curl disease of Tomato in Java, Indonesia. Journal of Phytopathology. 153(9): 562-566.
- Sulandari, S., Hidayat, S.H., Suseno, R., Harjosudarmo, J., Sosromarsono, S. 2007. Inoculation of *Pepper yellow leaf curl virus* on various plants and detection of the virus in its insect vector *Bemisia tabaci* Genn, (Hemiptera:

Aleyrodidae). Proceedings of The Third Asia Conference on Plant Pathology, Yogyakarta, Indonesia August, 20-24, 2007: 140-143.

- Sulandari, S., Hidayat, S.H., Suseno, R., Jumanto, H., Sosromarsono, S. 2001. Keberadaan virus gemini pada Cabai di DIY. Prosiding Seminar Ilmiah dan Kongres Nasional PFI ke XVI; Bogor. 22-24 Agustus 2001, 2000-2002.
- Sulandari, S., Suseno, R., Hidayat, S.H., Harjosudarmo, J., Sosromarsono, S. 2006. Deteksi dan kajian kisaran inang virus penyebab penyakit daun keriting kuning Cabai. Hayati. 13(1):1-6.
- Sulandari, S., Suseno, R., Hidayat, S.H., Sosromarsono, S., Hajosudarmo, J. 2004. Pembuatan antiserum dan kajian serologi virus penyebab penyakit daun keriting kuning Cabai. Jurnal Perlindungan Tanaman Indonesia. 10(1): 42-52.
- Sumardiyono, Y.B., Hartono, S., Sulandari, S. 2003. Epidemiology of *Pepper yellow leaf curl virus*. Indonesia Journal of Plant Protection. 9(1): 1-3.
- Tang, Y.F., He, Z. G. Du., Lu, L. H. 2014. First report of *Tomato yellow leaf curl Kanchanaburi virus* infecting Eggplant in Laos. The American Phytopathological Society Journals. 98 (3): 1.
- Tiwari, N., Sharma, P.K., Malathi, V.G. 2013. Functional characterization of C1 gene of *Cotton Leaf Curl Multan Betasatellite*. Virus Genes. 46: 111-119.
- Trinks, D. 2005. Suppression of RNA silencing by a *Geminivirus* nuclear protein, AC2, correlates with transactivation of host genes. J. Virol. 79: 2517–2527.
- Triplehorn, C.A., Johnson N.F. 2005. Borror and Delong's introduction to the study of insects. Seventh Edition. Thomson-Brooks/Cole, USA. 864p.
- Trisno, J., Hidayat, S.H., Habazar, T., Manti, I., Jamsari. 2009. Detection and sequence diversity of *Begomovirus* associated with yellow leaf curl disease of pepper (*Capsicum annuum*) in West Sumatra, Indonesia. Microbiology. 3(2): 56-61.
- Trisno, J., Hidayat S.H., Jamsari, Habazar, T., Manti, I. 2010. Identifikasi molekuler *Begomovirus* penyebab penyakit keriting kuning pada tanaman Cabai (*Capsicum annum* L.) di Sumatera Barat. Jurnal Natur Indonesia. 13(1):41-46.
- Tsai J.H., Wang, K. 1996. Development and reproduction of *Bemisia argentifolii* (Homoptera: Aleyrodidae) on five host plant. J. Environ Entomol. 25: 810-816.
- Tsai, W.S., Shih, S.L., Green S.K., Lee, L.M., Luther, G.C., Ratulangi, M., Sembel, D.T., Jan, F.J. 2009. Identification of a new *Begomovirus* associated with yellow leaf curl diseases of Tomato and Pepper in Sulawesi, Indonesia. American Phytopathological Society. 93(3): 321.
- Tsai, W.S., Shih, S.L., Rauf, A., Safitri, R., Hidayati, N., Huyen, B.T.T., Kenyon, L. 2013. Genetic diversity of *Legume yellow mosaic Begomoviruses* in Indonesia. Annuals of Applied Biology. 163(3): 367-377.
- Varsani, A., Navas-Castillo J., Moriones E., Hernandez-Zepeda C., Idris A., Brown J.K., Zerbini F.M., Martin D.P. 2014. Establishment of three new genera in the family *Geminiviridae*: *Becurtovirus*, *Eragrovirus* and *Turncurtovirus*. Arch Virol. 159(2014): 2193-2203.

- Yuliani, Hidayat, P., Sartiami, D. 2006. Identifikasi kutukebul (Hemiptera: Aleyrodidae) dari beberapa tanaman inang dan perkembangan populasinya. *Jurnal Entomologi Indonesia*. 3(1):41-49.
- Yuwono, T. 2006. Teori dan aplikasi PCR (Polymerase Chain Reaction), Penerbit Andi. Yogyakarta.
- Zhang, J., Dong, J., Xu, Y., Wu, J. 2012. V2 protein encoded by *Tomato yellow leaf curl China virus* is an RNA silencing suppressor. *Virus Res.* 163, 51-58.