

## DAFTAR PUSTAKA

- Aoyagi, Teiichiro., Hidekatsu Naka., Keisuke M., Kunihiro H., Hiromichi A. (2001) Body Mass Index for Chronic Hemodialysis Patients: stable hemodialysis and mortality. *International Journal of Urology*, 8;s71-s75
- Avram M. M., Neal M., Paul A. F., Samuel A., et al. (2012) Dialysis Vintage, Body Composition and Survival in Peritoneal Dialysis Patients. *Advances in Peritoneal Dialysis*. 28
- Carrero, J. J., Peter Steinvekel., Lilian Cuppari., T.Alp Ikizler., K. Kalantar Zadeh., et al. (2012) Etiology of the protein energy wasting syndrome in chronic kidney disease: a consensus statement from the international society of renal nutrition and metabolism (ISRNM). *Journal of Renal Nutrition*, 23(2); pp 77-90
- Chen, Jie., Hongquen P., Zhimin Y., Khun Z., et al. (2013) Combination with Anthropometric Measurements and MQSGA to Assess Nutritional Status in Chinese Hemodialysis population. *Int J. Med. Sci* 10(8): 974-980
- Chertow G, Johansen K, Lew N, Lazarus J, Lowrie E. (2000) Vintage, nutritional status, and survival in hemodialysis patients. *Kidney Int*. 57:1176–81.
- Chumlea WC, Dwyer J, Bergen C, Burkart J, Paranandi L, Frydrych A, et al. (2003) Nutritional status assessed from anthropometric measures in the HEMO study. *J Ren Nutr*.13:31-8.
- Daugirdas, J.T., Blake, P.G., Ing, T.S. (2007). *Handbook of Dialysis*. 4th ed. Philadelphia. Lipincott William & Wilkins.
- Depkes. (2002) Pedoman praktis pemantauan status gizi orang dewasa. Jakarta
- Du J, Hu Z, Mitch WE. (2005) Molecular mechanisms activating muscle protein degradation in chronic kidney disease and other catabolic conditions. *Eur J Clin Invest*, 35:157-163.
- Fouque, D., Kalantar-Zadeh, K., Kopple, J., Cano, N., Chauveau, P., Cuppari, L. et al. (2008) A Proposed Nomenclature and Diagnostic Criteria for Protein–Energy Wasting in Acute and Chronic Kidney Disease. *Kidney International*, 73 pp. 391–8.
- Gallagher, Dymrna., Steven B. Heymsfield., Moon Seong H., Susan A. Jebb., Peter R. M. (2000) Healthy body fat percentages ranges : an approach for developing guidelines based on body mass index. *Am J Clin Nutr*, 72, 694-701
- Gibson, R. S. (2005) *Principles of Nutritional Assessment Second Edition*. New York: Oxford University Press.

- Gunes, Esra. (2013). *Medical Nutrition Therapy for Hemodialysis Patients*.
- Henrich, William L. (2009). *Principles and practice of dialysis*. Philadelphia: Lipincott William &Wilkins
- Ikizler, T. A., Lara B. Pupim., John R. B., Deanna K. L. Kali Farmer., et al. (2002) Hemodialysis stimulates muscle and whole body protein loss and alters substrate oxidation. *Am J Physiol Endocrinol Metab*, 282, E107-E116
- Ikizler, T. A. (2013) Optimal Nutrition in Hemodialysis Patients. *Adv Chronic Kidney Dis*, 20(2), 181-189
- Indonesian Renal Registry (IRR). (2013). *5th Report of Indonesian Renal Registry 2011*. Perhimpunan Nefrologi Indonesia (PERNEFRI).
- Ishimura E., Okuno S., Marukawa T., Katoh Y., Hiranaka T., et al. (2001) Body fat mass in hemodialysis patients. *Am J Kidney Dis*, 41(3), S137-41
- Jameson, J. Larry., Joseph Loscalzo. (2010). *Harrison's Nephrology and Acid-Base Disorders*. China: McGraw-Hill
- Johansen K, Chertow G, Ng A, et al. (2000) Physical activity levels in patients on hemodialysis and healthy sedentary controls. *Kidney Int*. 2000;57:2564–70.
- K/DOQI, National Kidney Foundation. (2000) Clinical Practice Guidelines for Nutrition in Chronic Renal Failure. *American Journal Kidney Disease*, 35 pp. S1-140.
- K/DOQI. (2002) Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification, *National Kidney Foundation*, USA.
- Kaswari, Mustika P. (2012) Hubungan Lama Hemodialisis dengan Tingkat Kepatuhan Restriksi Cairan pada Pasien Hemodialisis Rutin di Instalasi Dialisis RSUP DR Sardjito Yogyakarta. *Skripsi*. Universitas Gadjah Mada
- Kayzen G. A., Tom G., Brett L., Ravindra L.M., Robert M.D., et al. (2012) The Effect of Frequent Hemodialysis on Nutrition and Body Composition: Frequent Hemodialysis Network Trial. *Kidney International*. 82; 90-99
- KDIGO. (2013). Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Kid Int Supplements* (3); 18-27.
- Kopple, JD., Zhu X., Lew NL., Lowrie EG. (1999). Body Weight for Height Relationships Predict Mortality in Maintenance Hemodialysis Patients. *Kidney International*, 56, pp. 1136–1148.
- Kopple, Joel D. (1999) Pathophysiology of Protein-Energy Wasting in Chronic Renal Failure. *J. Nutr*. 129: 247S-251S

- Lancet. (2015) Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 201. *Lancet*. 386; 743-800
- Leal, Viviane O., Cristiane Moraes., Milena B., Julie C. Lobo., Najla E. Farage., et al. (2012) Is a body mass index of 23 kg.m<sup>2</sup> a reliable marker for protein-energy wasting in hemodialysis patients?. *Nutrition*, 28, 973-977
- Leavey, Sean F., Keith McCullough., Erwin Hecking., David Goodkin., Friedrich K. Port., et al. (2001) Body mass index in “healthier” as compared with “sicker” hemodialysis patients: result from the dialysis outcome and practice pattern study (DOPPS). *Nephrol Dial Transplant*, 16: 2386-2394
- Lee, Seoung W., Geun Ho P., Sun Young L., Joon Ho S., Moon Jae K. (2009) Renal Disease Patients Undergoing Hemodialysis and Healthy Adults in Korea. *Yonsei Medical Journal*, 46(5), pp.658-666.
- Lemeshow, S., Hosmer, D.W., et al. (1997) *Besar Sampel dalam Penelitian Kesehatan. Gajah Mada University Press (Alih Bahasa)*. Yogyakarta: Gajah Mada University Press.
- Lim, Victoria S., Joel D. Kopple. (2000) Protein metabolism in patients with chronic renal failure; role of uremia and dialysis. *Kidney International* 58 : pp 1-10
- Lozano, R., Naghavi M., et al. (2012) Global and Regional Mortality from 235 Causes of Death for 20 Age Groups in 1990 and 2010: A Systematic Analysis for The Global Burden of Disease Study 2010. *Lancet* [Internet], Desember 15; 380 (9859) pp. 2095-128. Tersedia di: <http://www.thelancet.com>
- Lukaski, H. C., & Siders, W. A. (2003). Validity and accuracy of regional bioelectrical impedance devices to determine whole-body fatness. *Nutrition*, 19(10), 851-857.
- Mahdalena, Zulfiah. (2005) Hubungan asupan Energi dan Protein dengan Status Gizi Penderita Gagal Ginjal Kronik dengan Hemodialisis Rutin di RSUP DR Sardjito. *Skripsi*. Universitas Gadjah Mada
- Marcelli, Danielle., Katharina Brand., Pedro Ponce., Andzrej M., Cristina Marcelli., et al. (2016) Longitudinal changes in body composition in patients after initiation of hemodialysis therapy: result of international cohort. *Journal of Renal Nutrition*, 26(2); pp 72-80
- Morais, Alvaro A.C., Maria T. Silva., Joel F., Erica J., et al. (2005). Correlation of nutritional status and food intake in Hemodialysis Patients. *CLINICS*. 60(3): 185-92
- Peele, Leigh. (2010) *Body Fat Percentage: a Complete Guide to Evaluation and Measurement*

- Purwaningrum, Digna Niken. (2008). Hubungan Faktor Sosiodemografi dan Asupan Makanan dengan Status Gizi pada Pasien Ginjal Kronik dengan Hemodialisis Rutin di RSUP DR Sardjito. Skripsi. Universitas Gadjah Mada
- Puslitbang Gizi. (1980) Pedoman ringkas cara pengukuran antropometri dan penentuan gizi. Bogor.
- Qureshi, A.R., Alvestrand A., *et al.* (1998). Factors Predicting Malnutrition in Hemodialysis Patients: A Cross Sectional Study. *Kidney International*, 53 pp. 773–82.
- Rennke, Helmut G., Bradley M.Denker. (2010) *Third Edition Renal Pathophysiology the Essentials*. China: Lippincott Williams & Wilkins
- Rhee, Connie M., Danh V. Nguyen., Hamid Moradi., Steven M. Brunelli., Ramananth D., *et al.* (2015) Association of Adiponectin with Body Composition and Mortality in Hemodialysis Patients. *Am J Kidney Dis*, 66(2), 313-321
- Rodriguez, C., Carrero J. J., Qureshi A., Ketteler M., Floege J., *et al.* (2013) Influence of body mass index on the association of weight changes with mortality in hemodialysis patients. *Clin J Am Soc Nephrol*, 8(10), 1725-33
- Salahudeen, Abdulla K. (2003) Is it really good to be fat on dialysis?. *Nephrol Dial Transplant*, 18: 1248-1252
- Sja'bani, M., Dharmeizar., Lestariningsih., Bambang P. (2012) *Naskah Lengkap Simposium Nasional Peningkatan Pelayanan Penyakit Ginjal Kronik Masa Kini dan Indonesian Renal Registry Joglosemar*. Yogyakarta: PERNEFRI Wilayah Yogyakarta
- Su, Chi-Ting., Jonathan Y., Francis Pike., Daniel E. Weiner., Srinivasan Beddhu., *et al.* (2013) Changes in anthropometry and mortality in maintenance hemodialysis patients in HEMO study. *Am J Kid Dis*, 62(6); 1141-1150
- Sumida, Keichii., Kunihiro Y., Kunitoshi I., Yoshiharu T. (2016) Different impact of hemodialysis vintage on cause-specific mortality in long-term hemodialysis patients. *Nephrol Dial Transplant*, 31; 298-305
- Supariasa, I. D. N., Bachyar B., Ibnu F. (2012) *Penilaian Status Gizi*. Jakarta: Penerbit Buku Kedokteran EGC
- Syaiful, Hannie Q., Fadil Oenzil., Rudy Afriant. (2014). Hubungan Umur dan Lamanya Hemodialisis dengan Status Gizi pada Penderita Penyakit Ginjal Kronik yang menjalani Hemodialisis di RS. Dr. M. Djamil Padang. *Jurna Kesehatan Andalas*. 2014; 3(3)
- Tayyem, Reema F., Majd T. Mrayyan (2008). Assessing the Prevalence of Malnutrition in Chronic Kidney Disease Patients in Jordan. *Journal of renal nutrition*. 18(2) : pp 202-209

Weaver, A. M., Hill, A. C., Andreacci, J. L., & Dixon, C. B. (2009). Evaluation of Hand-to-Hand Bioelectrical Impedance Analysis for Estimating Percent Body Fat in Young Adults. *International Journal of Exercise Science*, 2(4), 254-263

Wheeler, Lynn A. (2012) Validation of Hand-held Bioelectrical Impedance Analysis for Assessment of Body Fat in Young and Old Adults. *Theses and Dissertations*. Paper 208. University of Wisconsin Milwaukee Digital Commons

Widyastuti, R., WR Butar Butar., Eka B. (2014) Korelasi Lama Menjalani Hemodialisis Dengan Indeks Massa Tubuh Pasien Gagal Ginjal Kronik Di Rsud Arifin Achamad Provinsi Riau Pada Bulan Mei Tahun 2014. *Jom FK* 1 (2)

Zadeh, K. Kalantar., Noriko Kuwae., Dennis Y. Wu., Ronney S. Shantouf., Denis Fourque., et al. (2006) Association of body fat and its change over time with quality of life and prospective mortality in hemodialysis patients. *Am J Clin Nutr*, 83;202-10

Zeman, F. J. and Ney, D. M. (1998) *Applications of Clinical Nutrition*. United States of America: Prentice Hall, Englewood Cliffs, New Jersey.

[www.healthgoods.com](http://www.healthgoods.com)

[www.slideshare.net](http://www.slideshare.net)