

## DAFTAR PUSTAKA

- Acharya, A. & Jim, B., 2012. *The Critically Ill Patient with Chronic Kidney Disease*, United Kingdom: Oxford University Press.
- Bansal, A. K. et al., 2014. A Study of relation between stature and ulnar length. *Int J Res Med*, 3(4), pp. 137-139.
- Bassey, E., 1986. Demi-span as a measure of skeletal size. *Ann Hum Biol*, Volume 13, pp. 499-502.
- Bloomfield, R., Steel, E. & MacLennan, G., 2006. Accuracy of weight and height estimation in an intensive care. *Critical Care Medicine*, 34(8), pp. 2153-2157.
- Bose, K., 2007. *Concept of Human Physical Growth and Development*, Midnapore: Vidyasagar University.
- Brown, C., 1999. *Mannual Ilmu Penyakit Ginjal*. Jakarta: Universitas Indonesia Press.
- Carpenter, A., Pencharz, P. & Mouzaki, M., 2015. Accurate estimation of energy requirements. *Journal of Pediatric Gastroenterology and Nutrition*, Volume 60, pp. 4-10.
- Celbis, O. & Agritmis, H., 2006. Estimation of stature and determination of sex from radial and ulnar bone lengths in a Turkish corpse sample. *Forensic Science International*, Volume 158, p. 135–139.
- Chittawatanarat, K. et al., 2012. Height prediction from anthropometric length parameters in Thai people. *Asia Pacific Journal of Clinical Nutrition*, 21(3), pp. 347-354.
- Dara, S. I., Afessa, B., Bajwa, A. A. & Albright, R. C., 2004. Outcome of patients with end-stage renal disease admitted to the intensive care unit. *Mayo Clinic Proceedings*, 79(11), p. 1385–1390.
- Elia, M. et al., 2011. *The MUST Report Nutritional screening of adults: a multidisciplinary responsibility*, Redditch: BAPPEN.
- Fatmah, 2006. Persamaan (Equation) Tinggi Badan Manusia Usia Lanjut (Manula) Berdasarkan Usia dan Etnis pada 6 Panti Terpilih Di DKI Jakarta dan Tangerang Tahun 2005. *MAKARA*, 10(1), pp. 7-16.
- Gavriilidou, N., Pihlgård, M. & Elmståhl, S., 2015. High degree of BMI misclassification of malnutrition among Swedish elderly population: Age-

adjusted height estimation using knee height and *demispan*. *European Journal of Clinical Nutrition*, Volume 69, p. 565–571.

Hall, J. G., Allanson, J. E., Gripp, K. W. & Slavotinek, A. M., 2007. *Handbook of Physical Measurements*. New York: Oxford University Press.

Hirani, V., Tabassum, F., Aresu, M. & Mindell, J., 2010. Development of New Demi-Span Equations from a Nationally Representative Sample of Adults to Estimate Maximal Adult Height. *The Journal of Nutrition Nutritional Epidemiology*, pp. 1475-1480.

Hirani, V. & Mindell, J., 2008. A comparison of measured height and demi-span equivalent height in the assessment of body mass index among people aged 65 years and over in England. *Age and Ageing*, Volume 37, pp. 311-317.

Hotchkiss, J. R. & Palevsky, P. M., 2012. Care of the critically ill patient with advanced chronic kidney disease or end-stage renal disease. *Renal System*, 18(6), pp. 599-606.

Ilayperuma, I., Nanayakkara, G. & Palahepitiya, N., 2010. A model for the estimation of personal stature from the length of forearm. *International Journal of Morphology*, 28(4), pp. 1081-1086.

Indriati, E., 2004. *Antropologi Forensik Identifikasi Rangka Manusia, Aplikasi Antropologi Biologis dalam Konteks Hukum*. Yogyakarta: Gadjah Mada University Press.

Indriati, E., 2010. *Antropometri untuk Kedokteran, Keperawatan, Gizi, dan Olahraga*. Yogyakarta: Citra Aji Parama.

Itlapuram, M. P. et al., 2015. Assessment of stature from the percutaneous measurement of ulna in healthy volunteers. *Indian Journal of Forensic and Community Medicine*, 2(3), pp. 154-157.

Jacob, T., 2000. *Antropologi Biologi*. Jakarta: Dirjen Pendidikan Tinggi.

Johansen, K. L. et al., 2003. Muscle atrophy in patients receiving hemodialysis: Effects on muscle strength, muscle quality, and physical function. *Kidney International*, Volume 63, p. 291–297.

Kahle, W., Leonhardt, H. & Platzer, W., 1991. *Atlas dan Buku Teks Anatomi Manusia*. Jakarta: Penerbit Buku Kedokteran EGC.

Leonard, M., 2009. *Chronic Kidney Disease-Mineral and Bone Disorder*, Indianapolis: National Institutes of Health.

- Madden, A. M., Tsikoura, T. & Stott, D. J., 2011. The estimation of body height from ulna length in healthy adults from different ethnic groups. *Journal of Human Nutrition and Dietetics*, Volume 25, p. 121–128.
- Murbawani, E. A., Puruhita, N. & Yudomurti, 2012. Tinggi Badan yang Diukur dan Berdasarkan Tinggi Lutut Menggunakan Rumus Chumlea pada Lansia. *Media Medika Indonesiana*, 46(1), pp. 1-6.
- MVHS, 2015. *Dialysis Program : Patient Handbook*. New York: Faxton St. Luke's Healthcare Dialysis Center.
- Navaneethan, S. D. et al., 2015. Body mass index and causes of death in chronic kidney disease. *Kidney International*, pp. 1-8.
- Nestle, N., 2009. *A guide to completing the Mini Nutritional Assesment (MNA)*. Switzerland: Nestle.
- Ngoh, H., Sakinah, H. & Harsa, A., 2012. Development of demi-span equations for predicting height among the Malaysian elderly. *Malaysian Journal of Nutrition*, 18(2), pp. 149-159.
- NHANES, 2007. *Anthropometry Procedures Manual*. New York: CDC.
- NKDEP, 2015. *Chronic Kidney Disease (CKD) and Diet: Assessment, Management, and Treatment*, Maryland: National Institutes of Health (NIH).
- Nomura, I., Kato, J. & Kitamura, K., 2005. Association between body mass index and chronic kidney disease: A population-based, cross-sectional study of a Japanese community. *Vascular Health and Risk Management*, Volume 5, pp. 315-320.
- Nuha, I. N., 2015. *Estimasi Tinggi Badan Berdasarkan Panjang Demispan dan Panjang Femur pada Mahasiswa Fakultas Kedokteran UNS Surakarta*, Surakarta: UNS.
- Pureepatpong, N., Sangiampongsa, A., Lerdpipatworakul, T. & Sangvichien, S., 2012. Stature estimation of modern thais from long bones: a cadaveric study. *Siriraj Medicine Journal*, 64(1), pp. 22-25.
- Putri, M. P. & Triyanti, 2013. *Model Prediksi Tinggi Badan Pralansia dan Lansia Berdasarkan Panjang Ulna dan Demi Span (Studi Kecamatan Bojongsari Kota Depok tahun 2013)*, Jakarta: UI.
- Rogerson, R., Gallagher, M. L. & Beebe, A., 2000. Flexible tape is an appropriate tool for knee height measurement and stature estimation of adults with developmental disabilities. *Journal of the American Dietetic Association*, 100(1), pp. 105-107.

- Saur, J. et al., 2008. Modification of the Harris-Benedict equation to predict the energy requirements of critically ill patients during mild therapeutic hypothermia. *In Vivo*, Volume 22, pp. 143-146.
- Shahar, S. & Pooy, N. S., 2003. Predictive equations for estimation of stature in Malaysian. *Asia Pacific Journal of Clinical Nutrition*, pp. 80-84.
- Supariasa, I. D. N., Bakri, B. & Fajar, I., 2012. *Penilaian Status Gizi*. Jakarta: Penerbit Buku Kedokteran EGC.
- Sutriani, K. T. & Isnawati, M., 2013. *Perbedaan antara Tinggi Badan Berdasarkan Panjang Ulna dengan Tinggi Badan Aktual Dewasa Muda di Kota Semarang*, Semarang: Universitas Diponegoro.
- Thummar, B., Patel, Z. K., Patel, S. & Rathod, S. P., 2011. Measurement of Ulnar Length for estimation of Stature in Gujarat. *National Journal of Integrated Research in Medicine*, 2(2), pp. 36-40.
- Ulijaszek, S. P. & Mascie-Taylor, C. G. N., 1994. *Anthropology: The Individual and the Population*. New York: Cambridge University Press.
- Walker, R. N., Heuberger & A, R., 2009. Predictive equations for energy needs for the critically ill. *Respiratory Care*, 54(4), pp. 509-521.
- Watson, R., 2002. *Anatomi dan Fisiologi untuk Perawat*. Jakarta: Penerbit Buku Kedokteran EGC.
- Worthington, P., 2002. Nutrition Assessment and Planning in Clinical Care. *Nutrition and Illness*. United Kingdom, pp. 159-179.
- Yurdalan, S. U., 2013. Physiotherapy in the patients on hemodialysis. H. Suzuki. *Hemodialysis*. Rijeka: InTech, pp. 845-868.
- Zerbini, C. et al., 2000. Bone mineral density in Brazilian men 50 years and older. *Brazilian Journal of Menedical and Biological Research* , Volume 33, pp. 1429-1435.