

DAFTAR PUSTAKA

- [1] Union of Concerned Scientists, “Car Emissions & Global Warming,” 2009. [Online]. Available: <http://www.ucsusa.org/clean-vehicles/car-emissions-and-global-warming#.VvrifXpTd0w>. [Accessed: 25-Jan-2016].
- [2] J. Remmlinger, M. Buchholz, M. Meiler, P. Bernreuter, and K. Dietmayer, “State-of-health monitoring of lithium-ion batteries in electric vehicles by on-board internal resistance estimation,” *J. Power Sources*, vol. 196, no. 12, pp. 5357–5363, Jun. 2011.
- [3] Y. Zou, X. Hu, H. Ma, and S. E. Li, “Combined State of Charge and State of Health estimation over lithium-ion battery cell cycle lifespan for electric vehicles,” *J. Power Sources*, vol. 273, pp. 793–803, Jan. 2015.
- [4] Z. Guo, X. Qiu, G. Hou, B. Y. Liaw, and C. Zhang, “State of health estimation for lithium ion batteries based on charging curves,” *J. Power Sources*, vol. 249, pp. 457–462, 2014.
- [5] X. Li and S. Choe, “State-of-charge (SOC) estimation based on a reduced order electrochemical thermal model and extended Kalman filter,” *2013 Am. Control Conf.*, pp. 1100–1105, Jun. 2013.
- [6] S. Yuan, H. Wu, and C. Yin, “State of charge estimation using the extended Kalman filter for battery management systems based on the ARX battery model,” *Energies*, vol. 6, no. 1, pp. 444–470, Jan. 2013.
- [7] M. U. Cuma and T. Koroglu, “A comprehensive review on estimation strategies used in hybrid and battery electric vehicles,” *Renew. Sustain. Energy Rev.*, vol. 42, pp. 517–531, 2015.
- [8] L. Lu, X. Han, J. Li, J. Hua, and M. Ouyang, “A review on the key issues for lithium-ion battery management in electric vehicles,” *J. Power Sources*, vol. 226, pp. 272–288, Mar. 2013.
- [9] X. Hu, S. Li, and H. Peng, “A comparative study of equivalent circuit models for Li-ion batteries,” *J. Power Sources*, vol. 198, pp. 359–367, 2012.
- [10] R. Xiong, H. He, H. Guo, and Y. Ding, “Modeling for lithium-ion battery used in electric vehicles,” *Procedia Eng.*, vol. 15, pp. 2869–2874, 2011.
- [11] Z. Chen, Y. Fu, and C. C. Mi, “State of charge estimation of lithium-ion batteries in electric drive vehicles using extended Kalman filtering,” *IEEE Trans. Veh. Technol.*, vol. 62, no. 3, pp. 1020–1030, 2013.
- [12] T. Sarikurt, M. Ceylan, and A. Balikeci, “An analytical battery state of health estimation method,” in *IEEE International Symposium on Industrial Electronics*, 2014, pp. 1605–1609.
- [13] C. Jiang, A. Taylor, C. Duan, and K. Bai, “Extended Kalman Filter based battery state of charge(SOC) estimation for electric vehicles,” in *2013 IEEE Transportation Electrification Conference and Expo: Components, Systems,*

and Power Electronics - From Technology to Business and Public Policy, ITEC 2013, 2013, pp. 1–5.

- [14] E. Leksono, I. N. Haq, M. Iqbal, F. X. N. Soelami, and I. G. N. Merthayasa, "State of charge (SoC) estimation on LiFePO₄ battery module using Coulomb counting methods with modified Peukert," *Proc. 2013 Jt. Int. Conf. Rural Inf. Commun. Technol. Electr. Technol. rICT ICEV-T 2013*, pp. 4–7, 2013.
- [15] S. Sepasi, R. Ghorbani, and B. Y. Liaw, "SOC estimation for aged lithium-ion batteries using model adaptive extended Kalman filter," in *2013 IEEE Transportation Electrification Conference and Expo*, 2013, pp. 1–6.
- [16] M. Coleman, C. K. Lee, C. Zhu, and W. G. Hurley, "State-of-charge determination from EMF voltage estimation: Using impedance, terminal voltage, and current for lead-acid and lithium-ion batteries," *IEEE Trans. Ind. Electron.*, vol. 54, no. 5, pp. 2550–2557, 2007.
- [17] K. C. Bae, S. C. Choi, J. H. Kim, C. Y. Won, and Y. C. Jung, "LiFePO₄ dynamic battery modeling for battery simulator," *Proc. IEEE Int. Conf. Ind. Technol.*, pp. 354–358, Feb. 2014.
- [18] G. K. Prasad and C. D. Rahn, "Model based identification of aging parameters in lithium ion batteries," *J. Power Sources*, vol. 232, pp. 79–85, 2013.
- [19] S. Dey, B. Ayalew, and P. Pisu, "Combined estimation of State-of-Charge and State-of-Health of Li-ion battery cells using SMO on electrochemical model," *Proc. IEEE Work. Appl. Comput. Vis.*, 2014.
- [20] S. Li and B. Ke, "Study of battery modeling using mathematical and circuit oriented approaches," in *IEEE Power and Energy Society General Meeting*, 2011, pp. 1–8.
- [21] P. Amiribavandpour, A. Kapoor, and J. Shearer, "The mathematical model of 18650 lithium-ion battery in electric vehicles," *2013 IEEE 8th Conf. Ind. Electron. Appl.*, pp. 1264–1269, 2013.
- [22] C. Unterrieder, M. Lunglmayr, S. Marsili, and M. Huemer, "Battery state-of-charge estimation prototype using EMF voltage prediction," in *Proceedings - IEEE International Symposium on Circuits and Systems*, 2014, pp. 622–625.
- [23] B. Balasingam, G. V. Avvari, B. Pattipati, K. R. Pattipati, and Y. Bar-Shalom, "A robust approach to battery fuel gauging, part I: Real time model identification," *J. Power Sources*, vol. 272, pp. 1142–1153, Dec. 2014.
- [24] S. X. Chen, K. J. Tseng, and S. S. Choi, "Modeling of Lithium-Ion Battery for Energy Storage System Simulation," in *2009 Asia-Pacific Power and Energy Engineering Conference*, 2009, pp. 1–4.
- [25] W. Gao, M. Jiang, and Y. Hou, "Research on PNGV model parameter identification of LiFePO₄ Li-ion battery based on FMRLS," *Proc. 2011 6th*

IEEE Conf. Ind. Electron. Appl. ICIEA 2011, pp. 2294–2297, 2011.

- [26] J. Kim and B. H. Cho, “State-of-charge estimation and state-of-health prediction of a Li-Ion degraded battery based on an EKF combined with a per-unit system,” *IEEE Trans. Veh. Technol.*, vol. 60, no. 9, pp. 4249–4260, 2011.
- [27] C. Y. Chun, J. Baek, G. S. Seo, B. H. Cho, J. Kim, I. K. Chang, and S. Lee, “Current sensor-less state-of-charge estimation algorithm for lithium-ion batteries utilizing filtered terminal voltage,” *J. Power Sources*, vol. 273, pp. 255–263, Jan. 2015.
- [28] H. He, X. Zhang, R. Xiong, Y. Xu, and H. Guo, “Online model-based estimation of state-of-charge and open-circuit voltage of lithium-ion batteries in electric vehicles,” *Energy*, vol. 39, no. 1, pp. 310–318, 2012.
- [29] X. Hu, F. Sun, Y. Zou, and H. Peng, “Online estimation of an electric vehicle Lithium-Ion battery using recursive least squares with forgetting,” in *Proceedings of the 2011 American Control Conference*, 2011, pp. 935–940.
- [30] Z. He, M. Gao, J. Xu, and Y. Liu, “Battery model parameters estimation with the sigma point Kalman filter,” *2009 Int. Conf. Artif. Intell. Comput. Intell. AICI 2009*, vol. 3, no. 60871088, pp. 303–306, 2009.
- [31] R. Xiong, H. He, F. Sun, and K. Zhao, “Evaluation on State of Charge estimation of batteries with adaptive extended kalman filter by experiment approach,” *IEEE Trans. Veh. Technol.*, vol. 62, no. 1, pp. 108–117, 2013.
- [32] K. S. Ng, C. S. Moo, Y. P. Chen, and Y. C. Hsieh, “Enhanced coulomb counting method for estimating state-of-charge and state-of-health of lithium-ion batteries,” *Appl. Energy*, vol. 86, no. 9, pp. 1506–1511, Sep. 2009.
- [33] B. Sun and L. Wang, “The SOC estimation of NIMH battery pack for HEV based on BP neural network,” in *2009 International Workshop on Intelligent Systems and Applications, ISA 2009*, 2009, pp. 1–4.
- [34] Y. Zhou, J. Sun, and X. Wang, “Power battery charging state-of-charge prediction based on genetic neural network,” in *2nd International Conference on Information Engineering and Computer Science - Proceedings, ICIECS 2010*, 2010, pp. 1–4.
- [35] I. Anand and B. L. Mathur, “State of charge estimation of lead acid batteries using neural networks,” *2013 Int. Conf. Circuits, Power Comput. Technol.*, pp. 596–599, 2013.
- [36] I. H. Li, W. Y. Wang, S. F. Su, and Y. S. Lee, “A merged fuzzy neural network and its applications in battery state-of-charge estimation,” *IEEE Trans. Energy Convers.*, vol. 22, no. 3, pp. 697–708, 2007.
- [37] X. Yan, Y. Yang, Q. Guo, H. Zhang, and W. Qu, “Electric vehicle battery SOC estimation based on fuzzy Kalman filter,” *2013 2nd Int. Symp. Instrum. Meas. Sens. Netw. Autom.*, no. 1, pp. 863–866, Dec. 2013.

- [38] M. Mastali, J. Vazquez-Arenas, R. Fraser, M. Fowler, S. Afshar, and M. Stevens, "Battery state of the charge estimation using Kalman filtering," *J. Power Sources*, vol. 239, pp. 294–307, 2013.
- [39] D. Andre, A. Nuhic, T. Soczka-Guth, and D. U. Sauer, "Comparative study of a structured neural network and an extended Kalman filter for state of health determination of lithium-ion batteries in hybrid electric vehicles," *Eng. Appl. Artif. Intell.*, vol. 26, no. 3, pp. 951–961, 2013.
- [40] T. Dragicevic, S. Sucic, and J. M. Guerrero, "Battery State-of-Charge and Parameter Estimation Algorithm Based on Kalman Filter," in *Eurocon 2013*, 2013, no. July, pp. 1519–1524.
- [41] D. Yang, G. Qi, and X. Li, "State-of-charge estimation of LiFePO₄/C battery based on extended Kalman filter," in *2013 IEEE PES Asia-Pacific Power and Energy Engineering Conference (APPEEC)*, 2013, pp. 1–5.
- [42] H. Lin, T. Liang, and S. Chen, "Estimation of Battery State of Health Using Probabilistic Neural Network," *Ind. Informatics, IEEE ...*, vol. 9, no. 2, pp. 679–685, 2013.
- [43] H. T. Lin, T. J. Liang, and S. M. Chen, "The state-of-health diagnosis of Li-Co batteries with fuzzy identification," *Conf. Proc. - 2012 IEEE 7th Int. Power Electron. Motion Control Conf. - ECCE Asia, IPEMC 2012*, vol. 4, no. 101, pp. 2678–2682, 2012.
- [44] P. Singh and D. Reisner, "Fuzzy logic-based state-of-health determination of lead acid batteries," *Telecommun. Energy Conf. 2002. INTELEC. 24th Annu. Int. IEEE*, pp. 583–590, 2002.
- [45] V. Klass, M. Behm, and G. Lindbergh, "A support vector machine-based state-of-health estimation method for lithium-ion batteries under electric vehicle operation," *J. Power Sources*, vol. 270, pp. 262–272, 2014.
- [46] T. Sarikurt, M. Ceylan, and A. Balikci, "An analytical battery state of health estimation method," in *IEEE International Symposium on Industrial Electronics*, 2014, pp. 1605–1609.
- [47] A. Zenati, P. Desprez, H. Razik, and S. Rael, "A methodology to assess the state of health of lithium-ion batteries based on the battery's parameters and a fuzzy logic system," in *2012 IEEE International Electric Vehicle Conference, IEVC 2012*, 2012, pp. 1–6.
- [48] H. J. Bergveld, W. S. Kruijt, and P. H. L. Notten, "Battery Management Systems," 2008. [Online]. Available: http://link.springer.com/chapter/10.1007/978-94-017-0843-2_2\npapers2://publication/uuid/5661C031-9973-49C1-AD0E-B24D99357EED. [Accessed: 10-Jun-2015].
- [49] J. Remmlinger, M. Buchholz, T. Soczka-Guth, and K. Dietmayer, "On-board state-of-health monitoring of lithium-ion batteries using linear parameter-varying models," *J. Power Sources*, vol. 239, pp. 689–695, 2013.

- [50] H. Zhang, R. Lu, C. Zhu, and Y. Zhao, "On-line Measurement of Internal Resistance of Lithium Ion Battery for EV and its Application Research.," *Int. J. U- & E-Service*, ..., vol. 7, no. 4, pp. 301–310, 2014.
- [51] C.-T. Chen, *Linear System Theory And Design*, Third. New York, New York, USA: Oxford University Press, 1999.
- [52] S. Haykin, *Adaptive Filter Theory Solution Manual*, Fourth. New Jersey: Prentice Hall, 2001.
- [53] X. Hu, F. Sun, Y. Zou, and H. Peng, "Online estimation of an electric vehicle Lithium-Ion battery using recursive least squares with forgetting," in *Proceedings of the 2011 American Control Conference*, 2011, pp. 935–940.
- [54] G. Welch and G. Bishop, "An Introduction to the Kalman Filter," *In Pract.*, vol. 7, no. 1, pp. 1–16, 2006.
- [55] G. L. Plett, "Extended Kalman filtering for battery management systems of LiPB-based HEV battery packs. Part 1: Introduction and state estimation," *J. Power Sources*, vol. 161, no. 2, pp. 1356–1368, Aug. 2006.
- [56] D. R. Tobergte and S. Curtis, "No Title No Title," *Journal of Chemical Information and Modeling*, 2013. [Online]. Available: http://www.hobbyking.com/hobbyking/store/__317__85__Batteries_Accessories-Turnigy_Lipoly.html. [Accessed: 20-Nov-2015].
- [57] -, *Programmable DC Electronic Load*, no. 82. Good Will Instrument Co, 2000.
- [58] The Idaho National Laboratory, "Battery Test Manual for Plug-In Hybrid Electric Vehicles," no. September, 2010.
- [59] D. of Energy, D. O. E. Id-, and USABC, "Electric Vehicle Battery Test Procedures - Rev. 2," *United States Adv. Batter. Consort.*, no. January, p. 126, 2001.
- [60] USABC, *Electric Vehicle Battery Test Procedures - Rev. 2*, no. January. 1996.
- [61] W. Communications, "Battery Testing," 2005. [Online]. Available: <http://www.mpoweruk.com/testing.htm>.